

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

62,57
1931
LIBRARY
RECEIVED
★ MAR 13 1931 ★
U. S. Department of Agriculture



F. & F. Nurseries
FLEMER HOLDING CORP.
SPRINGFIELD • NEW JERSEY



Table of Contents

For quick reference consult itemized index on pages 64 to 68.

| | |
|--|---------------|
| Deciduous Trees, Shrubs and Vines..... | Pages 3 to 29 |
| Roses | " 22 to 23 |
| Evergreens and Conifers | " 30 to 47 |
| Herbaceous Perennials..... | " 48 to 57 |
| Ground Covers..... | " 59 |
| Broad Leaved Evergreen Shrubs..... | " 62 |
| Rock Plants..... | " 58 to 59 |
| Plants for Special Purposes..... | " 58 to 63 |
| Conditions of Sale | " 2 |
| Index | " 64 to 68 |



MEMBERS

*American Association of Nurserymen
Eastern Nurserymen's Association
New Jersey Association of Nurserymen
National Advertising Campaign*

*HORTICULTURAL STANDARDS as adopted by the
A. A. N. used as a basis for grading and quotations.*

Shipping Point: MILLBURN, N. J.

Telephone: MILLBURN 6-0152

Conditions of Sale

Liability—Orders are accepted subject to prior sale and condition of stock, under the following terms. Errors made by us will be gladly corrected, but we must be notified within five days from the arrival of the stock. The plants become your property upon delivery of them to the Transportation Co., and we cannot be responsible for loss, damage or delay in transit.

Prices—Are F. O. B. our nurseries, packing extra; 250, 25 or 5 of any one variety on one order will be furnished at the 1000, 100 or 10 rates respectively.

Terms—Cash, security or satisfactory references are required from unknown parties. ALL ACCOUNTS DUE thirty days from date of invoice. Interest at six per cent (6%) per year will be charged on all overdue accounts.

Stock Specially Selected by customers at the Nurseries will be charged according to the value of the material chosen, irrespective of catalogue price.

Our Responsibility—While we exercise the greatest care to have our nursery products all genuine and reliable, and hold ourselves prepared to replace, on proper proof, all that proves untrue, we do not give any warranty, express or implied, or guarantee them to live and grow or give specified results. In case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the nursery products. No complaints will be considered that are not made within ten days after receipt of our products.

Packing—Carloads packed free. Boxing charged at cost as follows:

| | | |
|---------------------------|--------------------------|---------------------------|
| 12x 15 in. x 8 ft. \$1.75 | 23x28 in. x 8 ft. \$3.00 | 17x20 in. x 10 ft. \$3.50 |
| 15x 16 in. x 8 ft. 2.00 | 28x32 in. x 8 ft. 3.50 | 19x24 in. x 10 ft. 4.00 |
| 17x 20 in. x 8 ft. 2.25 | 31x36 in. x 8 ft. 4.00 | 23x28 in. x 10 ft. 4.50 |
| 19x 24 in. x 8 ft. 2.50 | 15x16 in. x 10 ft. 3.00 | 27x32 in. x 10 ft. 5.00 |

Delivery Service is made within one hundred miles of our nurseries at the following scheduled charges which are less than actual costs. The advantages of truck delivery are many; the cost of boxing, freight and cartage is eliminated; the stock is delivered in a much better condition than when packed in cases; and above all, the goods are landed on the grounds within a short time after being dug.

SCHEDULE OF DELIVERY CHARGES

| Amt. of Order on one delivery | First Zone 1 to 15 miles | Second Zone 15 to 30 miles | Third Zone 30 to 50 miles | Fourth Zone 50 to 75 miles | Fifth Zone 75 to 100 miles |
|----------------------------------|-----------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|
| \$1000 or more | Free..... | Free..... | Free..... | Free..... | Free..... |
| \$ 500 to \$999 | Free..... | Free..... | Free..... | 5% of order.. | 8% of order.. |
| \$ 300 to 499 | Free..... | Free..... | 5% of order | 8% of order.. | 10% of order |
| \$ 100 to 299 | 4% of order | 5% of order | 8% of order | 10% of order | Ship |
| Less than \$100 | \$5.00 | \$8.00 | \$10.00 | Ship | Ship |

Deciduous Trees, Shrubs and Vines

NOTE—The figures in italics, following each variety, indicate in feet the approximate height of that plant at maturity in the northern half of the U. S.

Varieties marked with an asterisk are best dug with a ball of earth and burlapped to minimize loss. This involves, except where marked B. & B., an extra charge per plant as follows:

2' to 4'—25c 4' to 6'—30c 6' to 8'—40c 8' to 12'—50c

ABIES. See Evergreens, page 30. Each Per 10 Per 100

ACANTHOPANAX pentaphyllum (ARALIA). *Five Leaf Aralia.* 7'-8'
Graceful arching habit. Splendid for banks—good foliage.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .40 | 3.50 | 25.00 |
| 2 | to | 3 | ft..... | .60 | 5.00 | 35.00 |
| 3 | to | 4 | ft..... | .75 | 6.00 | 40.00 |

ACER dasycarpum. *Silver Maple.* 60'-80' Quick growing, graceful.
Leaves silvery underneath—clear yellow autumn coloring.

| | | | | | | |
|----|----|----|-------------------|------|-------|--------|
| 8 | to | 10 | ft..... | 1.75 | 12.50 | 100.00 |
| 8 | to | 10 | ft., 1¼ to 1½ in. | 2.25 | 17.50 | 125.00 |
| 10 | to | 11 | ft., 1½ to 1¾ in. | 2.75 | 22.50 | 200.00 |
| 10 | to | 12 | ft., 1¾ to 2 in. | 3.25 | 27.50 | 250.00 |
| 12 | to | 13 | ft., 2 to 2¼ in. | 3.75 | 35.00 | |
| 12 | to | 13 | ft., 2¼ to 2½ in. | 4.25 | 37.50 | |

— **wieri.** *Wier Cut Leaf Maple.* 60'-80' Graceful, drooping tree.

| | | | | | | |
|----|----|----|-------------------|------|-------|--|
| 8 | to | 10 | ft..... | 2.25 | 17.50 | |
| 8 | to | 10 | ft., 1¼ to 1½ in. | 2.75 | 22.50 | |
| 10 | to | 11 | ft., 1½ to 1¾ in. | 3.50 | 30.00 | |
| 11 | to | 12 | ft., 1¾ to 2 in. | 4.00 | 37.50 | |

palmatum atropurpureum. *Purple Leaf Japanese Maple.* 6'-8' Has rich purple-red leaves that retain their color throughout summer.

GRAFTED FROM THE FINEST STRAIN.

| | | | | | | |
|----|------|----|----------------------------|-------|--------|--------|
| 15 | to | 18 | in. B. & B..... | 3.75 | 35.00 | 275.00 |
| 1½ | to | 2 | ft. B. & B..... | 5.00 | 40.00 | 350.00 |
| 2 | to | 2½ | ft. B.&B., bushy | 7.50 | 65.00 | 500.00 |
| 2½ | to | 3 | ft. B.&B., bushy | 12.00 | 100.00 | |
| 3 | ft., | | B.&B., bushy specimens.... | 17.50 | | |
| 6" | pots | 1½ | ft..... | 4.00 | 35.00 | 300.00 |
| 8" | pots | 2 | ft..... | 6.00 | 50.00 | 400.00 |

— **novum.** 6'-8' Offered for the first time, this greatly improved purple Japan Maple will undoubtedly become popular. The original imported plants were carefully reserved for propagation so that each plant is true to the bright purplish red coloring persisting throughout the summer characteristic of this distinct form.

| | | | | | | |
|----|------|----|------------------------------|-------|--------|--------|
| 15 | to | 18 | in. B. & B..... | 5.00 | 40.00 | 350.00 |
| 1½ | to | 2 | ft. B. & B..... | 7.00 | 50.00 | 450.00 |
| 2 | to | 2½ | ft. B. & B. extra bushy | 10.00 | 90.00 | |
| 2½ | to | 3 | ft. B. & B. extra bushy | 15.00 | 125.00 | |
| 3 | ft., | | extra bushy specimens, B.&B. | 20.00 | 175.00 | |

pennsylvanicum (striatum). *Striped Maple.* 20'-30' Has very distinctive green bark striped with white. Thrives in wet soil.

| | | | | | | |
|---|----|---|---------|------|--|--|
| 4 | to | 5 | ft..... | 1.75 | | |
|---|----|---|---------|------|--|--|

| | | Each | Per 10 | Per 100 |
|---|-----------------------------------|-------|--------|---------|
| ACER platanoides. <i>Norway Maple.</i> 50'-75' The most popular street tree, retains green leaves till late autumn, then turns rich yellow. | | | | |
| 6 | to 8 ft..... | 2.50 | 22.50 | 175.00 |
| 8 | to 10 ft..... | 3.50 | 30.00 | 250.00 |
| 8 | to 10 ft., 1 1/4 to 1 1/2 in..... | 4.50 | 40.00 | 350.00 |
| 10 | to 11 ft., 1 1/2 to 1 3/4 in..... | 6.00 | 55.00 | 500.00 |
| 10 | to 12 ft., 1 3/4 to 2 in..... | 7.50 | 70.00 | 650.00 |
| 12 | to 14 ft., 2 to 2 1/4 in..... | 9.00 | | |
| 12 | to 14 ft., 2 1/4 to 2 1/2 in..... | 11.00 | | |
| — globosum. <i>Globe Norway Maple.</i> 8'-10' Grafted on stems—forms a round dense head. | | | | |
| 3 | yr. heads..... | 5.00 | 40.00 | |
| 4 | yr. heads..... | 7.50 | 60.00 | |
| — schwedleri. <i>Schwedler Purple Maple.</i> 40'-60' Probably the best large growing purple leaf tree. A beautiful lawn specimen. | | | | |
| 9 | to 10 ft., 1 1/4 to 1 1/2 in. | 7.00 | 60.00 | |
| rubrum. <i>Red or Scarlet Maple.</i> 50'-75' Best in moist locations, also thrives in upland. Brilliant red autumn coloring—gray bark. | | | | |
| 6 | to 8 ft..... | 2.50 | 22.50 | 175.00 |
| 8 | to 9 ft..... | 3.50 | 30.00 | 250.00 |
| saccharum. <i>Sugar Maple.</i> 50'-75' Most popular in northern states. Best planted in spring—has a rich yellow autumn coloring. | | | | |
| 6 | to 8 ft..... | 2.50 | 22.50 | 175.00 |
| 8 | to 10 ft..... | 3.50 | 30.00 | 250.00 |
| 10 | to 11 ft., 1 1/4 to 1 1/2 in. | 4.50 | 40.00 | 350.00 |
| 11 | to 12 ft., 1 1/2 to 1 3/4 in. | 6.00 | 55.00 | 500.00 |
| 12 | to 13 ft., 1 3/4 to 2 in. | 7.00 | | |
| 12 | to 14 ft., 2 to 2 1/2 in. | 9.00 | | |
| spicatum. <i>Mountain Maple.</i> 18'-20' Rich autumn coloring, conspicuous reddish fruits in summer. | | | | |
| 1 1/2 | to 2 ft..... | .60 | 5.00 | |
| 2 | to 3 ft..... | .85 | 7.50 | |
| 3 | to 4 ft..... | 1.25 | 10.00 | |
| tatarica ginnala. <i>Tatarian Maple.</i> 10'-12' Graceful and valuable for bright red autumn coloring. Has a good twiggy habit. | | | | |
| 2 | to 3 ft..... | .85 | 7.50 | |
| 3 | to 4 ft..... | 1.25 | 10.00 | 75.00 |
| 4 | to 5 ft..... | 1.50 | 12.50 | |
| ACTINIDIA arguta. <i>Bower Actinidia.</i> 20'-30' Greenish white, July—rich dark green foliage—yellow berries. A quick growing vine. | | | | |
| 2 | yr..... | .75 | 6.00 | 50.00 |
| 3 | yr..... | 1.00 | 8.50 | 75.00 |
| AKEBIA quinata. <i>Five Leaf Akebia.</i> 15'-20' A dainty, beautiful vine with purple flowers in May. Deep green leaves persist till winter. | | | | |
| 2 | yr..... | .85 | 7.50 | 50.00 |
| 3 | yr..... | 1.00 | 8.50 | 75.00 |
| ALNUS rugosa. <i>Smooth Alder.</i> 15'-18' Coarse shrub useful for water-side or swamp planting. Has attractive purple catkins. | | | | |
| 1 1/2 | to 2 ft..... | .50 | 4.00 | 35.00 |
| 2 | to 3 ft..... | .70 | 6.00 | 50.00 |
| 3 | to 4 ft..... | .85 | 7.50 | 60.00 |

| | | Each | Per 10 | Per 100 |
|--|------------------|------|--------|---------|
| AMELANCHIER canadensis (botryapium). <i>Juneberry.</i> 12'-15' White flowers in early spring before leaves. Fruits relished by birds. | | | | |
| 1½ to 2 | ft | .75 | 6.00 | 50.00 |
| 2 to 3 | ft | .85 | 7.50 | 60.00 |
| 3 to 4 | ft | 1.00 | 8.50 | |
| AMPELOPSIS aconitifolia. <i>Hopleaf Ampelopsis.</i> 15'-20' Attractive foliage, bright blue berries in Sept.-Oct. Grows quickly. | | | | |
| 3 yr | | .85 | 7.50 | |
| heterophylla. <i>Porcelain Ampelopsis.</i> 30'-40' Vigorous climber, attractive deeply lobed leaves and handsome light blue fruits. | | | | |
| 2 yr | | .60 | 5.00 | 40.00 |
| quinquefolia engelmanni. <i>Engelmann Creeper.</i> 30'-40' Very attractive hardy woodbine—vigorous, vivid fall coloring. | | | | |
| 2 yr | | .50 | 4.00 | 35.00 |
| tricuspidata (veitchi). <i>Japanese Creeper.</i> 40'-50' Brilliant autumn coloring, blue berries turning black—best self-clinging vine. | | | | |
| 2 yr | | .75 | 6.00 | 40.00 |
| — lowi. <i>Geranium Creeper.</i> 10'-15' An attractive form of the Japanese Creeper with small leaves beautifully colored in fall. | | | | |
| 3 in. pots | | .75 | 6.00 | 50.00 |
| AMYGDALUS nana (<i>Flowering Almond</i>). See <i>Prunus glandulosa</i> , page 20. | | | | |
| persica. <i>Flowering Peach.</i> 8'-10' Attractive double flowers in early April—useful for forcing. RED or PINK. | | | | |
| 2 to 3 | ft | .85 | 7.50 | |
| 3 to 4 | ft | 1.00 | 8.50 | |
| 4 to 5 | ft | 1.25 | 11.00 | |
| ANDROMEDA. See <i>Pieris</i> , pages 20 and 38. | | | | |
| ARALIA pentaphyllum. See <i>Acanthopanax</i> , page 3. | | | | |
| ARONIA arbutifolia. <i>Red Chokeberry.</i> 6'-8' Valuable because of its red berries. Succeeds in moist half-shade. Good fall coloring. | | | | |
| 1½ to 2 | ft | .75 | 6.00 | 50.00 |
| 2 to 3 | ft | .85 | 7.50 | 65.00 |
| 3 to 4 | ft | 1.00 | 9.00 | 80.00 |
| melanocarpa (nigra). <i>Black Chokeberry.</i> 8'-10' Delicate white flowers in May. Black berries persist until late. Half shade. | | | | |
| 1½ to 2 | ft | .75 | 5.00 | 40.00 |
| 2 to 3 | ft | .85 | 7.00 | 50.00 |
| AZALEA. For evergreen varieties see page 30. | | | | |
| arborescens. <i>Sweet Azalea,</i> 10'-12' Fragrant white flowers, June. | | | | |
| 1½ to 2 | ft. B. & B. | 3.50 | 30.00 | |
| 2 to 2½ | ft. B. & B. | 4.00 | 37.50 | |
| amoena. See <i>Evergreens</i> , Page 30. | | | | |
| calendulacea (lutea). <i>Flame Azalea.</i> 8'-10' Brilliant flame colored flowers in early spring, cover the whole shrub. Best in mass. | | | | |
| 1½ to 2 | ft. B. & B. | 3.75 | 35.00 | |
| 2 to 3 | ft. B. & B. | 5.00 | 45.00 | |
| hinodegiri. See <i>Evergreens</i> , page 30. | | | | |
| kaempferi. <i>Torch Azalea.</i> 4'-5' Warm brick-red flowers in May. A beautiful, unusual color, erect bushy habit, quite hardy | | | | |
| 15 to 18 | in. B. & B. | 3.75 | 35.00 | |
| 1½ to 2 | ft. B. & B. | 4.00 | 37.50 | |

| | | Each | Per 10 | Per 100 |
|---|---|------|--------|---------|
| AZALEA mollis. | Chinese Azalea. 4'-5' Large showy flowers in shades of orange, May-June. Large hairy leaves—likes sun. Our plants are well-shaped bushy specimens. | | | |
| | 12 to 15 in. B. & B..... | 3.00 | 27.50 | 250.00 |
| nudiflora. | Pinxterbloom. 6'-8' Fragrant flowers in varying shades of pink borne in late May. Prefers a moist, shady place. | | | |
| | 1½ to 2 ft..... | 3.50 | 30.00 | |
| | 2 to 3 ft..... | 4.00 | 37.50 | |
| rosea. | Downy Azalea. 4'-5' Good bushy habit. Beautiful clear pink flowers, May-June. Prefers semi-shady, moist place. | | | |
| | 1½ to 2 ft. B. & B..... | 3.50 | 32.50 | |
| | 2 to 2½ ft. B. & B..... | 4.00 | 37.50 | |
| | 2½ to 3 ft. B. & B..... | 5.00 | 45.00 | |
| vaseyi. | Pink Shell Azalea. 5'-6' Exquisite shell pink. Rare, beautiful. | | | |
| | 1½ to 2 ft. B. & B..... | 4.50 | 40.00 | 350.00 |
| | 2 to 2½ ft. B. & B..... | 5.50 | 50.00 | |
| viscosa. | Swamp Azalea. 4'-5' White, very fragrant, June-July. These are fine bushy clumps that are really nursery grown. | | | |
| | 1½ to 2 ft. B. & B..... | 3.00 | 27.50 | |
| | 2 to 2½ ft. B. & B..... | 3.75 | | |
| | 2½ to 3 ft. B. & B..... | 4.50 | | |
| | 3 to 3½ ft. B. & B..... | 6.00 | | |
| yodogawa. | Yodogawa Azalea. 3'-4' Double pinkish-lavender flowers in May. Quite hardy and of exceptional merit. Bushy habit. We have been careful to propagate only the free-flowering type. | | | |
| | 12 to 15 in. B. & B..... | 3.00 | 27.50 | 225.00 |
| | 15 to 18 in. B. & B..... | 3.50 | 30.00 | |
| | 1½ to 2 ft. B. & B..... | 4.00 | 37.50 | |
| | 2 ft., B. & B..... | 5.00 | | |
| BENZOIN aestivale (Lindera Benzoin). | Spice Bush. 10'-12' Flowers yellow, April—scarlet berries, leaves aromatic—likes moisture. | | | |
| | 1½ to 2 ft..... | .75 | 6.00 | 50.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 60.00 |
| | 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| BERBERIS. | For evergreen varieties see page 30. | | | |
| gilgiana. | 5'-6' A spreading shrub with attractive gray-green foliage. The clusters of bright yellow flowers are followed by handsome blood-red fruits. | | | |
| | 1 to 1½ ft..... | .85 | 7.50 | |
| | 1½ to 2 ft..... | 1.25 | 10.00 | |
| macracantha. | Bigthorn Barberry. 3'-4' Has pleasing foliage and flat thorns, grows freely. Red fruits, slender spreading branches. | | | |
| | 1 to 2 ft..... | 1.00 | 8.50 | |
| | 2 to 3 ft..... | 1.25 | 10.00 | |
| | 3 to 4 ft. B. & B..... | 1.75 | | |
| sieboldi. | Siebold Barberry. 3'-4' Handsome—leaves purplish red when young, vinous red in autumn—bright red fruit all winter. | | | |
| | 12 to 18 in. B. & B..... | .85 | 7.50 | |

BERBERIS thunbergi. *Japanese Barberry.* 4'-5' A splendid low hedge plant or for massing, brilliant autumn coloring, scarlet berries.

| <i>Well graded bushy plants.</i> | | | | Each | Per 10 | Per 100 | Per 1000 |
|----------------------------------|----|----|----------|------|--------|---------|----------|
| 12 | to | 15 | in | .25 | 2.00 | 15.00 | 100.00 |
| 15 | to | 18 | in | .30 | 2.50 | 20.00 | 150.00 |
| 1½ | to | 2 | ft | .40 | 3.50 | 30.00 | 200.00 |
| 2 | to | 2½ | ft | .50 | 4.50 | 40.00 | |

Each Per 10 Per 100

— **atropurpurea.** *Redleaf Japanese Barberry.* A new form with bright reddish purple foliage, should be planted in sun for best color. Has same vigorous habit as the type.

| | | | | | | | |
|----|----|----|------------------------|------|------|-------|--|
| 12 | to | 15 | in | .75 | 5.00 | 40.00 | |
| 15 | to | 18 | in | .85 | 7.50 | 50.00 | |
| 2 | to | 2½ | ft., Specimens B. & B. | 2.50 | | | |
| 2½ | to | 3 | ft., Specimens B. & B. | 3.00 | | | |

— **minor.** *Box Barberry.* 2'-3' A dwarf compact Japanese barberry. Used effectively as small trimmed edging. Hardy and useful.

| | | | | | | | |
|----|----|----|----------|-----|------|-------|--|
| 6 | to | 9 | in | .40 | 3.50 | 25.00 | |
| 9 | to | 12 | in | .50 | 4.00 | 35.00 | |
| 12 | to | 15 | in | .60 | 5.00 | 40.00 | |
| 15 | to | 18 | in | .75 | 6.00 | | |

***BETULA alba.** *European White Birch.* 30'-50' White bark, effective when grouped against dark green background—very graceful.

| | | | | | | | |
|---|----|----|----------|------|-------|--------|--|
| 4 | to | 6 | ft | 1.75 | 15.00 | 100.00 | |
| 6 | to | 8 | ft | 2.25 | 17.50 | | |
| 8 | to | 10 | ft | 2.50 | | | |

— **laciniata.** *Weeping Cutleaf.* 30'-40' A graceful lawn specimen.

| | | | | | | | |
|---|----|----|----------|------|-------|--|--|
| 4 | to | 6 | ft | 2.25 | 17.50 | | |
| 6 | to | 8 | ft | 3.00 | 27.50 | | |
| 8 | to | 10 | ft | 3.75 | 35.00 | | |

lenta. *Sweet Birch.* 40'-60' Has smooth reddish bark and conspicuous catkins in spring.

| | | | | | | | |
|---|----|---|----------|------|-------|--|--|
| 4 | to | 6 | ft | 1.75 | 15.00 | | |
| 6 | to | 8 | ft | 2.50 | 22.50 | | |

nigra. *River Birch.* 50'-60' Thrives in moist places. The characteristic torn ragged bark very effective in naturalistic planting.

| | | | | | | | |
|---|----|---|----------|------|-------|--------|--|
| 4 | to | 6 | ft | 2.00 | 17.50 | 125.00 | |
| 6 | to | 8 | ft | 2.50 | 22.50 | 175.00 | |

papyrifera. *Paper or Canoe Birch.* 40'-50' Picturesque paper bark.

| | | | | | | | |
|---|----|---|----------|------|-------|--------|--|
| 4 | to | 6 | ft | 1.75 | 15.00 | 125.00 | |
| 6 | to | 8 | ft | 2.50 | 22.50 | 175.00 | |

populifolia. *Gray Birch.* 30'-40' Succeeds in poor dry soil. The bark becomes whiter with age. Effective in natural clumps.

| | | | | | | | |
|---|----|----|----------|------|-------|--------|--|
| 4 | to | 6 | ft | 1.75 | 15.00 | | |
| 6 | to | 8 | ft | 2.50 | 22.50 | 175.00 | |
| 8 | to | 10 | ft | 3.00 | 27.50 | | |

BIGNONIA radicans. *Trumpet Vine.* 20'-30' Large showy trumpet shaped flowers, scarlet and orange, July. Roots as it climbs.

| | | | | | | | |
|---|----------|-----|------|-------|--|--|--|
| 2 | yr | .40 | 3.00 | 20.00 | | | |
|---|----------|-----|------|-------|--|--|--|

grandiflora. *Chinese Trumpet Vine.* 15'-20' A great improvement on the common type. The handsome large tresses of vivid orange, yellow and red flowers make a striking effect.

| | | | | | | | |
|---|----------|-----|------|-------|--|--|--|
| 2 | yr | .75 | 6.00 | 50.00 | | | |
|---|----------|-----|------|-------|--|--|--|

BIOTA. See Evergreens, page 43 to 46.

| | | Each | Per 10 | Per 100 |
|---------------------|--|------|--------|---------|
| BUDDLEIA | magnifica. <i>Butterfly Bush.</i> 5'-6' Very effective with gray-green foliage and deep lilac flowers. Likes sun. June-Sept. | | | |
| | 2 yr..... | .35 | 2.50 | 20.00 |
| BUXUS. | See Evergreens, page 31. | | | |
| CALLICARPA | purpurea. <i>Chinese Beautyberry.</i> 3'-4' Attractive in August with its violet-lilac berries. Graceful branching habit. | | | |
| | 1½ to 2 ft..... | .50 | 4.00 | 35.00 |
| | 2 to 3 ft..... | .60 | 5.00 | 40.00 |
| CALLUNA. | See Evergreens, page 31. | | | |
| CALYCANTHUS | floridus. <i>Common Sweet Shrub.</i> 4'-5' Reddish-brown flowers, June-Sept. Spicy fragrance, good deep green foliage. | | | |
| | 1½ to 2 ft..... | .50 | 4.00 | 35.00 |
| | 2 to 3 ft..... | .70 | 6.00 | 40.00 |
| | 3 to 4 ft..... | .85 | 7.50 | 60.00 |
| CARPINUS | betulus. <i>European Hornbeam.</i> 50'-60' Has thin beech-like foliage and steely-blue bark. Forms a splendid hedge. | | | |
| | 2 to 3 ft..... | 1.25 | 10.00 | 85.00 |
| | 3 to 4 ft..... | 1.75 | 15.00 | 125.00 |
| | *caroliniana (americana). <i>American Hornbeam.</i> 30'-40' Has beech-like foliage and smooth blue-gray bark. Spring planting. | | | |
| | 2 to 3 ft..... | 1.25 | 10.00 | 85.00 |
| | 3 to 4 ft..... | 1.75 | 15.00 | |
| | 4 to 6 ft..... | 2.25 | 17.50 | |
| CARYOPTERIS | incana (mastacantha). <i>Bluebeard.</i> 2'-3' Lavender-blue flowers, Sept.-Oct. Splendid for massing. Requires protection. | | | |
| | 2 yr..... | .60 | 5.00 | 40.00 |
| CATALPA | bungei. <i>Umbrella Catalpa.</i> 10'-15' For formal planting. | | | |
| | Medium Heads.....1¼ in. stems | 1.50 | 12.50 | 85.00 |
| | First Class Heads.....1½ in. stems | 1.75 | 15.00 | 125.00 |
| | X Large Heads1¾ in. stems | 2.25 | 20.00 | 175.00 |
| | XX Large Heads.....2 in. stems | 3.50 | 27.50 | 225.00 |
| | XXX Heads | 4.00 | 35.00 | |
| CEANOTHUS | americanus. <i>Jersey Tea.</i> 2'-3' A most useful shrub for woodland fringes. White flowers freely produced in July. | | | |
| | 15 to 18 in..... | .60 | 5.00 | 40.00 |
| CELASTRUS | orbiculatus. <i>Oriental Bittersweet.</i> 15'-20' The orange and scarlet fruits are freely borne in the axils of the leaves and so are not so conspicuous as the American variety until leaves drop. This is the most desirable kind for winter decoration. | | | |
| | 2 yr..... | .60 | 5.00 | 40.00 |
| | scandens. <i>American Bittersweet.</i> 20'-25' Most adaptable vine with orange and red berries that retain color when cut and dried. The fruits are borne in clusters showing above the leaves. | | | |
| | 2 yr., 1½ to 2 ft..... | .40 | 3.50 | 25.00 |
| | 3 yr., 2 to 3 ft..... | .60 | 5.00 | 40.00 |
| CEPHALANTHUS | occidentalis. <i>Button Bush.</i> 5'-6' Round heads of creamy-white flowers, July-Sept. Good foliage, likes moisture. | | | |
| | 2 to 3 ft..... | .70 | 6.00 | 40.00 |
| | 3 to 4 ft..... | .85 | 7.50 | |
| CERASUS. | See PRUNUS, page 20, 21. | | | |

| | | | Each | Per 10 | Per 100 |
|---|----|------------|------|--------|---------|
| *CERCIDIPHYLLUM japonicum. <i>Katsura Tree.</i> 60'-80' Develops into a magnificent tree. Beautiful spring and autumn coloring. | | | | | |
| 2 | to | 3 ft..... | 1.75 | 12.50 | |
| 3 | to | 4 ft..... | 2.25 | 17.50 | |
| 4 | to | 5 ft..... | 3.00 | 27.50 | |
| CERCIS canadensis. <i>American Redbud.</i> 12'-15' Rosy-pink, April. Very effective when planted with white dogwood. Good foliage. | | | | | |
| 2 | to | 3 ft..... | .60 | | |
| 3 | to | 4 ft..... | .85 | | |
| 4 | to | 5 ft..... | 1.25 | | |
| chinensis (japonica). <i>Chinese Redbud.</i> 10'-12' Flowers larger and darker than above—best in rather moist soil. Good foliage. | | | | | |
| 1½ | to | 2 ft..... | .75 | 6.00 | |
| 2 | to | 3 ft..... | .85 | 7.50 | |
| CHAMAEDAPHNE. See Evergreens, page 31. | | | | | |
| CHIONANTHUS virginica. <i>White Fringe.</i> 15'-18' Fragrant tassel-like white flowers, May-June. Blue-black plum-like fruits follow. | | | | | |
| 1½ | to | 2 ft..... | 1.00 | 8.50 | 70.00 |
| 2 | to | 3 ft..... | 1.50 | 12.50 | 100.00 |
| 3 | to | 4 ft..... | 2.25 | 17.50 | |
| CLADRASTIS lutea. <i>Yellow-wood.</i> 30'-40' Long panicles of fragrant white flowers in June. Smooth gray bark. The compound leaves turn brilliant yellow in autumn. | | | | | |
| 2 | to | 3 ft..... | 1.75 | 12.50 | |
| 3 | to | 4 ft..... | 2.50 | 22.50 | |
| CLEMATIS paniculata. <i>Sweet Autumn Clematis.</i> 20'-30' White fragrant flowers, Sept. Woolly seed pods also attractive. Useful vine. | | | | | |
| 2 | yr | | .50 | 3.50 | 25.00 |
| 3 | yr | | .70 | 5.00 | 40.00 |
| CLETHRA alnifolia. <i>Summer Sweet.</i> 4'-5' Spikes of fragrant flowers, July-Sept. Prefers moist shady places—good for massing. | | | | | |
| 1 | to | 1½ ft..... | .60 | 5.00 | 40.00 |
| 1½ | to | 2 ft..... | .70 | 6.00 | 50.00 |
| 2 | to | 2½ ft..... | .85 | 7.50 | 60.00 |
| COLUTEA arborescens. <i>Bladder Senna.</i> 8'-10' Yellow flowers, June-Aug. Useful for dry places—inflated seed pods often colored. | | | | | |
| 2 | to | 3 ft..... | .50 | 4.00 | |
| 3 | to | 4 ft..... | .60 | 5.00 | 40.00 |
| 4 | to | 5 ft..... | .75 | 6.00 | |
| CORNUS alba (sibirica.) <i>Coral Dogwood.</i> 8'-10' Bright red bark. Porcelain-blue fruits—quick grower, useful for winter effect. | | | | | |
| 2 | to | 3 ft..... | .40 | 3.50 | 25.00 |
| 3 | to | 4 ft..... | .50 | 4.00 | 35.00 |
| 4 | to | 5 ft..... | .70 | 6.00 | 50.00 |
| 5 | to | 6 ft..... | .85 | 7.50 | |
| alternifolia. <i>Pagoda Dogwood.</i> 15'-18' Branches grow in irregular horizontal tiers making deep shadow effects. Blue-black fruit. | | | | | |
| 1½ | to | 2 ft..... | .70 | 5.00 | |
| 2 | to | 3 ft..... | .85 | 7.50 | 60.00 |
| 3 | to | 4 ft..... | 1.00 | | |
| amomum (sericea.) <i>Silky Dogwood.</i> 8'-9' Pale blue fruits—young twigs purple. Prefers moist places, has creamy white flowers. | | | | | |
| 1½ | to | 2 ft..... | .35 | 2.50 | 20.00 |
| 2 | to | 3 ft..... | .40 | 3.50 | 25.00 |

| | | | Each | Per 10 | Per 100 |
|--|------|-------------------|-------|--------|---------|
| CORNUS *florida. <i>White Flowering Dogwood.</i> 15'-25' Among the best of native spring flowering small trees—bright red berries in fall. | | | | | |
| 2 | to | 3 ft..... | .80 | 7.50 | 65.00 |
| 3 | to | 4 ft..... | 1.50 | 12.50 | 100.00 |
| 4 | to | 5 ft..... | 2.50 | 20.00 | 175.00 |
| 5 | to | 6 ft..... | 3.50 | 30.00 | 250.00 |
| 6 | to | 8 ft..... | 4.00 | 37.50 | 325.00 |
| — <i>rubra.</i> <i>Red Flowering Dogwood.</i> 15'-20' The pink flowers are more persistent than the white. Berries are similar. | | | | | |
| 2 | to | 3 ft. B. & B..... | 3.50 | 30.00 | 250.00 |
| 3 | to | 4 ft. B. & B..... | 5.00 | 45.00 | 375.00 |
| 4 | to | 5 ft. B. & B..... | 8.00 | 70.00 | 600.00 |
| 5 | to | 6 ft. B. & B..... | 12.50 | 100.00 | |
| 6 | to | 8 ft. B. & B..... | 16.00 | 150.00 | |
| kousa. <i>Kousa Dogwood.</i> 16'-18' Large white flowers in June. Conspicuous cherry-like scarlet fruits, attractive to birds—scarce. | | | | | |
| 2 | to | 3 ft..... | 1.50 | 12.50 | 100.00 |
| 3 | to | 4 ft..... | 2.25 | 17.50 | 150.00 |
| mas. <i>Cornelian Cherry.</i> 15'-18' Handsome large shrub. Small yellow flowers in April, large fleshy scarlet fruits in autumn. | | | | | |
| 1½ | to | 2 ft..... | 1.25 | 10.00 | |
| 2 | to | 3 ft..... | 1.50 | 12.50 | |
| paniculata. <i>Gray Dogwood.</i> 10'-12' Numerous small white flowers in May, followed by white fruits on red stems—likes moisture. | | | | | |
| 1½ | to | 2 ft..... | .50 | 4.00 | 35.00 |
| 2 | to | 3 ft..... | .60 | 5.00 | 40.00 |
| 3 | to | 4 ft..... | .80 | 7.50 | 60.00 |
| stolonifera. <i>Red Osier Dogwood.</i> 7'-8' Spreading habit, red bark, white fruits. Grows vigorously in low lands, very adaptable. | | | | | |
| 1½ | to | 2 ft..... | .35 | 2.50 | 20.00 |
| 2 | to | 3 ft..... | .40 | 3.50 | 25.00 |
| 3 | to | 4 ft..... | .50 | 4.00 | 35.00 |
| 4 | to | 5 ft..... | .85 | 7.50 | |
| — <i>lutea.</i> <i>Golden Bark Dogwood.</i> 6'-7' Distinct yellow bark. Effective in winter when planted with preceding. | | | | | |
| 1½ | to | 2 ft..... | .35 | 2.50 | 20.00 |
| 2 | to | 3 ft..... | .40 | 3.50 | 25.00 |
| 3 | to | 4 ft..... | .50 | 4.00 | 35.00 |
| COTONEASTER. See Evergreens, page 31. | | | | | |
| acutifolia. <i>Pekin Cotoneaster.</i> 8'-10' Slender spreading branches, black fruits. Very hardy. A good hedge plant. | | | | | |
| 1½ | to | 2 ft..... | .75 | 5.00 | 40.00 |
| 2 | to | 2½ ft..... | .85 | 7.50 | |
| dielsiana (applanata.) 5'-6' Graceful arching habit, large dark green leaves turning brilliant colors in autumn. Scarlet berries. | | | | | |
| 1½ | to | 2 ft..... | .85 | 7.50 | |
| 2 | to | 3 ft..... | 1.25 | 10.00 | 85.00 |
| 3 | ft | | 1.75 | | |
| 4" | pots | | 1.00 | 8.50 | 75.00 |
| 5" | pots | | 1.50 | 12.50 | |
| hupehensis. <i>Hupeh Cotoneaster.</i> 5'-6' Long arching branches densely studded with clusters of white flowers in May. Red berries in August. A handsome shrub. | | | | | |
| 1½ | to | 2 ft..... | 1.25 | 10.00 | |
| 2 | to | 3 ft..... | 1.75 | 15.00 | |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| COTONEASTER divaricata. <i>Spreading Cotoneaster.</i> 5'-6' Slender arching branches, lustrous dark green leaves. Pink flowers followed by handsome red fruits freely produced. | | | |
| 1½ to 2 ft..... | 1.25 | 10.00 | |
| 2 to 3 ft..... | 1.75 | 15.00 | |
| 4" pots..... | 1.25 | 10.00 | 85.00 |
| 5" pots..... | 1.75 | 15.00 | 125.00 |
| lemoinei. Slender branching shrub. Has dark green leaves, red fruits. | | | |
| 4 in. pots..... | 1.00 | 8.50 | 75.00 |

For other COTONEASTER see page 31.

| | | | |
|---|------|-------|--|
| *CRATAEGUS carrieri. <i>Carrier Hawthorn.</i> 18'-20' Spreading branches—thick spines. Rather large orange-red fruits. Autumn color. | | | |
| 3 to 4 ft..... | 2.25 | | |
| 4 to 5 ft..... | 2.50 | 22.50 | |
| 5 to 6 ft..... | 3.00 | 27.50 | |

| | | | |
|--|------|-------|--------|
| coccinea. <i>Thicket Hawthorn.</i> 10'-12' Shrubby habit, large curved spines, oval shiny leaves, large white flowers, dull red fruits. | | | |
| 3 to 4 ft..... | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft..... | 3.00 | 25.00 | 200.00 |

| | | | |
|---|------|-------|--------|
| cordata. <i>Washington Hawthorn.</i> 15'-20' Berries small, bright red, persist nearly all winter. Brilliant autumn foliage. | | | |
| 3 to 4 ft..... | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft..... | 2.50 | 22.50 | 175.00 |
| 5 to 6 ft..... | 3.50 | 25.00 | 200.00 |
| 6 to 8 ft..... | 4.00 | 35.00 | |

| | | | |
|--|------|-------|--------|
| crusgalli. <i>Cockspur Thorn.</i> 15' Deep green shiny leaved distinctive hawthorn. Conspicuous white flowers, red fruits. Long thorns. | | | |
| 2 to 3 ft..... | 1.25 | 10.00 | |
| 3 to 4 ft..... | 2.00 | 17.50 | 150.00 |

| | | | |
|--|------|-------|--------|
| *mollis. <i>Downy Hawthorn.</i> 15' Vigorous; large leaves. | | | |
| 2 to 3 ft..... | 1.25 | 10.00 | 85.00 |
| 3 to 4 ft..... | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft..... | 2.50 | 22.50 | |
| 5 to 6 ft..... | 3.50 | | |

| | | | |
|---|------|-------|-------|
| oxycantha (Monogyna.) <i>English Hawthorn.</i> 12'-15' Single white. | | | |
| 2 to 3 ft..... | .75 | 6.00 | 40.00 |
| 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| 4 to 5 ft..... | 1.50 | 12.50 | |
| 5 to 6 ft..... | 2.00 | 17.50 | |

| | | | |
|---|------|-------|--|
| — Double White or Double Pink. <i>Double Flowering Hawthorn.</i> | | | |
| 2 to 3 ft..... | 1.75 | 12.50 | |
| 3 to 4 ft..... | 2.00 | 17.50 | |
| 4 to 5 ft..... | 2.50 | 22.50 | |

| | | | |
|---|------|-------|--------|
| — Paul's Scarlet. 12'-15' Very double scarlet flowers freely produced. | | | |
| 2 to 3 ft..... | 1.25 | 10.00 | 85.00 |
| 3 to 4 ft..... | 1.75 | 15.00 | 125.00 |
| 4 to 5 ft..... | 2.50 | 22.50 | |

| | | | |
|---|------|-------|--|
| punctata. <i>Dotted Hawthorn.</i> 20'-25' Branches spread horizontally forming a flat topped tree. The spines are short; flowers are rather large and dull; somewhat pear-shaped fruit are dotted. | | | |
| 2 to 3 ft..... | 1.25 | 10.00 | |
| 3 to 4 ft..... | 1.75 | 15.00 | |

CRYPTOMERIA. See Evergreens, page 34. Each Per 10 Per 100

CYDONIA japonica. *Flowering Quince.* 4'-5' Scarlet flowers in April.

| | | | | | |
|----|----|------------|-----|------|-------|
| 1 | to | 1½ ft..... | .40 | 3.50 | 25.00 |
| 1½ | to | 2 ft..... | .50 | 4.00 | 35.00 |
| 2 | to | 2½ ft..... | .75 | 6.00 | 50.00 |
| 2½ | to | 3 ft..... | .85 | 7.50 | |

DAPHNE See Evergreens, page 34.

DESMODIUM See *LESPEDeza*, page 15.

DEUTZIA gracilis. *Slender Deutzia.* 3' Profuse bloomer, pure white, May.

| | | | | | |
|----|----|------------|-----|------|-------|
| 15 | to | 18 in..... | .50 | 3.50 | 25.00 |
| 1½ | to | 2 ft..... | .60 | 4.00 | 35.00 |
| 2 | to | 2½ ft..... | .75 | 6.00 | 50.00 |

lemoinei. *Lemoine Deutzia.* 4'-5' Large white flowers, June, graceful.

| | | | | | |
|---|----|-----------|-----|------|-------|
| 2 | to | 3 ft..... | .50 | 4.00 | 35.00 |
|---|----|-----------|-----|------|-------|

parviflora. *Mongolian Deutzia.* 4'-5' Erect habit. White with pink markings. Very free flowering—June. Attractive and useful.

| | | | | | |
|----|----|------------|-----|------|--|
| 1½ | to | 2 ft..... | .50 | 4.00 | |
| 2 | to | 2½ ft..... | .60 | 5.00 | |
| 2½ | to | 3 ft..... | .75 | 6.00 | |

— **crenata.** 6'-8' White tinged pink. Vigorous and hardy.

| | | | | | |
|----|----|-----------|-----|------|--|
| 1½ | to | 2 ft..... | .35 | 2.50 | |
| 2 | to | 3 ft..... | .40 | 3.50 | |
| 3 | to | 4 ft..... | .50 | 4.00 | |
| 4 | to | 5 ft..... | .75 | 6.00 | |

scabra *Pride of Rochester.* 9'-10' Vigorous, large flower tinged pink, June.

| | | | | | |
|----|----|-----------|-----|------|-------|
| 1½ | to | 2 ft..... | .40 | 3.50 | |
| 2 | to | 3 ft..... | .50 | 4.00 | |
| 3 | to | 4 ft..... | .60 | 5.00 | 40.00 |

DIERVILLA trifida. *Dwarf Bush Honeysuckle.* 3' Yellow, June-July; good low shrub for shady places. Branchlets are round, no ridges.

| | | | | | |
|----|----|------------|------|------|-------|
| 1 | to | 1½ ft..... | .50 | 4.00 | 35.00 |
| 1½ | to | 2 ft..... | .85 | 7.50 | 50.00 |
| 2 | to | 2½ ft..... | 1.00 | 8.50 | |

ELAEAGNUS angustifolia. *Russian Olive.* 15'-18' Silver gray leaves and branches, orange berries. Good for massing. Prefers sun.

| | | | | | |
|---|----|-----------|-----|------|--|
| 2 | to | 3 ft..... | .50 | 4.00 | |
| 3 | to | 4 ft..... | .75 | 5.00 | |

longipes. *Cherry Eleagnus.* 6'-8' Silvery leaves, fragrant yellow flowers, May. Large red berries, July. Good for limestone.

| | | | | | |
|----|----|-----------|------|------|--|
| 1½ | to | 2 ft..... | .85 | 7.50 | |
| 2 | to | 3 ft..... | 1.00 | 8.50 | |
| 3 | to | 4 ft..... | 1.25 | | |

EUONYMUS alatus. *Winged Euonymus.* 9'-10' Interesting corky bark. Warm crimson autumn coloring, makes fine specimen shrub.

| | | | | | |
|----|----|-----------|------|-------|-------|
| 1½ | to | 2 ft..... | .75 | 6.00 | 40.00 |
| 2 | to | 3 ft..... | .85 | 7.50 | 60.00 |
| 3 | to | 4 ft..... | 1.25 | 10.00 | 75.00 |
| 4 | to | 5 ft..... | 1.75 | | |

EUONYMUS americanus. *Brook Euonymus.* 7'-8' Each Per 10 Per 100
moist places. Pink fruits, prefers

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | .60 | 4.00 | 35.00 |
| 2 | to | 3 | ft..... | .75 | 6.00 | 40.00 |
| 3 | to | 4 | ft..... | 1.00 | 7.50 | 60.00 |

europaeus. *European Burning Bush.* 12'-14' Pink fruits, green
bark and light green leaves with good autumn coloring.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .50 | 4.00 | 35.00 |
| 2 | to | 3 | ft..... | .75 | 6.00 | 40.00 |
| 3 | to | 4 | ft..... | .85 | 7.50 | |

For Evergreen *EUONYMUS* see page 32.

EXOCHORDA grandiflora. *Pearl Bush.* 6'-9' Dazzling white flowers.
May. Is improved by annual pruning—prefers a moist soil.

| | | | | | | |
|---|----|---|---------|-----|------|-------|
| 2 | to | 3 | ft..... | .50 | 3.50 | 25.00 |
| 3 | to | 4 | ft..... | .70 | 5.00 | 35.00 |
| 4 | to | 5 | ft..... | .85 | 7.50 | 50.00 |

FORSYTHIA intermedia. *Border Golden Bell.* 6'-8' Bright yellow
flowers in April before leaves unfold—profuse and beautiful.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .40 | 3.50 | 25.00 |
| 2 | to | 3 | ft..... | .50 | 4.00 | 35.00 |
| 3 | to | 4 | ft..... | .75 | 5.00 | 40.00 |
| 4 | to | 5 | ft..... | .85 | 7.50 | 60.00 |

— **spectabilis.** *Showy Border Golden Bell.* 6'-8' Most profuse of
all, with large rich golden yellow flowers. Neat bushy habit.

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | .50 | 4.00 | 35.00 |
| 2 | to | 3 | ft..... | .75 | 5.00 | 40.00 |
| 3 | to | 4 | ft..... | .85 | 7.50 | 50.00 |
| 4 | to | 5 | ft..... | 1.00 | 8.50 | 75.00 |

suspensa. *Weeping Golden Bell.* 4'-6' Graceful drooping habit,
excellent for massing, banks, or hanging over retaining walls.

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | .50 | 4.00 | 35.00 |
| 2 | to | 3 | ft..... | .60 | 5.00 | 40.00 |
| 3 | to | 4 | ft..... | .85 | 7.50 | 50.00 |
| 4 | to | 5 | ft..... | 1.00 | 8.50 | 75.00 |

viridissima. *Green Stem Forsythia.* 7'-8' Most vigorous, last to flower.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .40 | 3.50 | 25.00 |
| 2 | to | 3 | ft..... | .50 | 4.00 | 35.00 |
| 3 | to | 4 | ft..... | .75 | 5.00 | |

FRAXINUS americana. *White Ash.* 70'-80' Fairly rapid grower. Assumes
pleasing golden tones in autumn. Good in moist and lime
soils. Makes a splendid street tree with a clean straight trunk.

| | | | | | | |
|----|----|----|-------------------|------|-------|--------|
| 8 | to | 9 | ft..... | 2.00 | 17.50 | |
| 9 | to | 10 | ft., 1¼ to 1½ in. | 2.50 | 22.50 | 200.00 |
| 10 | to | 12 | ft., 1½ to 1¾ in. | 3.50 | 30.00 | 275.00 |
| 10 | to | 12 | ft., 1¾ to 2 in. | 4.00 | 37.50 | |

GINKGO biloba. (*SALISBURIA*). *Maidenhair Tree.* 50'-75' Picturesque,
interesting, quite distinct. Leaves shaped like maidenhair
fern. Immune from insects—thrives under city conditions.

| | | | | | | |
|---|----|----|-----------------|------|-------|--|
| 6 | to | 8 | ft..... | 3.50 | 30.00 | |
| 8 | to | 10 | ft., 1¼ in..... | 5.00 | 45.00 | |

| | | Each | Per 10 | Per 100 |
|---|---|--|--------|---------|
| GLEDITSIA triacanthos. | <i>Honey Locust.</i> 60'-70' | Light green graceful foliage. Has three-pointed stiff thorns—fragrant flowers in May. Excellent for city. | | |
| | 4 to 6 ft..... | 1.00 | 8.50 | |
| GYMNOCLADUS dioica. | <i>Kentucky Coffee Tree.</i> 40'-50' | Picturesque. | | |
| | 4 to 6 ft..... | 1.75 | | |
| HALESIA tetraptera. | <i>Great Silver Bell.</i> 12'-15' | Snow-white bell-shaped flowers in May profusely borne on branchlets—can be grown as single specimen or massed. Decorative brown winged fruits. | | |
| | 1½ to 2 ft..... | .75 | 6.00 | 50.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 60.00 |
| | 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| HAMAMELIS vernalis. | <i>Vernal Witch Hazel.</i> 5'-6' | The earliest to flower, generally about February. The light yellow flowers are delightfully fragrant. A neat shrub. | | |
| | 2 to 3 ft..... | 1.00 | 8.50 | 75.00 |
| | 3 to 4 ft..... | 1.25 | 10.00 | 85.00 |
| | 4 ft..... | 1.75 | 15.00 | |
| virginiana. | <i>Witch Hazel.</i> 10'-12' | Yellow, ribbon-like flowers, Oct.–Nov. Good foliage. Best in moist half-shady location. | | |
| | 1½ to 2 ft..... | .70 | 5.00 | 35.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 50.00 |
| HIBISCUS syriacus (ALTHEA). | <i>Rose of Sharon.</i> 10'-12' | Rather formal in outline, flowering freely in August. Compact upright habit. | | |
| | Red—White—Purple—Pink. | | | |
| | 3 to 4 ft..... | .75 | 6.00 | 50.00 |
| variegata. | <i>Variegated Rose of Sharon.</i> 6'-8' | Striped leaves. | | |
| | 12 to 18 in..... | .40 | 3.50 | 25.00 |
| | 1½ to 2 ft..... | .60 | 4.00 | 35.00 |
| | 2 to 3 ft..... | .75 | 6.00 | 40.00 |
| | 3 to 4 ft..... | .85 | 7.50 | |
| HYDRANGEA arborescens grandiflora. | <i>Snow Hill Hydrangea.</i> 4'-5' | Large heads, pure white in July and Aug. Best when pruned severely each year. We have a particularly fine type. | | |
| | 1½ to 2 ft..... | .40 | 3.50 | 25.00 |
| | 2 to 3 ft..... | .60 | 4.00 | 35.00 |
| paniculata. | <i>Panicle Hydrangea.</i> 8'-9' | Large loose panicles of white flowers, August. A graceful, desirable shrub, best in mass. | | |
| | 2 to 3 ft..... | .75 | 6.00 | 40.00 |
| — grandiflora. | <i>Peegee.</i> 8'-9' | Very showy large blooms, August–Sept. | | |
| | 1½ to 2 ft..... | .50 | 4.00 | 25.00 |
| | 2 to 3 ft..... | .75 | 5.00 | 40.00 |
| | 3 to 4 ft..... | .85 | 7.50 | 60.00 |
| — — STANDARD TREE FORM. | Flowers similar to bush form. | | | |
| | First class, 3 to 4 ft..... | 1.25 | 10.00 | |
| quercifolia. | <i>Oak Leaf Hydrangea.</i> 3'-4' | Large leaves shaped like an oak leaf. Splendid autumn coloring—succeeds in shade. | | |
| | 1½ to 2 ft..... | 1.00 | 8.50 | |
| | 2 to 3 ft..... | 1.25 | 10.00 | |

| | | Each | Per 10 | Per 100 |
|---|--|------|--------|---------|
| HYPERICUM aureum. <i>Golden St. Johnswort.</i> 3'-4' | Yellow, July-Aug. Blue-green foliage, dense habit, effective on margin of shrubbery. | | | |
| 1½ to 2 | ft..... | .60 | 5.00 | 40.00 |
| 2 to 2½ | ft..... | .75 | 6.00 | 50.00 |
| buckleyi. <i>Dwarf St. Johnswort.</i> 1' | Good for border & rock work, yellow. | | | |
| 2 yr..... | | 1.00 | 8.50 | 75.00 |
| ILEX verticillata (PRINOS). <i>Winterberry.</i> 6'-8' | Bright red berries persisting to mid-winter. Not eaten by birds—prefers moist soil. | | | |
| 15 to 18 | in..... | .50 | 3.50 | 25.00 |
| 1½ to 2 | ft..... | .65 | 5.00 | 40.00 |
| 2 to 2½ | ft..... | .85 | 7.50 | 60.00 |
| For other ILEX see page 33. | | | | |
| ITEA virginica. <i>Sweetspire.</i> 3'-4' | Spikes of fragrant white flowers, July. Good for low places; brilliant autumn coloring. | | | |
| 2 to 2½ | ft..... | .85 | 7.50 | |
| JASMINUM nudiflorum. <i>Winter Jasmine.</i> 3' | Bright yellow, April-May. | | | |
| 2 yr..... | | .65 | 5.00 | 40.00 |
| JUNIPERUS. | See Evergreens, pages 33-36. | | | |
| KALMIA. | See Evergreens, page 37. | | | |
| KERRIA japonica. <i>Japanese Kerria.</i> 4'-5' | Single golden yellow, June-Sept. Green branches useful for winter effects. Graceful habit. | | | |
| 1½ to 2 | ft..... | .85 | 7.50 | |
| — flore pleno. <i>Double Japanese Kerria.</i> 4'-5' | Desirable double flowering form. Stronger growth and blooms more profusely. | | | |
| 1½ to 2 | ft..... | .85 | 7.50 | 60.00 |
| 2 to 3 | ft..... | 1.00 | 8.50 | |
| 3 to 4 | ft..... | 1.25 | | |
| KOELREUTERIA paniculata. <i>Varnish Tree.</i> 25'-30' | Has clusters of bright yellow flowers, July—a valuable small tree of irregular outline. | | | |
| 2 to 3 | ft..... | 1.00 | 8.50 | 75.00 |
| 3 to 4 | ft..... | 1.25 | 10.00 | 85.00 |
| 4 to 6 | ft..... | 1.75 | 15.00 | |
| KOLKWITZIA amabilis. <i>Beautybush.</i> 6'-7' | Develops into a handsome shrub of graceful habit. The funnel-shaped pink flowers are borne profusely after thoroughly established. Very hardy. | | | |
| 1½ to 2 | ft..... | 1.00 | 8.50 | |
| LABURNUM vulgare. <i>Golden Chain.</i> 20'-25' | Handsome golden yellow flowers in June. A useful small tree—best in protected places. | | | |
| 2 to 3 | ft..... | 1.00 | 8.50 | |
| LESPEDEZA formosa (<i>Desmodium penduliflorum</i>). <i>Purple Bush Clover.</i> 3'-4' | Rosy purple flower conspicuous in Sept. Attractive. | | | |
| 2 yr..... | | .40 | 3.50 | 25.00 |
| 3 yr..... | | .65 | 5.00 | 35.00 |
| LEUCOTHOE. | See Evergreens, page 37. | | | |
| LIGUSTRUM amurense. <i>Amur Privet.</i> 14'-15' | Half-evergreen, very hardy. The most dependable form for severe climates. Black berries. | | | |
| 1½ to 2 | ft..... | .25 | 2.00 | 15.00 |
| 2 to 3 | ft..... | .35 | 2.50 | 20.00 |
| 3 to 4 | ft..... | .40 | 3.50 | 25.00 |
| 4 to 5 | ft..... | .60 | 5.00 | 35.00 |

Each Per 10 Per 100

LIGUSTRUM ibota regelianum. *True Spreading Regal Privet.* 5'-6'
Makes a splendid low dense hedge—good in shrubbery or
evergreen plantings. **Unusually bushy stock.** From cuttings.

| | | | | | | |
|----|----|----|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .40 | 3.50 | |
| 2 | to | 2½ | ft..... | .50 | 4.00 | 35.00 |
| 2½ | to | 3 | ft..... | .60 | 5.00 | 40.00 |
| 3 | to | | ft..... | .75 | | |

ovalifolium. *California Privet.* 9'-10' Most popular hedge plant.
This is nice bushy stock. Per 10 Per 100 Per 1000

| | | | | | | |
|----|----|----|---------|------|-------|-------|
| 12 | to | 18 | in..... | 1.00 | 6.00 | 40.00 |
| 1½ | to | 2 | ft..... | 1.50 | 8.00 | 60.00 |
| 2 | to | 3 | ft..... | 2.00 | 12.00 | 80.00 |
| 3 | to | 4 | ft..... | 3.00 | 15.00 | |

GLOBE FORM.

| | | | | Each | Per 10 | Per 100 |
|----|----|----|--------------------|------|--------|---------|
| 12 | to | 15 | in. diam., B. & B. | 1.50 | 12.50 | 100.00 |
| 15 | to | 18 | in. diam. B. & B. | 2.25 | 17.50 | 125.00 |
| 1½ | to | 2 | ft., diam. B. & B. | 2.50 | 22.50 | 175.00 |

PYRAMIDS—

| | | | |
|----|---------|------|-------|
| 2 | ft..... | 1.75 | 15.00 |
| 2½ | ft..... | 2.50 | 22.50 |

LINDERA. See Benzoin, page 6.

***LIQUIDAMBAR styraciflua.** *Sweet Gum.* 50'-60' One of the best trees
for autumn color. Has corky bark and star-shaped leaves—
transplants best in early spring. Succeeds in swampy places.

| | | | | | | |
|----|----|----|---------|------|-------|--------|
| 4 | to | 6 | ft..... | 3.00 | 27.50 | 225.00 |
| 6 | to | 8 | ft..... | 4.00 | 37.50 | 325.00 |
| 8 | to | 10 | ft..... | 5.00 | 40.00 | |
| 10 | to | 12 | ft..... | 6.00 | | |

***LIRIODENDRON tulipifera.** *Tulip Tree.* 60'-80' A quick grower.
The yellow tulip-like flowers are produced in June—peculiar
flat topped leaves clear yellow in autumn. Prefers moist place.

| | | | | | | |
|----|----|----|-------------------|------|-------|--------|
| 6 | to | 8 | ft..... | 2.00 | 17.50 | |
| 8 | to | 10 | ft..... | 2.50 | 22.50 | |
| 10 | to | 12 | ft., 1¼ to 1½ in. | 3.50 | 27.50 | 225.00 |
| 10 | to | 12 | ft., 1½ to 1¾ in. | 4.00 | 37.50 | 325.00 |
| 12 | to | 14 | ft., 1¾ to 2 in. | 5.00 | 40.00 | |

LONICERA belgica. *Dutch Woodbine.* 12'-15' Thick dark green leaves
glaucous beneath. Fragrant creamy flowers, purple outside.

| | | | | |
|---|---------|-----|------|-------|
| 2 | yr..... | .75 | 6.00 | 50.00 |
|---|---------|-----|------|-------|

fragrantissima. *Winter Honeysuckle.* 6'-8' Fragrant white flower,
April-May. Half-evergreen—graceful semi-drooping habit.

| | | | | | |
|---|----|---|---------|------|------|
| 2 | to | 3 | ft..... | .50 | 4.00 |
| 4 | to | 5 | ft..... | 1.00 | |

— **halliana.** *Hall Japanese Honeysuckle.* 15'-25' A quick-growing
vine, blooms freely, deliciously fragrant. Almost evergreen.

| | | | | |
|---|---------|-----|------|-------|
| 2 | yr..... | .40 | 3.50 | 25.00 |
|---|---------|-----|------|-------|

heckrottii. *Everblooming Honeysuckle.* 15'-20' Flowers purple-rose
outside, yellow inside, July-Sept. Free-flowering bushy vine.

| | | | | |
|---|---------|-----|------|--|
| 2 | yr..... | .75 | 5.00 | |
|---|---------|-----|------|--|

| | | Each | Per 10 | Per 100 |
|------------------------------|---|-------|--------|---------|
| LONICERA henryi. | <i>Henry Honeysuckle.</i> Almost evergreen, quick growing vine. Red flowers. Thick shiny foliage. | | | |
| 2 yr..... | | .85 | 7.50 | |
| korolkowi floribunda. | <i>Blueleaf Honeysuckle.</i> 8'-10' Has distinct blue-gray leaves and delicate pink flowers followed by red fruits. Forms an imposing mound of foliage. Handsome. | | | |
| 12 to 18 in..... | | .60 | 5.00 | 40.00 |
| 1½ to 2 ft..... | | .85 | 7.00 | 50.00 |
| maacki podocarpa. | <i>Late Honeysuckle.</i> 8'-9' Smaller pinkish flowers, better fruit than preceding, leaves and berries more persistent. | | | |
| 1½ to 2 ft..... | | .40 | 3.50 | 25.00 |
| 2 to 3 ft..... | | .60 | 4.00 | 35.00 |
| 3 to 4 ft..... | | .75 | 5.00 | 40.00 |
| pileata. | See Evergreens, page 37. | | | |
| tatarica. | <i>Tatarian Honeysuckle.</i> 9'-10' Pink flowers, scarlet fruit freely produced. A most adaptable shrub. Pink or White. | | | |
| 3 to 4 ft..... | | .50 | 4.00 | 35.00 |
| thibetica. | <i>Tibetan Honeysuckle.</i> 3'-4' Has small gray-green foliage, fragrant purple flowers. Handsome little shrub for rockery. | | | |
| 12 to 18 in..... | | .75 | 6.00 | 40.00 |
| 1½ to 2 ft..... | | .85 | 7.50 | |
| LYCIUM chinensis. | <i>Matrimony Vine.</i> 10'-12' Violet flowers in June, followed by bright red fruits. For banks or retaining walls. | | | |
| 3 to 4 ft..... | | .50 | 4.00 | 35.00 |
| MAGNOLIA glauca. | <i>Sweet Bay.</i> 15'-20' Delightfully fragrant flowers, May, glaucous leaves nearly evergreen, prefers moist location. | | | |
| 1½ to 2 ft., B. & B..... | | 3.00 | 27.50 | |
| 2 to 3 ft., B. & B..... | | 4.00 | | |
| parviflora. | <i>Oyama Magnolia.</i> 15'-20' Deliciously fragrant flowers, white with crimson stamens. A particularly handsome form. | | | |
| 2 to 3 ft., B. & B..... | | 9.00 | 75.00 | |
| 3 to 4 ft., B. & B..... | | 12.00 | 110.00 | |
| 4 to 5 ft., B. & B..... | | 16.00 | | |
| soulangeana. | <i>Saucer Magnolia.</i> 15'-18' Large purplish pink and white flowers in May. Best transplanted in early spring. | | | |
| 2 to 3 ft., B. & B..... | | 7.50 | 60.00 | 500.00 |
| 3 to 4 ft., B. & B..... | | 11.00 | 100.00 | 850.00 |
| 4 to 5 ft., B. & B..... | | 15.00 | 135.00 | |
| 5 to 6 ft., B. & B..... | | 20.00 | | |
| — nigra. | <i>Purple Lily Magnolia.</i> The very deep wine-colored flowers are quite distinct as are the shiny leaves. | | | |
| 2 to 3 ft., B. & B..... | | 9.00 | 75.00 | |
| 3 to 4 ft., B. & B..... | | 12.00 | 110.00 | |
| 4 to 5 ft., B. & B..... | | 16.00 | | |
| — norbertiana. | <i>Norbert Magnolia.</i> This is the last one to flower in spring and invariably escapes frost injury. The flowers are somewhat smaller than type, but freely produced. | | | |
| 2 to 3 ft., B. & B..... | | 9.00 | 75.00 | |
| 3 to 4 ft., B. & B..... | | 12.00 | 110.00 | |
| 4 to 5 ft., B. & B..... | | 16.00 | | |

Each Per 10 Per 100

MAGNOLIA soulangeana speciosa. This form has distinct deep green leathery foliage and a compact habit. An occasional flower produced in summer, after the spring pageant, is characteristic of this variety.

| | | | | | |
|---|----|---|------------------|-------|--|
| 4 | to | 5 | ft., B. & B..... | 16.00 | |
| 5 | to | 6 | ft., B. & B..... | 20.00 | |

stellata. *Star Magnolia.* 8'-10' Spreading habit, fragrant semi-double white flowers appear long before leaves expand.

| | | | | | |
|----|------|-------------|------------------|-------|--------|
| 2 | to | 2½ | ft., B. & B..... | 12.00 | 110.00 |
| 2½ | to | 3 | ft. B. & B..... | 15.00 | 135.00 |
| 3 | to | 4 | ft., B. & B..... | 17.50 | |
| 4 | ft., | B. & B..... | | 22.50 | |

tripetala. *Umbrella Magnolia.* 30'-40' Large white fragrant flowers. Large leaves and attractive rose colored seed pods.

| | | | | | |
|---|----|---|-----------------|------|-------|
| 4 | to | 6 | ft. B. & B..... | 3.50 | 30.00 |
| 6 | to | 8 | ft. B. & B..... | 4.00 | 35.00 |

MAHONIA. See Evergreens, page 37.

MALUS arnoldiana. *Arnold Crab.* 8'-10' Pink buds expanding to white flowers; good compact habit.

| | | | | | |
|---|----|---|---------|------|-------|
| 2 | to | 3 | ft..... | 1.00 | 8.50 |
| 3 | to | 4 | ft..... | 1.25 | 10.00 |
| 4 | to | 5 | ft..... | 1.75 | |

atrosanguinea. *Carmine Crab.* 10'-15' Red flowers freely borne.

| | | | | | | |
|---|----|---|---------|------|-------|-------|
| 2 | to | 3 | ft..... | 1.00 | 8.50 | 75.00 |
| 3 | to | 4 | ft..... | 1.25 | 10.00 | |
| 4 | to | 5 | ft..... | 1.75 | 12.50 | |
| 5 | to | 6 | ft..... | 2.00 | 17.50 | |
| 6 | to | 7 | ft..... | 2.50 | | |

floribunda. *Japanese Flowering Crab.* 12'-15' Literally covered with pink buds and white flowers in spring—red fruits.

| | | | | | | |
|---|----|---|---------|------|-------|-------|
| 2 | to | 3 | ft..... | 1.00 | 8.50 | 75.00 |
| 3 | to | 4 | ft..... | 1.25 | 10.00 | 85.00 |
| 4 | to | 5 | ft..... | 1.75 | 12.50 | |

halliana parkmanni. *Parkman Crab.* 12'-15' Double pink flowers resembling tiny roses on long stems. Grows rather slowly.

| | | | | | | |
|---|----|---|---------|------|-------|--|
| 3 | to | 4 | ft..... | 2.00 | 17.50 | |
| 4 | to | 5 | ft..... | 2.50 | | |
| 5 | to | 6 | ft..... | 3.00 | | |

ioensis plena. *Bechtel Crab.* 10'-15' Large double pure pink fragrant flowers on long stalks. Vigorous grower—last to flower.

| | | | | | | |
|---|----|---|---------|------|-------|--------|
| 2 | to | 3 | ft..... | .85 | 7.00 | 50.00 |
| 3 | to | 4 | ft..... | 1.25 | 10.00 | 75.00 |
| 4 | to | 5 | ft..... | 1.75 | 15.00 | 100.00 |
| 5 | to | 6 | ft..... | 2.00 | 17.50 | 150.00 |

prunifolia. *Chinese Apple.* 12'-15' Large red or yellow fruits, white flowers.

| | | | | | | |
|---|----|---|---------|------|-------|--|
| 3 | to | 4 | ft..... | 1.75 | 12.50 | |
| 4 | to | 5 | ft..... | 2.00 | 17.50 | |

sargentii. *Sargent Crab.* 5'-6' Pure white, very compact and dwarf. Small scarlet fruits hang on almost till spring. Distinct.

| | | | | | | |
|---|----|---|---------|------|-------|--|
| 2 | to | 3 | ft..... | 2.00 | 17.50 | |
| 3 | to | 4 | ft..... | 2.50 | 22.50 | |
| 4 | to | 5 | ft..... | 3.00 | | |

| | | Each | Per 10 | Per 100 |
|--|---|------|--------|---------|
| MALUS scheideckeri. | <i>Scheidecker Crab. 10'-15'</i> Double pink lasting flowers. Large yellow fruits—branches form narrow pyramidal heads. | | | |
| 2 | to 3 ft..... | 1.25 | 10.00 | |
| 3 | to 4 ft..... | 1.50 | 12.50 | |
| spectabilis. | <i>Chinese Flowering Crab. 10'-15'</i> Beautiful double pink flowers; sweet scented. | | | |
| 2 | to 3 ft..... | 1.25 | 10.00 | |
| 3 | to 4 ft..... | 1.75 | 12.50 | |
| MORUS alba pendula. | <i>Tea's Weeping Mulberry. 8'-10'</i> | | | |
| Medium Grade, | 1 year heads | 2.25 | 17.50 | 150.00 |
| First Class Heads, | 2 year heads | 3.50 | 25.00 | 200.00 |
| Extra, | 3 year heads | 4.00 | 35.00 | 300.00 |
| MYRICA carolinensis (cerifera). | <i>Northern Bayberry. 4'-5'</i> Does well in poor gravelly soil. Gray waxy berries persisting all winter. | | | |
| 12 | to 15 in..... | .60 | 5.00 | 35.00 |
| 15 | to 18 in..... | .75 | 6.00 | 40.00 |
| 1½ | to 2 ft..... | 1.00 | 7.50 | 60.00 |
| OXYDENDRUM arboreum. | <i>Sourwood. 25'-30'</i> Graceful clusters of white flowers—Aug. Good leathery foliage, fine autumn color. | | | |
| 2 | to 3 ft. B. & B..... | 1.50 | 12.50 | |
| 3 | to 4 ft. B. & B..... | 1.75 | 15.00 | |
| 4 | to 5 ft. B. & B..... | 2.50 | | |
| PHILADELPHUS Avalanche. | <i>Avalanche Mock Orange. 3'-4'</i> Graceful arching habit. Flowers very profusely—long narrow leaves. | | | |
| 1½ | to 2 ft..... | .40 | 3.50 | 25.00 |
| 2 | to 3 ft..... | .50 | 4.00 | |
| Bouquet Blanc. | <i>White Bouquet Mock Orange. 3'</i> Low dense habit. Blooms freely in large bunches, May-June. Small leaves. | | | |
| 1½ | to 2 ft..... | .40 | 3.50 | |
| 2 | to 3 ft..... | .50 | 4.00 | |
| coronarius. | <i>Mock Orange or Syringa. 9'-10'</i> The fragrant creamy white flowers freely produced in May-June. | | | |
| 3 | to 4 ft..... | .50 | 4.00 | 35.00 |
| — aureus. | <i>Golden Leaf Mock Orange. 4'-5'</i> Dwarf compact habit. Fragrant flowers, similar to the type. | | | |
| 12 | to 18 in..... | .50 | 4.00 | |
| — grandiflora. | <i>Large Flowering Mock Orange. 7'-8'</i> Vigorous. | | | |
| 2 | to 3 ft..... | .40 | 3.50 | |
| lemoinei. | <i>Lemoine Mock Orange. 4'-5'</i> Compact graceful habit, fragrant semi-double flowers produced along slender branches. | | | |
| 1½ | to 2 ft..... | .40 | 3.50 | 25.00 |
| 2 | to 2½ ft..... | .50 | 4.00 | 35.00 |
| — mont blanc. | <i>3'</i> A neat compact shrub literally covered with pure white flowers in spring. | | | |
| 1½ | to 2 ft..... | .40 | 3.50 | 25.00 |
| nivalis. | <i>Snowbank Mock Orange. 4'-5'</i> Free flowering, fragrant. | | | |
| 1½ | to 2 ft..... | .50 | 4.00 | |
| virginalis. | <i>Virginal Mock Orange. 7'-8'</i> Beautiful semi-double flowers produced intermittently all summer. Most desirable. | | | |
| 1½ | to 2 ft..... | .50 | 4.00 | 35.00 |
| 2 | to 3 ft..... | .60 | 5.00 | 40.00 |
| 3 | to 4 ft..... | .80 | 7.00 | 60.00 |

| | | Each | Per 10 | Per 100 |
|-------------------------------------|---------------------------------------|---|--------|---------|
| PHOTINIA villosa. | <i>Red Berried Photinia. 8'-9'</i> | Flowers white, June, rich scarlet berries profusely borne in autumn, splendid thick foliage. | | |
| | 2 to 3 ft..... | .85 | 7.50 | |
| PICEA. | See Evergreens, pages 37-38. | | | |
| PIERIS. | See Evergreens, page 38. | | | |
| PINUS. | See Evergreens, pages 38-39. | | | |
| PLATANUS orientalis. | <i>European Plane Tree. 70'-80'</i> | Good for park and street use—quick grower, stands city conditions, also succeeds at seashore. | | |
| | 8 to 10 ft..... | 2.50 | 22.50 | 175.00 |
| | 8 to 10 ft, 1¼ to 1½ in. | 3.50 | 30.00 | 250.00 |
| | 10 to 11 ft. 1½ to 1¾ in. | 4.50 | 37.50 | 300.00 |
| | 11 to 12 ft. 1¾ to 2 in. | 6.00 | 55.00 | 450.00 |
| | 12 to 14 ft, 2 to 2½ in. | 8.00 | 70.00 | |
| POLYGONUM auberti. | <i>Chinese Fleece Vine. 25'-30'</i> | During the summer and early autumn the myriads of white flowers give the whole vine a fleecy appearance. Vigorous; quite hardy. | | |
| | 2 yr..... | .85 | 7.50 | 60.00 |
| POPULUS bolleana. | <i>Bolleana Poplar. 50'-60'</i> | Leaves white underneath; similar character to Lombardy poplar; gray bark, quick grower. | | |
| | 4 to 6 ft..... | 1.00 | 8.00 | |
| | 6 to 8 ft..... | 1.25 | 10.00 | 80.00 |
| | 8 to 9 ft..... | 1.75 | 15.00 | 100.00 |
| | 9 to 10 ft, 1¼ to 1½ in. | 2.25 | | |
| nigra italica. | <i>Lombardy Poplar. 60'-80'</i> | Tall spire-like character, is valued for screens and architectural effects. Grows quickly, and retains lower branches. | | |
| | 4 to 6 ft..... | .65 | 5.00 | 40.00 |
| | 6 to 8 ft..... | .80 | 7.00 | 50.00 |
| simoni. | <i>Simon Poplar. 25'-30'</i> | Hardy small tree; good foliage. | | |
| | 4 to 6 ft..... | .85 | 7.50 | |
| | 6 to 8 ft..... | 1.25 | 10.00 | |
| POTENTILLA fruticosa. | <i>Shrubby Cinquefoil. 3'-4'</i> | Blooms profusely, clear yellow, June-Sept. A very adaptable and useful shrub. | | |
| | 10 to 12 in..... | .35 | 2.50 | |
| | 12 to 18 in..... | .40 | 3.50 | |
| | 1½ to 2 ft..... | .50 | 4.00 | 35.00 |
| tridentata. | See Evergreens page 39. | | | |
| PRINOS. | See ILEX glabra, page 33. | | | |
| PRUNUS cerasifera pissardi. | <i>Purple Leaf Plum. 12'-15'</i> | Valued because of purplish foliage. Prune every year for best color effect. | | |
| | 2 to 3 ft..... | .85 | 7.50 | |
| | 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| | 4 to 5 ft..... | 1.25 | 10.00 | 85.00 |
| | 5 to 6 ft..... | 1.50 | | |
| glandulosa (Amygdalus nana). | <i>Double Flowering Almond. 5'-6'</i> | One of the earliest shrubs to flower in spring—when literally covered. Pink and white. (Please specify which color is wanted.) | | |
| | 2 to 2½ ft..... | 1.00 | 8.50 | 75.00 |

PRUNUS maritima. *Beach Plum.* 9'-10' Has a profusion of small white flowers in April, purple fruits following. Splendid for seashore.

| | | | Each | Per 10 | Per 100 |
|----|----|-----------|------|--------|---------|
| 1½ | to | 2 ft..... | .60 | 5.00 | |
| 2 | to | 3 ft..... | .85 | 7.50 | |
| 3 | to | 4 ft..... | 1.00 | 8.50 | |
| 4 | to | 5 ft..... | 1.25 | 10.00 | |

serrulata. *Oriental Cherry.* 25'-30' Pure white, semi-double, May.

| | | | | | |
|---|----|-----------|------|--|--|
| 3 | to | 4 ft..... | 1.25 | | |
| 4 | to | 5 ft..... | 1.75 | | |

— **Amanogawa.** Semi-double, bright pink; slender upright habit.

— **Beni-Higan.** Large tree, with early single pale pink flowers.

— **Hizakura (New Red).** Crimson buds to large double pink flowers.

— **J. H. Veitch.** One of the most popular sorts. Large rose-pink double.

— **Kanzan.** This is sometimes considered the choicest variety. It has fine large double dark pink flowers and grows vigorously.

— **Kofugen.** Upright habit, double deep rose flowers.

— **Mount Fuji.** The best white double; good grower. Flowers profusely.

— **Naden.** Beautiful semi-double shell pink flowers.

— **Shirofugen.** Large double flowers, blush fading to pure white.

— **Yoshino.** Quickly develops into a large tree. The single delicate pink flowers just cover the branches. This variety is seen to advantage around the tidal basin at Washington, D. C.

| | | | | | |
|---|----|--------------------|------|-------|--|
| 3 | to | 4 ft., B. & B..... | 3.50 | 30.00 | |
| 4 | to | 5 ft., B. & B..... | 5.00 | 45.00 | |
| 5 | to | 6 ft., B. & B..... | 7.00 | 65.00 | |
| 6 | to | 7 ft., B. & B..... | 8.50 | | |

subhirtella pendula. *Weeping Japan Cherry.* 12'-15' Most beautiful, graceful tree covered with pink blossoms in early spring.

STANDARD FORM. Budded on sturdy stems 5 to 6 feet tall.

| | | | |
|--------------------------|------|-------|--------|
| 2 yr. head, B. & B. | 5.00 | 45.00 | 350.00 |
|--------------------------|------|-------|--------|

tomentosa. *Nanking Cherry.* 6'-7' A splendid shrub, has pink buds expanding to white flowers—small red fruits relished by birds.

| | | | | | |
|---|----|-----------|------|------|--|
| 2 | to | 3 ft..... | .75 | 6.00 | |
| 3 | to | 4 ft..... | .85 | 7.50 | |
| 4 | to | 5 ft..... | 1.25 | | |

triloba plena. *Double Flowering Plum.* 7'-8' Double pink flowers before the leaves, April-May. Handsome and useful shrub.

| | | | | | |
|---|----|-----------|------|------|-------|
| 3 | to | 4 ft..... | 1.00 | 8.50 | 75.00 |
|---|----|-----------|------|------|-------|

PYRACANTHA. See Evergreens, page 39.

QUERCUS palustris. *Pin Oak.* 75'-90' Takes kindly to cultivation, prefers moist soil but is very adaptable. Particularly fitting as a street tree with symmetrical pyramidal head. Good autumn effects.

| | | | | | |
|----|----|----------------------|-------|--------|--|
| 8 | to | 9 ft., 1¼ to 1½ in. | 5.50 | 50.00 | |
| 9 | to | 10 ft., 1½ to 1¾ in. | 6.50 | 60.00 | |
| 9 | to | 10 ft., 1¾ to 2 in. | 8.00 | 70.00 | |
| 10 | to | 12 ft., 2 to 2½ in. | 9.50 | 85.00 | |
| 12 | to | 14 ft., 2½ to 3 in. | 11.00 | 100.00 | |
| 14 | to | 16 ft., 3 to 4 in. | 17.50 | | |

phellos. *Willow Oak.* 40'-50' The narrow willow-like leaves make this oak quite distinct from others. Handsome when mature.

| | | | | | |
|---|----|------------|------|-------|--|
| 6 | to | 8 ft..... | 4.00 | 35.00 | |
| 8 | to | 10 ft..... | 5.00 | 45.00 | |

Each Per 10 Per 100

RETINOSPORA. See Evergreens, pages 40-42.**RHAMNUS cathartica.** *Common Buckthorn.* 9'-10' Dark green leaves, numerous black berries. Valuable background shrub—hardy.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .35 | 2.50 | 20.00 |
| 2 | to | 3 | ft..... | .40 | 3.50 | 25.00 |
| 3 | to | 4 | ft..... | .50 | 4.00 | |

frangula. *Glossy Buckthorn.* 8'-9' Berries red changing to black.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .35 | 2.50 | 20.00 |
| 2 | to | 3 | ft..... | .40 | 3.50 | 25.00 |

RHODODENDRON. See Evergreens, pages 42.**RHODOTYPOS kerrioides.** *Jetbead.* 4'-5' Fresh green foliage, pure white flowers, May-June—shining black bead-like berries all winter.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .50 | 3.50 | 25.00 |
| 2 | to | 3 | ft..... | .60 | 4.00 | 35.00 |
| 3 | to | 4 | ft..... | .75 | 5.00 | 40.00 |

RHUS canadensis (aromatica). *Fragrant Sumach.* 4'-5' Clusters of small yellow flowers, April-May. Attractive in June when covered with coral-red fruits. Withstands drought. Aromatic foliage.

| | | | | | | |
|---|----|---|---------|------|------|--|
| 3 | to | 4 | ft..... | 1.00 | 8.50 | |
|---|----|---|---------|------|------|--|

cotinoides. *American Smoke Tree.* 20'-25' Attractive round leaves which turn brilliant orange and scarlet in Autumn. The hairy fruiting panicles are not so large as the European type.

| | | | | | | |
|---|----|---|---------|------|--|--|
| 2 | to | 3 | ft..... | 1.00 | | |
| 3 | to | 4 | ft..... | 1.25 | | |
| 4 | to | 5 | ft..... | 1.75 | | |

cotinus. *Smoke Tree.* 12'-15' Spreading shrub, rather dense when mature. The leaves are smaller and more round than the American form, but the plume-like fruiting panicles are much more striking. Prefers a well-drained sunny place.

| | | | | | | |
|----|----|---|---------|------|-------|--|
| 1½ | to | 2 | ft..... | 1.00 | 8.50 | |
| 2 | to | 3 | ft..... | 1.25 | 10.00 | |
| 6 | to | 8 | ft..... | 3.00 | | |

glabra laciniata. *Cutleaf Smooth Sumach.* 4'-5' Delicately cut leaves—grows slowly. Striking crimson early autumn color.

| | | | | | | |
|----|----|---|---------|-----|------|--|
| 1½ | to | 2 | ft..... | .75 | 6.00 | |
| 2 | to | 3 | ft..... | .85 | 7.50 | |

ROSA blanda. *Meadow Rose.* 4'-5' Pink, May; almost thornless, red bark.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .60 | 5.00 | 40.00 |
| 2 | to | 3 | ft..... | .80 | 7.50 | |

hugonis. *Father Hugo Rose.* 6'-8' Clear yellow single flowers freely produced, June. Bushy habit; small decorative foliage.

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | 1.00 | 8.50 | 60.00 |
|----|----|---|---------|------|------|-------|

lucida (virginiana). *Virginia Rose.* 5'-6' Pink, June. Red decorative fruits, red bark, thick shiny leaves. Useful for seashore.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .60 | 5.00 | 40.00 |
|----|----|---|---------|-----|------|-------|

— alba. *White Virginia Rose.* 5'-6' White flowers are effective against the lustrous leaves. This white flowering form is quite scarce. The branches are light green.

| | | | | | | |
|----|----|---|---------|-----|------|--|
| 1½ | to | 2 | ft..... | .75 | 6.00 | |
| 2 | to | 3 | ft..... | .85 | 7.50 | |

| | | | Each | Per 10 | Per 100 |
|---------------------------------|---------------------------|---|------|--------|---------|
| ROSA nitida. | <i>Bristly Rose.</i> | 3' Deep pink, June-July. Good for holding banks and general mass planting. Good autumn coloring. | | | |
| | 12 to 18 in | | .50 | 4.00 | 35.00 |
| | 1½ to 2 ft..... | | .60 | 5.00 | 40.00 |
| | 2 to 2½ ft..... | | .75 | 6.00 | |
| rubiginosa. | <i>Sweet Briar.</i> | 5'-6' Bright pink, June. Aromatic foliage. | | | |
| | 2 to 3 ft..... | | .70 | 5.00 | 40.00 |
| | 3 to 4 ft..... | | .85 | 7.50 | |
| rubrifolia (ferruginea). | <i>Redleaf Rose.</i> | 5'-6' Has distinct purplish-red leaves and bark; good winter subject. Pink flowered, June. | | | |
| | 1½ to 2 ft..... | | .60 | 5.00 | 40.00 |
| | 2 to 3 ft..... | | .75 | 6.00 | 50.00 |
| rugosa. | <i>Red Rugosa Rose.</i> | 4'-5' Handsome shrub, large deep pink flowers, June-Sept. Rich green foliage and large red fruits. Useful in shrubbery border or as hedge—good fall coloring. | | | |
| | 2 to 3 ft..... | | .75 | 6.00 | 40.00 |
| | 3 ft | | .90 | 7.50 | |
| — alba. | <i>White Rugosa Rose.</i> | 4'-5' Similar habit to above. | | | |
| | 2 to 3 ft..... | | .70 | 6.00 | 50.00 |
| | 3 to 4 ft..... | | .85 | 7.50 | |
| setigera. | <i>Prairie Rose.</i> | 5'-6' The tall arching branches and vigorous growth quickly make an effective mass. Large pink flowers are set off by the handsome foliage. | | | |
| | 2 to 3 ft..... | | .50 | 4.00 | 35.00 |
| | 3 to 4 ft..... | | .60 | 5.00 | 40.00 |
| wichuriana. | <i>Memorial Rose.</i> | 15'-25' White—particularly useful for covering banks or boulders. Thick small shining green foliage. | | | |
| | 2 yr..... | | .70 | 5.00 | 40.00 |

CLIMBING ROSES or RAMBLERS

.70 each; 5.00 ten; 40.00 hundred

| | |
|--|-----------------------------------|
| American Pillar, single red, white cen. | Excelsa, crimson. |
| Bess Lovett. Carmine red. | Gardenia, yellow. |
| Christine Wright, clear pink. | Hiawatha. Carmine. |
| Climbing American Beauty | Mary Wallace, bright pink. |
| Dorothy Perkins, pink. | Silver Moon, pure white. |
| Dr. Van Vliet, flesh pink. | Tausendschon, pink. |
| Emily Gray. Creamy yellow. | |

SALISBURIA. See GINKGO, page 13. Each Per 10 Per 100

SALIX babylonica. *Babylon Weeping Willow.* 50'-60' Particularly appropriate for waterside planting—long pendulous branches.

| | | | |
|---|------|-------|--------|
| 4 to 6 ft..... | 1.25 | 10.00 | 80.00 |
| 6 to 8 ft..... | 1.75 | 12.50 | 100.00 |
| elegantissima. <i>ThurLOW Weeping Willow.</i> 60'-70' Vigorous, spreading. | | | |
| 4 to 6 ft..... | 1.00 | 8.50 | |
| 6 to 8 ft..... | 1.25 | 10.00 | |

| | | | Each | Per 10 | Per 100 |
|---------------------------------|--|-------|------|--------|---------|
| SALIX pentandra. | <i>Laurel Leaf Willow.</i> 20'-30' Shining dark green leaves make this a worthwhile background. Good for the seashore. | | | | |
| | 4 to 6 ft. | | .85 | 7.50 | |
| | 6 to 8 ft. | | 1.00 | 8.50 | |
| *SASSAFRAS variifolium. | <i>Common Sassafras.</i> 40'-50' Handsome light green foliage, striking autumn color; transplants best in spring. | | | | |
| | 4 to 6 ft., Nursery Grown | | 2.25 | 17.50 | |
| | 6 to 8 ft., " " | | 3.50 | 30.00 | |
| | 8 to 10 ft., " " | | 4.50 | 37.50 | |
| SORBARIA aitchisoni. | <i>Kashmir False Spiraea.</i> 4'-5' Graceful, compound foliage; flowers creamy white, July-September. | | | | |
| | 2 to 3 ft. | | .75 | 5.00 | |
| | 3 to 4 ft. | | .85 | 7.50 | |
| | 4 to 6 ft. | | 1.00 | | |
| sorbifolia. | <i>Ural False Spirea.</i> 4'-5' Fluffy white flowers, June-August. The brown seed pods should be removed so as not to detract from the handsome foliage. | | | | |
| | 2 to 3 ft. | | .70 | 5.00 | |
| SORBUS aucuparia. | <i>European Mountain Ash.</i> 25'-30' A valuable tree on a small lawn. The conspicuous orange-scarlet berries are quite striking and are a favorite food of robins. Has smaller rounded leaves and larger berries than the American variety. | | | | |
| | 4 to 6 ft. | | 1.25 | 10.00 | |
| | 6 to 8 ft. | | 1.75 | 15.00 | |
| | 8 to 10 ft. | | 2.50 | 20.00 | |
| | 10 to 12 ft. | | 3.50 | 30.00 | |
| — pendula. | <i>Weeping Mountain Ash.</i> Curious pendulous branches. | | | | |
| | 3 yr. heads. | | 4.00 | | |
| quercifolia. | <i>Oakleaf Mountain Ash.</i> 20'-25' A hybrid form similar to type in general character, but the leaves are larger and somewhat resemble an oak leaf. | | | | |
| | 4 to 6 ft. | | 1.25 | | |
| | 6 to 8 ft. | | 2.25 | | |
| SPIRAEA arguta. | <i>Garland Spirea.</i> 5'-6' Small light green leaves—very free flowering. May. Coarser, more vigorous than Thunbergi. | | | | |
| | 1½ to 2 ft. | | .40 | 3.50 | 25.00 |
| | 2 to 3 ft. | | .50 | 4.00 | |
| bumalda. | <i>Bumalda Spirea.</i> 2'-3' Light pink flower heads, July-Sept. | | | | |
| | 2 to 3 ft. | | .75 | 5.00 | |
| — Anthony Waterer. | <i>Waterer Spirea.</i> 3' Deeper rose pink than preceding—very free flowering all summer. A compact shrub. | | | | |
| | 1½ to 2 ft. | | .50 | 4.00 | 35.00 |
| froebeli. | <i>Froebel Spirea.</i> 4' Similar to but more vigorous than Anthony Waterer, and the flowers are of a lighter shade of pink. | | | | |
| | 2 to 3 ft. | | .60 | 4.00 | 35.00 |
| japonica (callosa alba). | <i>Japanese Spirea.</i> 3' White, June-July. Purplish-green foliage when young. Blooms freely—good. | | | | |
| | 12 to 15 in. | | .35 | 2.50 | 20.00 |
| | 15 to 18 in. | | .40 | 3.50 | 25.00 |
| | 1½ to 2 ft. | | .50 | 4.00 | 35.00 |

| | | | Each | Per 10 | Per 100 |
|---|--|---------|------|--------|---------|
| SPIRAEA prunifolia. | <i>Bridal Wreath.</i> 7'-8' Double white, May. Free flowering, handsome green foliage turning orange in autumn. | | | | |
| | 1½ to 2 | ft..... | .40 | 2.50 | 20.00 |
| | 2 to 3 | ft..... | .50 | 4.00 | 25.00 |
| | 3 to 4 | ft..... | .60 | 5.00 | 35.00 |
| thunbergi. | <i>Thunberg Spirea.</i> 4'-5' Slender arching branches clothed with pure white flowers, April-May. Feathery light green leaves. Valuable for seaside planting. Good fall coloring. | | | | |
| | 2 to 2½ | ft..... | .70 | 5.00 | 35.00 |
| trichocarpa. | <i>Korean Spirea.</i> 5'-6' Forms a well shaped round bush which in late June is mantled with umbels of pure white flowers. It blooms two to three weeks later than Van Houtte. | | | | |
| | 2 to 3 | ft..... | .85 | 7.50 | |
| | 3 to 4 | ft..... | 1.00 | 8.50 | |
| van houttei. | <i>Van Houtte Spirea.</i> 7'-8' White, May-June. Graceful habit. Extremely free flowering and very adaptable. Bushy. | | | | |
| | 1½ to 2 | ft..... | .35 | 2.50 | 20.00 |
| | 2 to 3 | ft..... | .50 | 4.00 | 25.00 |
| | 3 to 4 | ft..... | .70 | 5.00 | 40.00 |
| | 4 to 5 | ft..... | .85 | 7.50 | 50.00 |
| SPRUCE. | See <i>PICEA</i> , pages 37-38. | | | | |
| STEPHANANDRA flexuosa. | <i>Cutleaf Stephanandra.</i> 5'-6' Graceful compact habit; handsome foliage, similar to small maple leaf. | | | | |
| | 1½ to 2 | ft..... | .50 | 4.00 | 35.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | 50.00 |
| STYRAX japonica. | <i>Japanese Storax.</i> 12'-15' White bell-shaped pendant flowers, June-July. A handsome lawn specimen, quite hardy. | | | | |
| | 1½ to 2 | ft..... | .50 | 4.00 | 35.00 |
| | 2 to 3 | ft..... | .70 | 5.00 | 40.00 |
| | 3 to 4 | ft..... | .85 | | |
| | 4 to 6 | ft..... | 1.00 | | |
| | 6 to 8 | ft..... | 1.25 | | |
| SYMPHORICARPOS racemosus. | <i>Snowberry.</i> 4'-5' Large white berries in Sept. Attractive foliage. Best in half-shady, moist locations. | | | | |
| | 1½ to 2 | ft..... | .50 | 3.50 | 25.00 |
| | 2 to 3 | ft..... | .60 | 5.00 | 35.00 |
| | 3 to 4 | ft..... | .70 | 6.00 | 40.00 |
| | 4 to 5 | ft..... | .85 | 7.50 | |
| vulgaris. | <i>Coralberry.</i> 4'-5' Compact. Coral-red berries persisting throughout winter—for shady, dry places. Most adaptable. | | | | |
| | 1½ to 2 | ft..... | .35 | 2.50 | 20.00 |
| | 2 to 3 | ft..... | .40 | 3.50 | 25.00 |
| | 3 to 4 | ft..... | .50 | 4.00 | |
| SYMPLOCOS paniculata (crataegoides). | <i>Asiatic Sweetleaf.</i> 15'-20' Numerous small white flowers in May, followed by bright turquoise-blue berries in autumn. Good foliage retained till late autumn. Spreading branches—prefers drained half-shade. | | | | |
| | 1½ to 2 | ft..... | 1.25 | 10.00 | |
| SYRINGA chinensis (rothomagensis.) | <i>Chinese Lilac.</i> 8'-9' Slender branches, graceful. Violet flowers in May—free flowering. | | | | |
| | 1½ to 2 | ft..... | .60 | 4.00 | 35.00 |
| | 2 to 3 | ft..... | .75 | 6.00 | 40.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | 60.00 |

| | | | Each | Per 10 | Per 100 |
|------------------------------------|---|--------------------------------------|-------------------------------------|--------------------------------------|---------|
| SYRINGA | <i>chinensis saugeana.</i> | <i>Purple Chinese Lilac.</i> | 8'-9' | Deep | |
| | purple-red flowers. | Otherwise similar to the type. | | | |
| | 1½ to 2 | ft..... | .60 | 4.00 | 35.00 |
| | 2 to 3 | ft..... | .75 | 6.00 | 40.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | |
| japonica. | <i>Japanese Tree Lilac.</i> | 25'-30' | Loose bunches creamy white | | |
| | flowers, June-July. | Handsome foliage; smooth shiny bark. | | | |
| | 1½ to 2 | ft..... | .50 | 4.00 | |
| | 2 to 3 | ft..... | .75 | 6.00 | |
| | 3 to 4 | ft..... | .85 | 7.50 | |
| | 4 to 5 | ft..... | 1.25 | | |
| josikea. | <i>Hungarian Lilac.</i> | 9'-10' | Rosy-lilac flowers, June. Has | | |
| | good deep green rough foliage. | Rather loose open habit. | | | |
| | 1½ to 2 | ft..... | .50 | 4.00 | 35.00 |
| | 2 to 3 | ft..... | .75 | 6.00 | 40.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | 60.00 |
| persica. | <i>Persian Lilac.</i> | 8'-9' | Arching branches, small leaves. The | | |
| | fragrant lilac flowers freely produced in | loose clusters; hardy. | | | |
| | 1½ to 2 | ft..... | .60 | 4.00 | 35.00 |
| | 2 to 3 | ft..... | .75 | 6.00 | 50.00 |
| — alba. | <i>White Persian Lilac.</i> | 7'-8' | Creamy white flowers. | | |
| | 1½ to 2 | ft..... | .70 | 5.00 | 40.00 |
| | <i>villosa.</i> | <i>Late Lilac.</i> | 7'-8' | Pale rosy-lilac, June. Good foliage. | |
| | 1½ to 2 | ft..... | .50 | 3.50 | 25.00 |
| | 2 to 3 | ft..... | .70 | 5.00 | 35.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | 50.00 |
| vulgaris. | <i>Common Purple Lilac.</i> | 12'-15' | The old-fashioned lilac. | | |
| | 1½ to 2 | ft..... | .35 | 2.50 | 20.00 |
| | 2 to 3 | ft..... | .40 | 3.50 | 25.00 |
| | 3 to 4 | ft..... | .70 | 5.00 | |
| — alba. | <i>Common White Lilac.</i> | 10'-12' | The fragrant white sort. | | |
| | 1½ to 2 | ft..... | .70 | 5.00 | 40.00 |
| | 2 to 3 | ft..... | .85 | 7.50 | 50.00 |
| | 3 to 4 | ft..... | 1.00 | 8.50 | 75.00 |
| NAMED LILACS (all on own roots.) | | | Give permanent satisfaction. | | |
| | 1½ to 2 | ft..... | .70 | 5.00 | 40.00 |
| | 2 to 3 | ft..... | 1.00 | 7.50 | 60.00 |
| | 3 to 4 | ft..... | 1.25 | 10.00 | 75.00 |
| Alphonse Lavalle. Dbl. lt. purple. | | | Marie Le Graye. Single white. | | |
| Charles Tenth. Sgl. reddish pur. | | | Mme. Lemoine. Double white. | | |
| Ludwig Spaeth. Sgl. dark purple. | | | President Grevy. Large Dbl. blue. | | |
| Michael Buchner. Double lilac. | | | Rubra De Marly. Single lt. blue. | | |
| Mme. C. Perrier. Dbl. pure white. | | | Wm. Robinson. Double mauve. | | |

TAMARIX *africana.* *African Tamarix.* 12'-14' Pink, April-May. Feathery gray-green foliage. Effective near water—thrives at seashore.

2 to 3 ft..... .40 3.50

3 to 4 ft..... .50 4.00

TAXUS. See Evergreens, page 43.

THUJA. See Evergreens, pages 43-46.

Each Per 10 Per 100

TSUGA. See Evergreens, pages 47.

ULMUS americana. *American Elm.* 80'-100' Fairly rapid in growth, this typical American tree soon assumes regal proportions. Very adaptable, but best in moist places.

| | | | | | | |
|----|----|----|--------------------|-------|-------|--------|
| 8 | to | 10 | ft..... | 2.50 | 17.50 | 125.00 |
| 8 | to | 10 | ft., 1¼-1½ in..... | 3.25 | 27.50 | 175.00 |
| 9 | to | 10 | ft., 1½-1¾ in..... | 3.75 | 32.50 | 275.00 |
| 10 | to | 12 | ft., 1¾-2 in..... | 5.50 | 50.00 | 450.00 |
| 10 | to | 12 | ft., 2-2¼ in..... | 7.00 | 60.00 | |
| 12 | to | 14 | ft., 2¼-2½ in..... | 8.50 | 75.00 | |
| 12 | to | 14 | ft., 2½-3 in..... | 10.00 | 90.00 | |

— **Moline.** A select strain having large handsome foliage. Grows vigorously and quickly develops into dense conical specimen with central leader; smooth clean bark.

| | | | | | | |
|---|----|----|---------|------|-------|--|
| 8 | to | 10 | ft..... | 3.00 | 25.00 | |
|---|----|----|---------|------|-------|--|

— **Vase shape.** This is the typical spreading elm which has been selected for its splendid characteristics. Large foliage, straight, clean stem, quick growth and uniform in shape.

| | | | | | | |
|----|----|----|-------------------|------|-------|--|
| 9 | to | 10 | ft., 1¼ to 1½ in. | 3.75 | 35.00 | |
| 10 | to | 11 | ft., 1½ to 1¾ in. | 4.50 | 40.00 | |

pumila. *Siberian Elm.* 70'-80' Small leaves—rapid growth.

| | | | | | | |
|---|----|---|---------|------|-------|--------|
| 6 | to | 8 | ft..... | 3.50 | 27.50 | 225.00 |
|---|----|---|---------|------|-------|--------|

VACCINIUM corymbosum. *Highbush Blueberry.* 5'-6' White bell-shaped flowers, beautiful fruit; good habit, brilliant autumn coloring. These are exceptionally fine nursery grown clumps.

| | | | | | | |
|----|----|----|---------|------|-------|-------|
| 12 | to | 18 | in..... | .75 | 6.00 | 40.00 |
| 1½ | to | 2 | ft..... | 1.00 | 7.50 | |
| 2 | to | 3 | ft..... | 1.25 | 10.00 | |

VIBURNUM acerifolium. *Maple Leaved Viburnum.* 4'-5' White, May-June. Black fruits, maple-like leaves turning purple in autumn—good for dry shady places and under planting in woodland.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .70 | 6.00 | 50.00 |
| 2 | to | 3 | ft..... | .85 | 7.50 | 70.00 |

americanum (oxycoccus). *American Cranberry Bush.* 9'-10' Bright scarlet berries, large bunches persisting almost all winter.

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | .70 | 5.00 | 35.00 |
| 2 | to | 3 | ft..... | .85 | 7.00 | 50.00 |
| 3 | to | 4 | ft..... | 1.00 | 8.50 | 70.00 |

carlesi. *Fragrant Viburnum,* 4'-5' The very fragrant pinkish flowers make this the outstanding member of the family. The clusters open as the leaves expand in May. A handsome shrub developing into a broad, round-topped specimen.

| | | | | | | |
|----|----|----|---------|------|-------|--|
| 15 | to | 18 | in .. | 2.50 | 20.00 | |
| 1½ | to | 2 | ft..... | 3.00 | 25.00 | |

cassinoides. *Witherod.* 5'-6' White, June-July. Berries pink changing to dark blue. Autumn color. Splendid for massing.

| | | | | | | |
|----|----|---|---------|------|------|-------|
| 1½ | to | 2 | ft..... | .70 | 6.00 | 50.00 |
| 2 | to | 3 | ft..... | .85 | 8.00 | 70.00 |
| 3 | to | 4 | ft..... | 1.00 | 9.00 | |
| 4 | to | 5 | ft..... | 1.25 | | |

dentatum. *Arrow Wood.* 10'-12' White, May-June. Berries blue-black; autumn coloring purple and red. Thrives in wet soil. Makes a splendid informal hedge without trimming.

| | | | | | | |
|----|----|---|---------|-----|------|-------|
| 1½ | to | 2 | ft..... | .50 | 4.00 | 25.00 |
| 2 | to | 3 | ft..... | .60 | 5.00 | 35.00 |
| 3 | to | 4 | ft..... | .75 | 6.00 | 40.00 |

| | | Each | Per 10 | Per 100 |
|----------------------------|---|---|--------|---------|
| VIBURNUM dilatatum. | <i>Linden Viburnum.</i> 8'-9' | Creamy white flowers May-June. Scarlet shiny berries. Handsome foliage. Upright bushy habit with bold outline—a splendid shrub. | | |
| | 1½ to 2 ft..... | .85 | 7.50 | 60.00 |
| | 2 to 3 ft..... | 1.00 | 9.00 | |
| lantana. | <i>Wayfaring Tree.</i> 15'-18' | White, May-June; handsome dark green wrinkled leaves; berries red changing to black; vigorous. | | |
| | 1½ to 2 ft..... | .70 | 5.00 | 40.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 50.00 |
| — rugosum. | <i>Wrinkle Leaf Wayfaring Tree.</i> 15'-18' | Has larger and more wrinkled leaves than preceding. A desirable hardy shrub. | | |
| | 1½ to 2 ft..... | .70 | 5.00 | |
| | 2 to 3 ft..... | .85 | 7.50 | |
| | 3 to 4 ft..... | 1.00 | 8.50 | |
| lentago. | <i>Nannyberry.</i> 18'-20' | White, May-June. Handsome foliage, good autumn color; blue-black fruits. Good for massing. | | |
| | 1½ to 2 ft..... | .70 | 5.00 | 40.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 50.00 |
| | 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| | 4 to 5 ft..... | 1.25 | 10.00 | |
| | 5 to 6 ft..... | 1.75 | 15.00 | |
| molle. | <i>Kentucky Viburnum.</i> 10'-12' | Larger, darker green leaves, similar to "dentatum," but flowers two weeks earlier and fruits ripen in August. Compact habit. | | |
| | 1½ to 2 ft..... | .50 | 4.00 | 25.00 |
| | 2 to 3 ft..... | .60 | 5.00 | 35.00 |
| | 3 to 4 ft..... | .75 | 6.00 | 40.00 |
| | 4 to 5 ft..... | 1.00 | | |
| opulus. | <i>European Cranberry.</i> 8'-9' | Similar to American Cranberry, but has smaller leaves and berries; more compact habit. | | |
| | 1½ to 2 ft..... | .60 | 4.00 | 35.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 50.00 |
| | 3 to 4 ft..... | 1.00 | 8.50 | 75.00 |
| — nanum. | <i>Dwarf Cranberry.</i> 1½'-2' | Useful edging or facing shrub. Rarely flowers. Very compact habit—slow in growth. | | |
| | 4 to 6 in..... | .35 | 2.50 | 20.00 |
| | 6 to 9 in..... | .50 | 4.00 | 35.00 |
| | 9 to 12 in..... | .75 | 6.00 | 50.00 |
| — sterile. | <i>Common Snowball.</i> 9'-10' | Has showy round heads of white flowers, May-June. Rarely fruits. | | |
| | 1½ to 2 ft..... | .50 | 4.00 | 25.00 |
| | 2 to 3 ft..... | .70 | 5.00 | 35.00 |
| | 3 to 4 ft..... | .85 | 7.50 | 50.00 |
| prunifolium. | <i>Black Haw.</i> 15'-20' | Pure white flowers, April-June. Blue-black glaucous berries. Sturdy habit. Handsome shrub. | | |
| | 1½ to 2 ft..... | .85 | 7.50 | |
| | 2 to 3 ft..... | 1.00 | 8.50 | |
| rhytidophyllum. | See Evergreens, page 47. | | | |
| sieboldi. | <i>Siebold Viburnum.</i> 9'-10' | White, May-June. Berries pink, changing to black. Has handsome large dark green leaves. | | |
| | 1½ to 2 ft..... | .75 | 6.00 | 50.00 |
| | 2 to 3 ft..... | .85 | 7.50 | 60.00 |
| | 3 to 4 ft..... | 1.00 | 8.50 | |
| | 4 to 5 ft..... | 1.25 | | |

| | | | Each | Per 10 | Per 100 |
|-----------------------------|---|---------|------|--------|---------|
| VIBURNUM tomentosum. | <i>Doublefile Viburnum.</i> 7'-8' Flat heads of white flowers, June. Berries red to black. Good autumn coloring. | | | | |
| | 1½ to 2 | ft..... | .70 | 5.00 | 35.00 |
| | 2 to 3 | ft..... | .85 | 7.50 | 50.00 |
| | 3 to 4 | ft..... | 1.00 | 8.50 | |
| — plicatum. | <i>Japanese Snowball.</i> 7'-8' Showy white flowers in balls, June. Handsome foliage, purple in autumn. No fruits. | | | | |
| | 1½ to 2 | ft..... | .70 | 5.00 | 35.00 |
| | 2 to 3 | ft..... | .85 | 7.50 | 50.00 |
| | 3 to 4 | ft..... | 1.00 | 8.50 | 75.00 |
| VITEX macrophylla. | <i>Bigleaf Chaste Tree.</i> 3'-4' Large tresses of lavender-blue flowers, July-Oct. An improvement on the old form. | | | | |
| | 2 to 3 | ft..... | .85 | 8.00 | 70.00 |
| VITIS heterophylla. | See AMPELOPSIS , page 5. | | | | |
| WEIGELA candida. | <i>Snow Weigela.</i> 7'-8' Large white flowers freely produced. They become faintly tinged with pink when old. | | | | |
| | 2 to 3 | ft..... | .50 | 3.50 | |
| | 3 to 4 | ft..... | .70 | 5.00 | 35.00 |
| | 4 to 5 | ft..... | .85 | 7.50 | 50.00 |
| Desbois. | <i>Desbois Weigela.</i> 6'-7' Deep rose pink flowers. | | | | |
| | 2 to 3 | ft..... | .50 | 3.50 | 25.00 |
| | 3 to 4 | ft..... | .70 | 5.00 | 35.00 |
| | 4 to 5 | ft..... | .85 | 7.50 | 50.00 |
| Eva Rathke. | <i>Red Flowering Weigela.</i> 4'-5' Carmine, June-Aug. Most profuse of all. | | | | |
| | 1½ to 2 | ft..... | .50 | 4.00 | 25.00 |
| | 2 to 3 | ft..... | .70 | 5.00 | 35.00 |
| | 3 to 4 | ft..... | .85 | 7.50 | 50.00 |
| floribunda. | <i>Crimson Weigela.</i> 7'-8' Crimson, June. Free flowering. Particularly good clear color. | | | | |
| | 3 to 4 | ft..... | .70 | 5.00 | 40.00 |
| nana variegata. | <i>Variegated Leaf Weigela.</i> 4'-5' Pale pink flowers. | | | | |
| | 2 to 3 | ft..... | .50 | 4.00 | 25.00 |
| rosea. | <i>Pink Weigela.</i> 7'-8' Showy pink flowers, June. | | | | |
| | 1½ to 2 | ft..... | .40 | 2.50 | 20.00 |
| | 2 to 3 | ft..... | .50 | 3.50 | 25.00 |
| | 3 to 4 | ft..... | .70 | 5.00 | 35.00 |
| | 4 to 5 | ft..... | .85 | 7.50 | |
| WISTERIA sinensis. | <i>Chinese Wisteria.</i> 40'-50' Grafted from selected free-flowering plants. BLUE and WHITE. | | | | |
| | 2 yr..... | | .85 | 7.50 | 50.00 |

Quality in nursery stock cannot be seen nor adequately described in any catalog. The finest types are selected by us for propagation. Visit our nurseries and draw your own conclusions.

Evergreens and Conifers

These have all been transplanted, given ample room for full development, and frequently sheared to produce compact symmetrical specimens.

Prices include B. & B. except as noted by **

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| ABIES homolepis. <i>Nikko Fir.</i> 60'-80' One of the finest Firs; has lustrous leaves and splendid habit. Quite hardy and adaptable. | | | |
| 1½ to 2 ft..... | 4.50 | 40.00 | 375.00 |
| 2 to 2½ ft..... | 6.00 | 55.00 | |
| 2½ to 3 ft..... | 9.00 | | |

ANDROMEDA. See *PIERIS*, page 38.

ARBORVITAE. See *THUJA*, pages 43-46.

AZALEA akebona(*lilacina*). Large hairy leaves, large sgl. lavender flowers.

| | | | |
|------------------|------|-------|--------|
| 12 to 15 in..... | 3.00 | 25.00 | 200.00 |
| 15 to 18 in..... | 3.50 | 30.00 | 250.00 |
| 1½ to 2 ft..... | 4.50 | 40.00 | 350.00 |
| 2 ft..... | 6.00 | 50.00 | |

amoena. *Japanese Azalea.* 2½'-3' Conspicuous purple-red flowers, April-May. Leaves turn to rich bronze-green in winter.

| | | | |
|--------------------|------|-------|--------|
| 6 to 8 in **..... | 1.50 | 12.50 | 100.00 |
| 8 to 10 in **..... | 2.00 | 17.50 | 125.00 |
| 10 to 12 in..... | 2.50 | 22.50 | 175.00 |
| 12 to 15 in..... | 3.00 | 27.50 | |
| 15 to 18 in..... | 4.00 | 37.50 | |
| 1½ to 2 ft..... | 6.00 | 55.00 | |
| 2 ft..... | 9.00 | | |

Fujimayo. Has large double lavender flowers delicately shaded.

| | | | |
|------------------|------|-------|--------|
| 12 to 15 in..... | 3.00 | 25.00 | 200.00 |
| 15 to 18 in..... | 3.50 | 30.00 | 250.00 |
| 1½ to 2 ft..... | 4.50 | 40.00 | 350.00 |
| 2 ft..... | 6.00 | 50.00 | |

hinodegiri. *Red Japanese Azalea.* 3'-4' Larger leaves and better habit than amoena. Flowers very bright carmine-pink. Effective in masses or with Rhododendrons. Best when protected.

| | | | |
|--------------------|------|-------|--------|
| 6 to 8 in **..... | 2.25 | 20.00 | 150.00 |
| 8 to 10 in **..... | 3.00 | 25.00 | 200.00 |
| 10 to 12 in..... | 3.50 | 30.00 | 250.00 |
| 12 to 15 in..... | 3.75 | 35.00 | |
| 15 to 18 in..... | 5.00 | | |
| 1½ ft..... | 9.00 | | |

ledifolia (*indica alba*) *Snow Azalea.* Large pure white flowers almost cover the plant in early spring. Needs sheltered place.

| | | | |
|-----------------|------|-------|--|
| 1½ to 2 ft..... | 4.00 | 35.00 | |
| 2 ft..... | 5.50 | 50.00 | |

For other **AZALEAS** see page 5-6.

BERBERIS atropurpurea (*levis*). 5'-6' A handsome evergreen shrub with long narrow leaves yellowish green beneath. Flowers rather large and followed by jet black berries.

| | | | |
|--------------|------|-------|-------|
| 3" pots..... | .85 | 7.50 | 60.00 |
| 4" pots..... | 1.25 | 10.00 | 85.00 |
| 6" pots..... | 1.75 | 12.50 | |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| BERBERIS ilicifolia. <i>Holly Barberry.</i> 5'-6' Holly-like leaves persist until new foliage appears; flowers yellow, withstands drought. | | | |
| 12 to 15 in..... | 1.25 | 10.00 | |
| 15 to 18 in..... | 1.75 | 15.00 | |
| 3 ft. specimens..... | 4.00 | | |

For other *BERBERIS* see pages 6-7.

BIOTA. See *THUJA orientalis*, page 4.

| | | | |
|--|------|-------|--------|
| BUXUS sempervirens. <i>Box.</i> (Bush form) 12'-15' Useful for formal hedges. | | | |
| 6 to 8 in**..... | .60 | 3.50 | 20.00 |
| 8 to 10 in**..... | .85 | 6.00 | 40.00 |
| 10 to 12 in**..... | 1.00 | 8.50 | 60.00 |
| 12 to 15 in**..... | 1.50 | 12.50 | 85.00 |
| 15 to 18 in..... | 2.25 | 20.00 | 175.00 |

GLOBES. These have been trimmed into compact shapely specimens.

| | | |
|-------------------|------|-------|
| 12 to 15 in | 4.50 | 40.00 |
| 15 to 18 in | 5.50 | 50.00 |
| 18 to 21 in..... | 9.00 | |

PYRAMIDS.

| | |
|------------|------|
| 1½ ft..... | 4.00 |
|------------|------|

suffruticosa. *True Dwarf Box.* 3'-4' Extensively used for edgings.

| | Per 10 | Per 100 | Per 1000 |
|-------------------|--------|---------|----------|
| 3 to 4 in **..... | 3.50 | 25.00 | 150.00 |
| 4 to 6 in **..... | 5.00 | 35.00 | 250.00 |

CALLUNA vulgaris alba. *White Heather.* 1'-2' A splendid evergreen ground cover. Best in large masses on well-drained slopes.

— *aurea.* Pink flowers, yellow foliage.

— *humilis.* *Dwarf Heather.* 12" White flowers. Rich green foliage.

| | Each | Per 10 | Per 100 |
|--------------|------|--------|---------|
| 3" pots..... | .70 | 5.00 | 40.00 |
| 4" pots..... | .85 | 7.50 | 60.00 |

CHAMAECYPARIS lawsoniana. *Lawson Cypress.* 50'-60' Gray-green foliage. Distinct upright habit, forming a splendid specimen.

| | | |
|------------------|------|-------|
| 1½ to 2 ft | 2.50 | 22.50 |
| 2 to 2½ ft | 3.50 | 30.00 |

— *alumi.* *Scarab Cypress.* 40'-50' Columnar form, steely-blue foliage.

| | | |
|-----------------|------|-------|
| 1½ to 2 ft..... | 2.50 | 22.50 |
| 2 to 2½ ft..... | 3.50 | 30.00 |

See *RETINOSPORA*, pages 40-42.

CHAMAEDAPHNE calyculata. *Leatherleaf.* 3'-4' White flowers in April. The brown leaves persist throughout winter—useful.

| | | |
|-------------------|------|-------|
| 12 to 18 in | 2.00 | 17.50 |
|-------------------|------|-------|

COTONEASTER adpressa. *Creeping Cotoneaster.* Has box-like lustrous green leaves crowded on the prostrate branches; scarlet berries.

| | | |
|--------------|------|-------|
| 4" pots..... | 1.75 | 15.00 |
|--------------|------|-------|

franchetti. *Franchet Cotoneaster.* 7'-8' Handsome shrub half evergreen; orange-red berries. Large leaves, good fall coloring.

| | | | |
|--------------|------|------|-------|
| 4" pots..... | 1.00 | 8.50 | 75.00 |
|--------------|------|------|-------|

horizontalis (davidiana). *Rock Cotoneaster.* 1'-1½' Small box-like shiny leaves, bright red berries. Good spreading rock plant.

| | | | |
|--------------|-----|------|-------|
| 3" pots..... | .85 | 7.50 | 50.00 |
|--------------|-----|------|-------|

| | Each | Per 10 | Per 100 |
|---|-------|--------|---------|
| COTONEASTER horizontalis perpusilla. Has very small leaves; procumbent habit, red berries. One of the neatest for rock gardens. | | | |
| 3" pots..... | 1.50 | 12.50 | 100.00 |
| 4" pots..... | 1.75 | 15.00 | 125.00 |
| lemoinei. <i>Lemoine Cotoneaster.</i> A graceful shrub with arching branches, narrow deep green leaves, bright red berries. | | | |
| 4" pots..... | 1.25 | 10.00 | 85.00 |
| microphylla. <i>Rockspray.</i> 2'-2½' Very small leaves, very deep green. Rather more bushy and retains foliage later than <i>horizontalis</i> . | | | |
| 3" pots..... | .85 | 7.50 | 50.00 |
| — thymifolia. <i>Thyme Rockspray.</i> 1½'-2' Very small leaves, bushy. | | | |
| 4" pots..... | 1.00 | 8.50 | 75.00 |
| rotundifolia. <i>Roundleaf Cotoneaster.</i> 4'-5' Small half evergreen leaves, large scarlet berries. Rather open habit. | | | |
| 3" pots..... | 1.00 | 8.50 | 75.00 |
| 4" pots..... | 1.25 | 10.00 | 85.00 |
| simonsi. <i>Simon's Cotoneaster.</i> 5'-6' Open growth; attractive foliage; scarlet fruits. Evergreen in sheltered locations. Handsome shrub. | | | |
| 3" pots..... | .85 | 7.50 | |
| CRYPTOMERIA lobbii compacta. <i>Cave Cryptomeria.</i> 15'-20' Forms narrow irregular column—compact and picturesque. Rich bronze winter color. Prefers moist but well-drained location. | | | |
| 3 to 4 ft..... | 7.50 | | |
| 4 to 5 ft..... | 10.00 | | |
| DAPHNE cneorum. <i>Rose Daphne.</i> 1' Gray-green foliage, low spreading. Pretty pink flowers in April-May. Delightful fragrance. | | | |
| 4" pots..... | 1.25 | 10.00 | 85.00 |
| 8 to 10 in..... | 1.75 | 12.50 | 100.00 |
| 10 to 12 in..... | 2.00 | 17.50 | 150.00 |
| EUONYMUS patens (sieboldianus). <i>Spreading Euonymus.</i> 8'-9' Vigorous, forming broad, shapely shrub; leaves persisting until late winter. Ornamental fruits. Effective among denser conifers. Withstands drought remarkably. Forms a splendid hedge. | | | |
| 1 to 1½ ft..... | .85 | 7.50 | 50.00 |
| 1½ to 2 ft..... | 1.25 | 10.00 | 85.00 |
| 2 to 3 ft..... | 2.00 | | |
| radicans. <i>Wintercreeper.</i> Climbing to 15 ft. Self-clinging vine. Good for covering low walls. Also useful for under planting. | | | |
| 2 yr.**..... | .40 | 3.50 | 25.00 |
| — colorata. Similar to <i>acutus</i> but purple leaves intensified in winter. | | | |
| 2 yr.**..... | .50 | 4.00 | 35.00 |
| — carrierei. <i>Glossy Wintercreeper.</i> Large, shiny pointed leaves; shrubby. | | | |
| 2 yr.**..... | .50 | 4.00 | 35.00 |
| 3 yr.**..... | .70 | 5.00 | 40.00 |
| — minus. <i>Baby Wintercreeper.</i> The tiny evergreen leaves are pencilled in gray. Charming for rockery or edging. | | | |
| 3" pots..... | .50 | 4.00 | 35.00 |
| — vegetus. <i>Bigleaf Wintercreeper.</i> 3'-4' Interesting shrubby growth; leaves round, dull green; bright scarlet and orange fruits. Handsome among evergreens; long basal growths self-clinging. | | | |
| 2 yr..... | .85 | 7.50 | 50.00 |

For other *EUONYMUS* see pages 12-13.

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| ILEX crenata microphylla. <i>Small Leaf Japanese Holly.</i> 6'-8' Smaller leaves and more hardy than the type. More compact habit. | | | |
| 1½ to 2 ft..... | 4.00 | | |
| 2 to 2½ ft..... | 6.00 | | |
| glabra. <i>Inkberry.</i> 5'-6' Shining dark green leaves purplish in winter. Black berries. Useful for shady spots, also succeeds in sun. | | | |
| 12 to 15 in..... | 2.00 | 17.50 | 150.00 |
| opaca. <i>American Holly.</i> 25'-30' Succeeds in moist, partially shaded place. Rather difficult to transplant. Best moved in spring. | | | |
| 2 to 3 ft..... | 6.00 | 50.00 | |

For other *ILEX* see page 15.

JUNIPERUS canadensis. See *Communis.*

| | | | |
|---|-------|--------|--------|
| chinensis. <i>Chinese Juniper.</i> 15'-20' Formal columnar outline, gray-green foliage of two types. A splendid hardy evergreen. | | | |
| 2 to 2½ ft..... | 4.50 | 40.00 | |
| 2½ to 3 ft..... | 6.00 | 55.00 | 500.00 |
| 3 to 4 ft..... | 8.00 | 70.00 | 650.00 |
| 4 to 5 ft..... | 10.00 | 90.00 | 800.00 |
| — albo variegata. <i>White Leaf Chinese Juniper.</i> 6'-7' Light glaucous foliage, creamy branches interspersed. Formal pyramid but useful in low plantings. Well-shaped plants. | | | |
| 1½ to 2 ft..... | 3.75 | 35.00 | 300.00 |
| 2 to 2½ ft..... | 4.50 | 40.00 | 350.00 |
| 2½ to 3 ft..... | 6.00 | 50.00 | |
| 3 to 4 ft..... | 8.00 | 70.00 | |
| 4 ft..... | 9.00 | | |
| — columnaris. <i>Columnar Chinese Juniper.</i> 15'-20' Grows rapidly, forming tall, narrow column of gray-green foliage. Extremely hardy. Can be made very compact by annual trimming. | | | |
| 2½ to 3 ft..... | 6.50 | 60.00 | 500.00 |
| 3 to 4 ft..... | 8.00 | 75.00 | 700.00 |
| 4 to 5 ft..... | 10.00 | 90.00 | |
| 5 to 6 ft..... | 12.50 | | |
| — — viridis. A light green form of the above. Slightly slower in growth. | | | |
| 2½ to 3 ft..... | 6.50 | 60.00 | |
| 3 to 4 ft..... | 8.00 | 75.00 | |
| 4 to 5 ft..... | 10.00 | 90.00 | |
| 5 to 6 ft..... | 12.50 | 110.00 | |
| 6 to 7 ft..... | 16.00 | | |
| — fortunei. Has gray green foliage. Forms a broad irregular pyramid. | | | |
| 2 to 2½ ft..... | 5.00 | | |
| 4 to 5 ft..... | 10.00 | | |
| 5 to 6 ft..... | 15.00 | | |
| — neaboriensis. <i>Conical Chinese Juniper.</i> 7'-8' Very formal narrow pyramid. Prickly leaves. Useful accent plant—very hardy. | | | |
| 15 to 18 in..... | 2.50 | 20.00 | 175.00 |
| 1½ to 2 ft..... | 3.00 | 27.50 | 225.00 |
| 2 to 2½ ft..... | 4.00 | 35.00 | 300.00 |
| 2½ to 3 ft..... | 5.00 | 45.00 | |
| 3 to 4 ft..... | 7.00 | 60.00 | |
| 4 ft..... | 10.00 | | |

| | | Each | Per 10 | Per 100 |
|---|---------|-------|--------|---------|
| JUNIPERUS chinensis oblonga. 7'-8' Forms broad irregular pyramid with feathery branches. Grayish foliage shaded purple in winter. | | | | |
| 1½ to 2 | ft..... | 3.00 | 27.50 | 225.00 |
| 2 to 2½ | ft..... | 3.75 | 35.00 | 300.00 |
| 2½ to 3 | ft..... | 5.00 | 45.00 | 400.00 |
| 3 to 4 | ft..... | 6.50 | 60.00 | 500.00 |
| 4 to 5 | ft..... | 9.00 | 80.00 | |
| — pfitzeriana. <i>Pfitzer Juniper.</i> 5'-6' Broad bushy habit. Gray-green foliage, giving feathery appearance. Adaptable and hardy. Recommended for mass or mixed planting. Nice specimens. | | | | |
| 15 to 18 | in..... | 2.50 | 22.50 | 175.00 |
| 1½ to 2 | ft..... | 3.50 | 30.00 | 250.00 |
| 2 to 2½ | ft..... | 5.00 | 40.00 | 325.00 |
| 2½ to 3 | ft..... | 7.50 | 65.00 | |
| 3 | ft..... | 10.00 | 90.00 | |
| — sargentii. <i>Sargent Juniper.</i> 2'-2½' Prostrate habit, grass-green foliage. A very hardy valuable ground cover and rock plant. | | | | |
| 15 to 18 | in..... | 4.00 | 35.00 | |
| communis. <i>Common Juniper.</i> 3'-4' Forms a vase-shaped bush. | | | | |
| 15 to 18 | in..... | 1.25 | 10.00 | 85.00 |
| 1½ to 2 | ft..... | 1.75 | 15.00 | 125.00 |
| 2 to 2½ | ft..... | 2.50 | 22.50 | 175.00 |
| 2½ to 3 | ft..... | 3.50 | 27.50 | |
| — aurea. <i>Golden Common Juniper.</i> 1'-1½' Low spreading. Golden foliage, bright in spring, hard to transplant. | | | | |
| 15 to 18 | in..... | 2.75 | 22.50 | |
| — canadensis. <i>Canada Juniper.</i> 2½'-3' Forms a low vase-shaped bush. Leaves dark green above, bluish beneath. Very hardy. | | | | |
| 15 to 18 | in..... | 1.25 | 10.00 | 85.00 |
| 1½ to 2 | ft..... | 1.75 | 15.00 | 125.00 |
| 2 to 2½ | ft..... | 2.50 | 22.50 | 175.00 |
| 2½ to 3 | ft..... | 3.50 | 27.50 | |
| — cracovica. <i>Polish Juniper.</i> 4'-5' Upright form, branching from ground, making compact narrow light green column. Hardy. | | | | |
| 15 to 18 | in..... | 1.25 | 10.00 | 85.00 |
| 1½ to 2 | ft..... | 1.75 | 15.00 | 125.00 |
| 2 to 2½ | ft..... | 2.50 | 22.50 | 175.00 |
| — depressa plumosa (horizontalis plumosa). <i>Plumed Spreading Juniper.</i> New, exceedingly hardy, transplants readily, assumes a pleasing purple color in winter. A most adaptable plant. | | | | |
| 15 to 18 | in..... | 3.50 | 30.00 | |
| — hibernica. <i>Irish Juniper.</i> 7'-8' Useful for its narrow spire-like effect. | | | | |
| 15 to 18 | in..... | 1.25 | 10.00 | 75.00 |
| 1½ to 2 | ft..... | 1.75 | 15.00 | 100.00 |
| 2 to 2½ | ft..... | 2.50 | 22.50 | 150.00 |
| — suecica. <i>Swedish Juniper.</i> Quick growing, narrow upright form. | | | | |
| 15 to 18 | in..... | 1.25 | 10.00 | 75.00 |
| 1½ to 2 | ft..... | 1.75 | 15.00 | 100.00 |
| 2 to 2½ | ft..... | 2.50 | 22.50 | 150.00 |
| — — nana. <i>Dwarf Swedish Juniper.</i> 3'-3½' A narrow compact column of slow growth. Good foundation or rockery plant. | | | | |
| 12 to 15 | in..... | 2.00 | 17.50 | 150.00 |
| 15 to 18 | in..... | 2.50 | 22.50 | 175.00 |
| 1½ to 2 | ft..... | 3.00 | 27.50 | |

JUNIPERUS excelsa stricta. *Spiny Greek Juniper.* 4'-5' Compact, well-shaped pyramid. Foliage gray-green—useful for formal effects or pots.

| | | Each | Per 10 | Per 100 |
|----|----------------|------|--------|---------|
| 10 | to 12 in | 2.00 | 17.50 | 125.00 |
| 12 | to 15 in | 2.50 | 20.00 | 175.00 |
| 15 | to 18 in | 3.00 | 25.00 | 200.00 |
| 18 | to 21 in | 3.75 | 35.00 | |
| 21 | to 24 in | 4.50 | 40.00 | |
| 2 | to 2½ ft..... | 5.00 | | |
| 2½ | to 3 ft..... | 7.00 | | |
| 3 | ft..... | 9.00 | | |

japonica. *Japanese Juniper.* 3'-4' Slow grower, spreading branches, dark green scaly leaves; adapted to rock planting and foundation work. This is one of the hardiest evergreens retaining its rich green throughout the winter.

| | | | | |
|----|----------------|------|-------|--------|
| 12 | to 15 in | 2.00 | 17.50 | 125.00 |
| 15 | to 18 in | 2.50 | 22.50 | 150.00 |
| 1½ | to 2 ft..... | 3.50 | 30.00 | 250.00 |
| 2 | to 2½ ft..... | 4.50 | | |

TRIMMED GLOBES. These are handsome compact plants.

| | | | | |
|----|----------------|------|-------|--------|
| 8 | to 10 in | 2.00 | 17.50 | 125.00 |
| 10 | to 12 in | 2.50 | 20.00 | 150.00 |
| 12 | to 15 in | 3.00 | 25.00 | 200.00 |
| 15 | to 18 in | 3.50 | 30.00 | 250.00 |

— **aurea variegata.** *Golden Variegated Juniper.* 2'-2½' Attractive.

| | | | | |
|----|----------------|------|-------|--|
| 12 | to 15 in | 2.00 | 17.50 | |
| 15 | to 18 in | 2.50 | 20.00 | |
| 1½ | to 2 ft..... | 3.50 | 30.00 | |

sabina. *Savin.* 6'-7' Dense dark green foliage. Spreading branches forming irregular vase-shaped bush. Good throughout winter.

| | | | | |
|----|----------------|------|-------|--------|
| 12 | to 15 in | 1.50 | 12.50 | 100.00 |
|----|----------------|------|-------|--------|

squamata. *Scaly Leaf Juniper.* 12" A creeping form, useful for rock work.

| | | | | |
|----|----------------|------|--|--|
| 12 | to 15 in | 4.50 | | |
|----|----------------|------|--|--|

— **meyeri.** *Meyer Juniper.* 3'-4' Distinct blue glaucous foliage.

| | | | | |
|----|----------------|------|-------|--------|
| 12 | to 15 in | 4.00 | 35.00 | 300.00 |
| 15 | to 18 in | 5.00 | 45.00 | |
| 1½ | to 2 ft..... | 7.00 | | |

— **variegata.** A prostrate form with striking white shoots throughout.

| | | | | |
|----|----------------|------|-------|--|
| 12 | to 15 in | 4.50 | 37.50 | |
| 15 | to 18 in | 5.50 | 50.00 | |
| 1½ | to 2 ft..... | 6.50 | 60.00 | |

virginiana. *Redcedar.* 25'-30' Useful in formal work or mixed plantings.

| | | | | |
|---|--------------|------|-------|--------|
| 2 | to 3 ft..... | 3.00 | 22.50 | 175.00 |
| 3 | to 4 ft..... | 4.00 | 35.00 | |
| 4 | to 5 ft..... | 6.00 | 50.00 | |
| 5 | to 6 ft..... | 8.50 | 75.00 | |

— **alba spica.** *Variegated Redcedar.* 10'-12' Upright, with pendulous branchlets and prominent white markings. Hardy, distinct.

| | | | | |
|----|---------------|------|-------|--|
| 2 | to 2½ ft..... | 4.50 | 40.00 | |
| 2½ | to 3 ft..... | 5.00 | 45.00 | |
| 3 | to 4 ft..... | 6.00 | | |

| | | Each | Per 10 | Per 100 |
|--|---------------|-------|--------|---------|
| JUNIPERUS virginiana burki. <i>Burk's Juniper.</i> 10'-12' Distinct blue, forming a dense column. Winter coloring is metallic purple. | | | | |
| 2 | to 2½ ft..... | 4.50 | 40.00 | |
| 2½ | to 3 ft..... | 6.00 | 50.00 | |
| 3 | to 4 ft..... | 8.00 | 70.00 | |
| 4 | to 5 ft..... | 10.00 | | |
| — cannarti. <i>Cannart Cedar.</i> 12'-15' Very deep rich blackish green foliage. Dense growing columnar form. An aristocrat. | | | | |
| 2½ | to 3 ft..... | 6.00 | 55.00 | 500.00 |
| 3 | to 4 ft..... | 8.00 | 70.00 | |
| 4 | to 5 ft..... | 10.00 | | |
| — elegantissima. <i>Goldtip Redcedar.</i> 12'-15' Bright yellow tips to branches, turning bronze in winter. Pyramidal. | | | | |
| 2 | to 2½ ft..... | 4.50 | 40.00 | |
| 2½ | to 3 ft..... | 6.00 | 50.00 | |
| 3 | to 4 ft..... | 8.00 | 70.00 | |
| — glauca. <i>Silver Redcedar.</i> 15'-20' Distinct bluish-gray foliage. Develops into a tall narrow column. A most popular form. | | | | |
| 2 | to 2½ ft..... | 4.50 | 40.00 | 350.00 |
| 2½ | to 3 ft..... | 6.00 | 50.00 | 450.00 |
| 3 | to 4 ft..... | 8.00 | 70.00 | 600.00 |
| 4 | to 5 ft..... | 10.00 | 90.00 | |
| 5 | to 6 ft..... | 12.00 | 110.00 | |
| — globosa. <i>Globe Cedar.</i> 3'-4' A natural dwarf redcedar assuming a spherical shape without shearing. Quite hardy and useful. | | | | |
| 12 | to 15 in..... | 3.50 | 30.00 | |
| 15 | to 18 in..... | 4.00 | 35.00 | |
| — keteleeri. 15'-18' A splendid evergreen of pyramidal formal outline. Deep green scale like leaves. Compact habit. Very hardy. | | | | |
| 2½ | to 3 ft..... | 6.00 | 50.00 | |
| 3 | to 4 ft..... | 8.00 | 70.00 | |
| 5 | to 6 ft..... | 12.50 | 110.00 | |
| — kosteriana. <i>Koster Cedar.</i> 3'-4' Spreading bushy form similar in color and general appearance to Pfitzer juniper, but lower. | | | | |
| 1½ | to 2 ft..... | 3.00 | 25.00 | 200.00 |
| 2 | to 2½ ft..... | 4.00 | 35.00 | |
| — pendula. <i>Weeping Redcedar.</i> 8'-10' Branches lengthen and droop over, giving a picturesque effect when more mature. | | | | |
| 2½ | to 3 ft..... | 5.00 | | |
| 3 | to 4 ft..... | 7.00 | | |
| 4 | to 5 ft..... | 9.00 | | |
| — schotti. <i>Schott Redcedar.</i> 12'-15' Has fresh green foliage. Compact formal columnar habit. Good winter color, quite hardy. | | | | |
| 2½ | to 3 ft..... | 6.00 | 55.00 | 500.00 |
| 3 | to 4 ft..... | 8.00 | 70.00 | |
| 4 | to 5 ft..... | 10.00 | 90.00 | |
| 5 | to 6 ft..... | 12.00 | | |
| 6 | ft..... | 15.00 | | |
| — smithi. <i>Smith Juniper.</i> 8'-9' Has light grass green foliage—unusual open habit, quite hardy and distinct. | | | | |
| 2 | to 2½ ft..... | 5.00 | 45.00 | |
| 2½ | to 3 ft..... | 6.00 | | |

| | | Each | Per 10 | Per 100 |
|---------------------------------|---------------------------------------|---|--------|---------|
| KALMIA latifolia. | <i>Mountain Laurel. 5'-7'</i> | Most effective in June when the clusters of pink flowers open. Good foliage, likes shade. This is probably the hardiest of our native evergreen shrubs. | | |
| | 12 to 15 in., Nursery grown | 2.00 | 17.50 | 125.00 |
| | 15 to 18 in., Nursery grown | 2.50 | 22.50 | 175.00 |
| LEIOPHYLLUM buxifolium. | <i>Sand Myrtle. 18"</i> | Small pale pink flowers in June. Small shiny leaves resembling miniature boxwood. | | |
| | 6 to 9 in. clumps..... | 2.00 | 17.50 | |
| | 9 to 12 in. "..... | 2.50 | 22.50 | |
| LEUCOTHOE catesbaei. | <i>Drooping Leucothoe. 3'-4'</i> | Attractive white flowers, May. Handsome lustrous leaves, rich autumn color. Splendid for under planting in shade. Prefers moist place. | | |
| | 1 to 1½ ft..... | 2.50 | 22.50 | 175.00 |
| LONICERA pileata. | <i>Privet Honeysuckle. 2'</i> | Needs some protection. | | |
| | 3" pots..... | .70 | 5.00 | 40.00 |
| MAHONIA aquifolium. | <i>Oregon Holly Grape. 4'-5'</i> | Shining green leaves turn rich scarlet in autumn. Striking in May when yellow flowers appear—blue-black fruits. Best in half shade. | | |
| | 12 to 15 in..... | 1.75 | 12.50 | 85.00 |
| | 15 to 18 in..... | 2.00 | 17.50 | 125.00 |
| | 1½ to 2 ft..... | 2.50 | 22.50 | 175.00 |
| PACHYSANDRA terminalis. | <i>Japanese Spurge. 8"</i> | Valuable evergreen ground cover for shady places. | | |
| | Pot grown..... | 2.50 | 15.00 | 125.00 |
| PICEA canadensis (alba). | <i>White Spruce. 50'-60'</i> | Silvery foliage—develops into shapely specimen of close texture. Rather slow growing. | | |
| | | Each | Per 10 | Per 100 |
| | 15 to 18 in..... | 2.00 | 17.50 | |
| | 1½ to 2 ft..... | 2.50 | 20.00 | |
| | 2 to 2½ ft..... | 3.50 | 30.00 | |
| | 2½ to 3 ft..... | 4.00 | 35.00 | |
| excelsa. | <i>Norway Spruce. 80'-100'</i> | A quick-growing windbreak. Our Spruce are particularly well shaped very compact plants. | | |
| | 12 to 15 in..... | 1.25 | 10.00 | 85.00 |
| | 15 to 18 in..... | 1.75 | 15.00 | 125.00 |
| | 1½ to 2 ft..... | 2.25 | 17.50 | 150.00 |
| | 2 to 2½ ft..... | 3.50 | 27.50 | 200.00 |
| | 2½ to 3 ft..... | 3.75 | 35.00 | |
| | 3 to 4 ft..... | 4.50 | 40.00 | |
| — aurea. | <i>Golden Norway Spruce. 35'-50'</i> | Best form of golden spruce. | | |
| | 2½ to 3 ft..... | 9.00 | | |
| — clanbrasiliana. | <i>Barry Spruce. 4'-5'</i> | One of the most desirable of the dwarf spruces. Forms a dense billowy mass broader than high. Slender needles. Very hardy. | | |
| | 10 to 12 in..... | 4.00 | 35.00 | |
| | 12 to 15 in..... | 5.00 | 45.00 | |
| — conica. | <i>Arrowhead Norway Spruce. 6'-7'</i> | Grows slowly; compact, symmetrical. Good for foundation or formal work. | | |
| | 18 to 21 in..... | 4.50 | 40.00 | |
| | 21 to 24 in..... | 5.50 | 50.00 | |

| | | Each | Per 10 | Per 100 |
|---|---------------|-------|--------|---------|
| PICEA excelsa pendula. <i>Weeping Norway Spruce.</i> 20'-25' A curious form with inverted branches. Effective in Japanese gardens. | | | | |
| 4 | to 5 ft..... | 12.50 | | |
| — pyramidalis. <i>Pyramidal Norway Spruce.</i> 25'-30' All the branches grow upward to form a neat, narrow pyramid. | | | | |
| 3 | to 4 ft..... | 8.50 | | |
| 4 | to 5 ft..... | 10.00 | | |
| glauca conica (albertiana). <i>Dwarf Alberta Spruce.</i> 4' A dense cone of blue-green; very hardy. A gem for small scale work and rock gardens. | | | | |
| 6 | to 9 in..... | 2.00 | 17.50 | 150.00 |
| 9 | to 12 in..... | 3.00 | 25.00 | 200.00 |
| 12 | to 15 in..... | 4.00 | 35.00 | |
| 15 | to 18 in..... | 6.00 | 50.00 | |
| 18 | to 21 in..... | 7.50 | | |
| 21 | to 24 in..... | 9.00 | | |
| koyama. Forms an attractive narrow pyramidal tree, gray-green foliage. | | | | |
| 1½ | to 2 ft..... | 5.00 | 45.00 | |
| 2 | to 3 ft..... | 7.00 | 60.00 | |
| pungens. <i>Colorado Spruce.</i> 60'-80' Branches in distinct whorls, forming a handsome lawn specimen. Gray-green needles. | | | | |
| 15 | to 18 in..... | 2.50 | 20.00 | |
| 1½ | to 2 ft..... | 3.50 | 30.00 | |
| 2 | to 2½ ft..... | 4.00 | 35.00 | |
| 2½ | to 3 ft..... | 6.00 | 50.00 | |
| 3 | to 3½ ft..... | 9.00 | 80.00 | |
| — glauca. <i>Colorado Blue Spruce.</i> 60'-80' Thick steel blue needles. | | | | |
| 15 | to 18 in..... | 4.00 | 35.00 | |
| 1½ | to 2 ft..... | 5.00 | 40.00 | |
| 2 | to 2½ ft..... | 8.00 | 70.00 | |
| 2½ | to 3 ft..... | 10.00 | | |
| — Kosteri. <i>Koster Blue Spruce.</i> 60'-80' Our own stock now offered in limited quantity is unusually good. It was carefully selected for color, and every specimen is well shaped. | | | | |
| 2½ | to 3 ft..... | 20.00 | 175.00 | |
| 3 | to 3½ ft..... | 22.50 | 200.00 | |
| 3½ | to 4 ft..... | 25.00 | 225.00 | |
| 4 | to 4½ ft..... | 30.00 | 275.00 | |
| 4½ | to 5 ft..... | 35.00 | 300.00 | |
| 5 | to 6 ft..... | 40.00 | | |
| PIERIS japonica. <i>Japanese Andromeda.</i> 4'-5' Thick shiny leaves turning bronze in winter. Drooping clusters of small white flowers open in May. Best in moist, partially shaded place. Hardy. | | | | |
| 12 | to 15 in..... | 3.00 | 27.50 | |
| 15 | to 18 in..... | 3.50 | 30.00 | |
| 1½ | ft..... | 4.00 | | |
| floribunda. <i>Mountain Andromeda.</i> 4' Waxy white flowers in May. Good deep green foliage, best in half shady places, very hardy. | | | | |
| 12 | to 15 in..... | 4.00 | 35.00 | 300.00 |
| 15 | to 18 in..... | 5.00 | 45.00 | |
| PINUS densiflora. <i>Japanese Red Pine.</i> 40'-50' Long bright green needles. Succeeds well at seashore—grows quickly, bushy plants. | | | | |
| 1½ | to 2 ft..... | 1.50 | 12.50 | 75.00 |
| 2 | to 3 ft..... | 2.25 | 17.50 | 125.00 |
| 3 | to 4 ft..... | 3.75 | 32.50 | |

| | | Each | Per 10 | Per 100 |
|---|--|------|--------|---------|
| PINUS densiflora umbraculifera (Tanyosho). <i>Japanese Umbrella Pine.</i> | | | | |
| | 3'-4' A dwarf variety in which the branches form a flat-topped table-like bush. A handsome useful dwarf evergreen. | | | |
| | 12 to 15 in | 4.00 | | |
| flexilis. | <i>Limber Pine. 30'-40'</i> Evergreen dark bluish-green foliage. | | | |
| | 2 to 2½ ft | 3.50 | 30.00 | |
| mongolica. | Similar appearance and habit to Austrian Pine. Vigorous. | | | |
| | 2 to 3 ft | 2.00 | 17.50 | 125.00 |
| | 3 to 4 ft | 3.50 | 30.00 | 250.00 |
| montana mughus. | <i>Mugho Pine. 2½'-3'</i> Forms a round-topped bush. Useful for rock planting and foundation work. | | | |
| | 12 to 15 in | 2.50 | 22.50 | 175.00 |
| | 15 to 18 in | 3.50 | 30.00 | 250.00 |
| | 1½ to 2 ft | 5.50 | 50.00 | 400.00 |
| | 2 to 2½ ft | 8.00 | 70.00 | |
| nigra (austriaca). | <i>Austrian Pine. 60'-70'</i> Rich dark green, vigorous, dense grower. Good for background—thrives at seashore. | | | |
| | 2 to 3 ft | 4.00 | 35.00 | 300.00 |
| | 3 to 4 ft | 5.50 | 50.00 | 450.00 |
| | 4 to 5 ft | 7.00 | 60.00 | |
| resinosa. | <i>Red Pine. 60'-70'</i> Dark green stiff needles, vigorous. | | | |
| | 2 to 3 ft | 3.50 | 30.00 | 250.00 |
| | 3 to 4 ft | 5.00 | 45.00 | 400.00 |
| | 4 to 5 ft | 7.00 | | |
| strobis. | <i>White Pine. 80'-100'</i> Probably our most adaptable and useful pine. Very picturesque when old. Grows quickly. | | | |
| | 2 to 3 ft | 4.00 | 35.00 | |
| | 3 to 4 ft | 5.50 | 50.00 | |
| sylvestris. | <i>Scotch Pine. 60'-70'</i> Rather short blue-green twisted needles. Does well on poor soils. Picturesque when old. | | | |
| | 1½ to 2 ft | 1.75 | 12.50 | 85.00 |
| | 2 to 3 ft | 2.00 | 17.50 | 125.00 |
| | 3 to 4 ft | 3.50 | 30.00 | 250.00 |
| thunbergi. | <i>Japanese Black Pine. 50'-60'</i> Stiff dark green needles. Good for seaside planting. Advisable to stake until established. | | | |
| | 2 to 3 ft | 3.50 | 30.00 | 250.00 |
| | 3 to 4 ft | 5.00 | 45.00 | 400.00 |
| POTENTILLA tridentata. <i>Wineleaf Cinquefoil. 8"</i> Dark green leaves in threes; forms compact little bush, white flowers May-June. | | | | |
| | 2 yr | .50 | 4.00 | 35.00 |
| PSEUDOTSUGA douglasi. <i>Douglas Fir. 70'-80'</i> Gray-green foliage. Develops into a handsome pyramidal specimen. Very hardy. | | | | |
| | 1½ to 2 ft | 3.00 | 25.00 | 200.00 |
| PYRACANTHA coccinea. <i>Firethorn. 5'-6'</i> Small dark green leaves; much branched, compact habit. Small white flowers followed by large clusters of bright orange-scarlet berries. Best with slight shelter. A splendid evergreen shrub. | | | | |
| | 4" pots | 2.25 | 17.50 | 125.00 |
| — lalandi. <i>Laland Firethorn. 12'-15'</i> More vigorous and hardy than the type. Has larger branches, larger leaves, and bright orange red berries. A good subject for training on walls. | | | | |
| | 4" pots | 1.75 | 12.50 | 100.00 |
| | 5" pots | 2.25 | 17.50 | 150.00 |

| | | Each | Per 10 | Per 100 |
|--|---|--|--------|---------|
| RETINOSPORA decussata. Turns a metallic purplish shade in winter. | | | | |
| | 1 to 1½ ft..... | 2.00 | 17.50 | |
| | 1½ to 2 ft..... | 2.50 | | |
| filifera. | Thread Cypress. 15'-20' | Has long, stringy, drooping branches, bright green foliage—graceful, decorative. | | |
| | 12 to 15 in..... | 1.75 | 12.50 | 85.00 |
| | 15 to 18 in..... | 2.25 | 17.50 | 125.00 |
| | 1½ to 2 ft..... | 3.00 | 25.00 | 175.00 |
| | 2 to 2½ ft..... | 4.00 | 35.00 | 275.00 |
| | 2½ to 3 ft..... | 5.00 | 45.00 | 375.00 |
| | 3 to 3½ ft..... | 7.00 | 60.00 | 500.00 |
| | 3½ to 4 ft..... | 10.00 | 85.00 | |
| — aurea. | Golden Thread Cypress. 10'-12' | Bright golden yellow. Grows more slowly than preceding. Useful in small plantings. | | |
| | 12 to 15 in..... | 2.75 | 22.50 | 175.00 |
| | 15 to 18 in..... | 3.75 | 35.00 | 275.00 |
| | 1½ to 2 ft..... | 5.00 | 40.00 | |
| | 2 to 2½ ft..... | 7.00 | 60.00 | |
| | 2½ to 3 ft..... | 9.00 | 80.00 | |
| — nana. | Dwarf Thread Cypress. 2' | A curious dwarf form with twisted branchlets. Particularly good for rock gardens. | | |
| | 9 to 12 in..... | 2.25 | 17.50 | |
| | 12 to 15 in..... | 3.50 | | |
| — — nova. | Variegated Thread Cypress. 10'-12' | Branches are variegated green and yellow. Has interesting irregular outline. | | |
| | 15 to 18 in..... | 3.50 | 30.00 | |
| | 1½ to 2 ft..... | 4.50 | 40.00 | |
| | 2 to 2½ ft..... | 6.00 | 50.00 | |
| leptoclada. | Andely Cypress. | A distinct upright form. | | |
| | 1 to 1½ ft..... | 1.25 | 10.00 | |
| obtus. | (CHAMAECYPARIS). Hinoki Cypress. 15'-20' | Dark green lustrous foliage, grows slowly, beautiful specimen. | | |
| | 1½ to 2 ft..... | 1.75 | 12.50 | 100.00 |
| | 2 to 3 ft..... | 2.50 | 20.00 | 175.00 |
| | 3 to 4 ft..... | 4.00 | 35.00 | |
| — compacta. | Football Cypress. 2½'-4' | Almost spherical in shape. Good green during winter—useful in foundation planting. | | |
| | 12 to 15 in..... | 2.00 | 17.50 | 125.00 |
| | 15 to 18 in..... | 2.50 | 22.50 | 175.00 |
| | 1½ to 2 ft..... | 3.50 | 30.00 | |
| | 2 ft..... | 5.00 | | |
| — cripisi. | Cripps Golden Cypress. 10'-12' | Particularly good golden leaved form. Slow growing—hardy. Bright yellow all year. | | |
| | 15 to 18 in..... | 4.00 | 35.00 | |
| | 1½ to 2 ft..... | 5.00 | 45.00 | |
| | 2 to 2½ ft..... | 6.00 | 50.00 | |
| | 2½ to 3 ft..... | 8.50 | 75.00 | |
| | 3 to 4 ft..... | 10.00 | | |
| — gracilis. | Slender Hinoki Cypress. 12'-15' | Narrow irregular pyramid, rich dark green foliage. Slow grower—picturesque. | | |
| | 15 to 18 in..... | 4.00 | 35.00 | |
| | 1½ to 2 ft..... | 5.00 | 45.00 | |
| | 2 to 2½ ft..... | 6.00 | 50.00 | |
| | 2½ ft..... | 8.00 | | |

RETINOSPORA obtusa magnifica. A distinct form with fleshy branches and leaves. Lustrous green throughout winter. Grows vigorously.

| | Each | Per 10 | Per 100 |
|-----------------|------|--------|---------|
| 1½ to 2 ft..... | 3.50 | 27.50 | |
| 2 to 2½ ft..... | 4.00 | 35.00 | |
| 2½ to 3 ft..... | 5.00 | 45.00 | |
| 3 ft..... | 6.00 | | |

— **youngi.** Young Golden Cypress. 12'–15' Graceful loose habit, light yellow foliage on outside. A handsome tree.

| | | | |
|-----------------|-------|-------|--|
| 2 to 2½ ft..... | 4.00 | 35.00 | |
| 2½ to 3 ft..... | 6.00 | 50.00 | |
| 3 to 4 ft..... | 8.50 | 75.00 | |
| 4 to 5 ft..... | 12.00 | | |

pisifera. Sawara Cypress. 25'–35' Quick grower, loosely pyramidal,

| | | | |
|-----------------|------|-------|--------|
| 1½ to 2 ft..... | 1.75 | 12.50 | 100.00 |
| 2 to 2½ ft..... | 2.50 | 22.50 | 175.00 |
| 2½ to 3 ft..... | 3.50 | 30.00 | 225.00 |
| 3 to 4 ft..... | 5.00 | 40.00 | 350.00 |

— **aurea.** Golden Sawara Cypress. 25'–35' Foliage bright yellow, especially in spring. Branches droop when older. Grows quickly.

| | | | |
|-----------------|------|-------|--------|
| 1½ to 2 ft..... | 1.75 | 12.50 | 100.00 |
| 2 to 2½ ft..... | 2.50 | 22.50 | 175.00 |
| 2½ to 3 ft..... | 3.50 | 30.00 | 250.00 |
| 3 to 4 ft..... | 5.00 | 40.00 | 350.00 |
| 4 to 5 ft..... | 7.00 | | |

plumosa. Plume Cypress. 25'–35' Forms a dense cone of fine texture. Used for shearing into formal shapes. These are fine plants.

| | | | |
|------------------|-------|-------|--------|
| 12 to 15 in..... | 1.25 | 10.00 | 60.00 |
| 15 to 18 in..... | 1.75 | 12.50 | 85.00 |
| 1½ to 2 ft..... | 2.25 | 17.50 | 125.00 |
| 2 to 2½ ft..... | 2.75 | 22.50 | 175.00 |
| 2½ to 3 ft..... | 4.50 | 40.00 | 350.00 |
| 3 to 4 ft..... | 6.00 | 50.00 | 400.00 |
| 4 to 5 ft..... | 8.50 | 70.00 | |
| 5 ft..... | 10.00 | | |

— **aurea.** Golden Plume Cypress. 20'–25' Has warm yellow leaves. We have selected a good uniform type.

| | | | |
|------------------|------|-------|--------|
| 15 to 18 in..... | 1.75 | 12.50 | 100.00 |
| 1½ to 2 ft..... | 2.50 | 20.00 | 125.00 |
| 2 to 2½ ft..... | 3.50 | 30.00 | 250.00 |
| 2½ to 3 ft..... | 5.00 | 45.00 | 350.00 |
| 3 to 3½ ft..... | 7.00 | 60.00 | |

— **lutescens.** Dwarf Yellow Plume Cypress. 2½'–3' Forms a low broad round-topped bush. Bright sulfur tipped branchlets. A most attractive dwarf evergreen. Good color and shape.

| | | | |
|------------------|------|-------|--------|
| 10 to 12 in..... | 1.50 | 12.50 | 100.00 |
|------------------|------|-------|--------|

— **nana.** Dwarf Plume Cypress. 2' A neat compact form, useful for rock work.

| | | | |
|----------------|------|-------|--|
| 6 to 9 in..... | 1.75 | 15.00 | |
|----------------|------|-------|--|

squarrosa nana. A very attractive dwarf evergreen of slow growth, very desirable for rock work. Color same as Veitch.

| | | | |
|-----------------|------|-------|--|
| 6 to 9 in..... | 1.75 | 15.00 | |
| 9 to 12 in..... | 2.25 | 17.50 | |

| | | Each | Per 10 | Per 100 |
|---|----------------------------|-------|--------|---------|
| RETINOSPORA squarrosa veitchi. <i>Veitch Moss Cypress.</i> 25'-30' Foliage blue-gray, feathery and dense, giving soft woolly appearance. Broad pyramidal when young. Well furnished specimens. | | | | |
| 12 | to 15 in | 1.25 | 10.00 | 75.00 |
| 15 | to 18 in | 1.75 | 12.50 | 100.00 |
| 1½ | to 2 ft..... | 2.25 | 17.50 | |
| 2 | to 2½ ft..... | 3.50 | 30.00 | |
| — sulphurea. <i>Sulphur Moss Cypress.</i> 20'-25' Has light yellow tips. | | | | |
| 12 | to 15 in | 1.25 | 10.00 | |
| 15 | to 18 in | 1.75 | 12.50 | |
| 1½ | to 2 ft..... | 2.25 | 17.50 | |
| RHODODENDRON carolinianum. <i>Carolina Rhododendron.</i> 4'-6' Bright pink flowers, May-June. Compact, bushy. Best in open places. | | | | |
| 15 | to 18 in | 4.00 | | |
| — album. <i>White Carolina Rhododendron.</i> 4'-6' Similar to type, but has white flowers. Foliage slightly larger. | | | | |
| 1½ | to 2 ft..... | 5.00 | 45.00 | |
| 2 | to 2½ ft..... | 6.00 | 50.00 | |
| catawbiense. <i>Catawba Rhododendron.</i> 6'-9' Large rosy-purple flowers, May-June. Deep green leaves. Prefers half-shade. | | | | |
| 15 | to 18 in., Nursery Grown | 4.00 | 35.00 | 325.00 |
| 1½ | to 2 ft., Nursery Grown | 5.00 | 45.00 | 375.00 |
| 2 | to 2½ ft., Nursery Grown | 6.00 | 55.00 | |
| HYBRID RHODODENDRONS. 3'-8' | | | | |
| Album elegans. Blush pink to white. Tall. | | | | |
| 1½ | to 2 ft | 7.00 | 60.00 | |
| 2 | to 2½ ft..... | 8.50 | 75.00 | |
| 2½ | to 3 ft..... | 11.00 | 100.00 | |
| 3 | to 4 ft..... | 12.50 | 120.00 | |
| 4 | to 5 ft..... | 15.00 | 140.00 | |
| Everestianum. Rosy lilac, yellow throat. | | | | |
| 15 | to 18 in | 7.00 | | |
| 1½ | to 2 ft | 8.50 | | |
| Roseum elegans. Rose. | | | | |
| 15 | to 18 in | 7.00 | | |
| 1½ | to 2 ft..... | 8.50 | | |
| 2 | to 2½ ft | 10.00 | | |
| 2½ | to 3 ft..... | 12.50 | | |
| Assorted Hybrids in separate colors. | | | | |
| 1 | to 1½ ft..... | 5.00 | 45.00 | |
| 1½ | to 2 ft..... | 7.00 | 60.00 | |
| 2 | to 2½ ft..... | 8.50 | 75.00 | |
| maximum. <i>Rosebay Rhododendron.</i> 8'-12' Beautiful light pink flowers freely produced in May-June. Large handsome foliage—effective in masses where shaded from hot sun. | | | | |
| 1½ | to 2 ft., Nursery Grown | 3.50 | 30.00 | 250.00 |
| 2 | to 3 ft., Nursery Grown | 4.50 | 40.00 | 350.00 |
| 2 | to 3 ft., Collected Clumps | 4.00 | 35.00 | 275.00 |
| 3 | to 4 ft., Collected Clumps | 5.00 | 45.00 | 375.00 |
| 4 | to 5 ft., Collected Clumps | 7.00 | 60.00 | 550.00 |
| 5 | to 6 ft., Collected Clumps | 10.00 | 90.00 | |
| minus. <i>Piedmont Rhododendron.</i> 6'-8' Rather open grower—rose-pink flowers in June-July. Splendid foliage | | | | |
| 1½ | to 2 ft., Nursery Grown | 5.00 | 40.00 | |
| 2 | to 3 ft., Nursery Grown | 6.00 | 50.00 | |

| | | | Each | Per 10 | Per 100 |
|--|--|--|---|--------|---------|
| TAXUS baccata compacta. | 4'-5' | Deep green form with upright branches. | | | |
| 1 | to | 1½ ft..... | 3.50 | 27.50 | |
| 1½ | to | 2 ft..... | 4.00 | 35.00 | |
| 2 | to | 2½ ft..... | 6.00 | 50.00 | |
| 2½ | to | 3 ft..... | 8.50 | 75.00 | |
| — erecta. | Upright English Yew. | 6'-8' | A good form, developing into a column. Dark green. | | |
| 1 | to | 1½ ft..... | 3.50 | 27.50 | 200.00 |
| 1½ | to | 2 ft..... | 4.00 | 35.00 | |
| 2 | to | 2½ ft..... | 6.00 | | |
| — repandens. | Spreading English Yew. | 1½'-2' | Spreading horizontal branches, dark green leaves. Good for low planting. | | |
| 12 | to | 15 in..... | 3.00 | 25.00 | 175.00 |
| 15 | to | 18 in..... | 4.00 | 35.00 | 275.00 |
| 1½ | to | 2 ft..... | 6.00 | 50.00 | 400.00 |
| 2 | to | 2½ ft..... | 8.50 | 75.00 | |
| — washingtoni. | Golden Yew. | 6'-8' | Has attractive yellow foliage. | | |
| 12 | to | 15 in..... | 3.00 | 25.00 | |
| 15 | to | 18 in..... | 4.00 | 35.00 | |
| canadensis. | Canada Yew. | 2'-2½' | Spreading, bronzy in winter. Prefers shade—good for underplanting. Crimson fruits. | | |
| 12 | to | 15 in..... | 3.00 | 25.00 | 200.00 |
| 15 | to | 18 in..... | 3.50 | 30.00 | 250.00 |
| 1½ | to | 2 ft..... | 5.00 | | |
| cuspidata. | Japanese Yew. | 5'-8' | SPREADING FORM. Dark green leaves—spreading, bushy. Valuable for foundation planting. | | |
| 15 | to | 18 in..... | 4.00 | 35.00 | 300.00 |
| 1½ | to | 2 ft..... | 6.00 | 50.00 | 425.00 |
| 2 | to | 2½ ft..... | 8.00 | 70.00 | |
| 2½ | to | 3 ft..... | 10.00 | 90.00 | |
| 3 | ft | | 15.00 | | |
| — capitata. | Tree Form Japan Yew. | 25'-30' | This form has a distinct leader and develops into a symmetrical pyramid. | | |
| 2½ | to | 3 ft..... | 10.00 | | |
| 3 | to | 3½ ft..... | 15.00 | | |
| — nana (brevifolia). | Dwarf Japanese Yew. | 2'-3' | Broad thick leaves, blackish green. Slow growing, irregular, spreading—hardy. | | |
| 9 | to | 12 in..... | 3.00 | 27.50 | 225.00 |
| 12 | to | 15 in..... | 4.00 | 37.50 | 325.00 |
| 15 | to | 18 in..... | 5.50 | 50.00 | |
| 1½ | to | 2 ft..... | 8.00 | | |
| sieboldi. | Siebold Yew. | 7'-8' | A greatly improved form of the Japanese yew. It has a compact habit, yet vigorous growth. Rich blackish-green thick foliage extremely hardy making a splendid hedge plant or a handsome specimen. | | |
| 15 | to | 18 in..... | 4.50 | 40.00 | |
| 1½ | to | 2 ft..... | 6.50 | 60.00 | |
| 2 | to | 2½ ft..... | 9.00 | 80.00 | |
| THUJA lobbi atrovirens (plicata). | Rich shining deep green fleshy leaves. | | | | |
| 2 | to | 2½ ft..... | 3.75 | 35.00 | 300.00 |
| 2½ | to | 3 ft..... | 4.50 | 40.00 | 350.00 |
| 3 | to | 4 ft..... | 5.50 | 50.00 | 450.00 |
| 4 | to | 5 ft..... | 7.00 | 60.00 | |

| | | Each | Per 10 | Per 100 |
|---|-----------------|------|--------|---------|
| THUJA occidentalis. <i>American Arborvitae.</i> 15'-30' Slender pyramid with broad base. Bronzy winter coloring—good accent plant. | | | | |
| 1½ to 2 | ft..... | 1.25 | 10.00 | 75.00 |
| 2 to 2½ | ft..... | 1.75 | 12.50 | 100.00 |
| 2½ to 3 | ft..... | 2.25 | 17.50 | 125.00 |
| 3 to 4 | ft..... | 4.00 | 35.00 | 300.00 |
| 4 to 5 | ft..... | 6.00 | 55.00 | |
| 5 to 6 | ft..... | 8.50 | | |
| — compacta. <i>Parsons Dwarf Arborvitae.</i> 2½'-4' Almost globe shaped—bright green. Useful in formal planting. | | | | |
| 10 to 12 | in..... | 1.25 | 10.00 | 75.00 |
| 12 to 15 | in..... | 1.75 | 12.50 | 100.00 |
| 15 to 18 | in..... | 2.25 | 17.50 | 125.00 |
| 1½ to 2 | ft..... | 2.75 | 25.00 | 175.00 |
| — douglasi aurea. <i>Douglas Golden Arborvitae.</i> 10'-15' A broad pyramid with golden-green foliage. Vigorous. | | | | |
| 1½ to 2 | ft..... | 2.50 | 22.50 | 175.00 |
| 2 to 2½ | ft..... | 3.50 | 30.00 | 250.00 |
| 2½ to 3 | ft..... | 4.50 | 40.00 | 350.00 |
| 3 to 4 | ft..... | 5.50 | 45.00 | 400.00 |
| 4 to 5 | ft..... | 7.00 | | |
| — elegantissima. <i>Golden Tipped Arborvitae.</i> 10'-15' Branches in spring tipped with yellow. Rich lustrous green otherwise. | | | | |
| 1½ to 2 | ft..... | 3.00 | 27.50 | 225.00 |
| 2 to 2½ | ft..... | 3.50 | 32.50 | 275.00 |
| 2½ to 3 | ft..... | 4.00 | 37.50 | 350.00 |
| 3 to 4 | ft..... | 5.00 | 45.00 | 400.00 |
| — ellwangeriana. <i>Tom Thumb Arborvitae.</i> 4'-6' Has heather-like leaves; dense habit; soft, close texture. Forms low, broad, blunt pyramid. Rich purple winter coloring. | | | | |
| 12 to 15 | in..... | 1.25 | 10.00 | |
| — globosa. <i>Globe Arborvitae.</i> 2½'-3' Useful in formal work. Naturally compact globe shaped, needs no trimming. Hardy. | | | | |
| 10 to 12 | in..... | 1.25 | 10.00 | 75.00 |
| 12 to 15 | in..... | 1.75 | 12.50 | 100.00 |
| 15 to 18 | in..... | 2.25 | 17.50 | |
| 1½ to 2 | ft..... | 3.00 | 27.50 | |
| — hoveyi. <i>Hovey Arborvitae.</i> 3'-4' Oval in shape, nearly as broad as high. Bright green foliage, very noticeable in early spring. | | | | |
| 10 to 12 | in..... | 1.25 | 10.00 | 75.00 |
| 12 to 15 | in..... | 1.75 | 12.50 | 100.00 |
| 15 to 18 | in..... | 2.25 | 17.50 | 125.00 |
| 1½ to 2 | ft..... | 2.75 | 25.00 | 175.00 |
| — Little Gem (recurva nana). <i>Little Gem Arborvitae.</i> 2' A gem for the rock garden. Grows broader than it does in height. Hardy. | | | | |
| 10 to 12 | in..... | 2.50 | 22.50 | |
| 12 to 15 | in..... | 3.50 | | |
| — lutea. <i>Geo. Peabody Arborvitae.</i> 10'-15' Conspicuous, golden yellow form—columnar outline. Distinctive lawn plant. | | | | |
| 15 to 18 | in., bushy..... | 2.25 | 17.50 | 125.00 |
| 1½ to 2 | ft..... | 2.75 | 22.50 | 175.00 |
| 2 to 3 | ft..... | 3.75 | 32.50 | 275.00 |
| 3 to 4 | ft..... | 5.50 | 45.00 | 400.00 |

| | | | Each | Per 10 | Per 100 |
|--|----|------------|-------|--------|---------|
| THUJA occidentalis plicata (douglasi pyramidalis). Moss Arborvitae. | | | | | |
| 10'-20' Rich deep blue-green foliage. Short stiff fern-like branches give pleasing effect in light and shade. Formal slender pyramid—hardy. | | | | | |
| 1½ | to | 2 ft..... | 1.75 | 12.50 | 100.00 |
| 2 | to | 2½ ft..... | 2.25 | 17.50 | 125.00 |
| 2½ | to | 3 ft..... | 2.75 | 22.50 | 175.00 |
| 3 | to | 4 ft..... | 3.50 | 27.50 | 225.00 |
| 4 | to | 5 ft..... | 5.00 | 40.00 | |
| — pumila. 2'-2½' A compact dwarf form—dark green, quite hardy. | | | | | |
| 12 | to | 15 in..... | 1.75 | 15.00 | |
| 15 | to | 18 in..... | 2.25 | 17.50 | 125.00 |
| 1½ | to | 2 ft..... | 2.75 | 22.50 | |
| 2 | to | 2 ft..... | 3.50 | | |
| — pyramidalis. Pyramidal Arborvitae. 15'-30' Retains bright green coloring throughout winter. Narrow columnar shape. Splendid for accents or formal planting. Well shaped plants. | | | | | |
| 1½ | to | 2 ft..... | 2.00 | 17.50 | 125.00 |
| 2 | to | 2½ ft..... | 2.50 | 22.50 | 175.00 |
| 2½ | to | 3 ft..... | 3.00 | 27.50 | 225.00 |
| 3 | to | 4 ft..... | 4.00 | 37.50 | 350.00 |
| 4 | to | 5 ft..... | 7.00 | 60.00 | 550.00 |
| 5 | to | 6 ft..... | 10.00 | 90.00 | 800.00 |
| 6 | to | 7 ft..... | 12.00 | | |
| — riversi. Rivers Arborvitae. 8'-10' A distinct and vigorous arborvitae forming a shapely broad pyramid of rich bright green. | | | | | |
| 1½ | to | 2 ft..... | 2.75 | 22.50 | |
| 2 | to | 2½ ft..... | 3.50 | 30.00 | |
| 2½ | to | 3 ft..... | 4.00 | 37.50 | |
| 3 | to | 4 ft..... | 5.00 | 45.00 | |
| — rosenthali. Rosenthal Arborvitae. 6'-10' Dense rugged columnar form. Slow grower—good green in winter. Perfectly hardy. | | | | | |
| 15 | to | 18 in..... | 2.25 | 17.50 | 125.00 |
| 1½ | to | 2 ft..... | 3.00 | 27.50 | 225.00 |
| 2 | to | 2½ ft..... | 3.75 | 35.00 | 300.00 |
| 2½ | to | 3 ft..... | 5.00 | 45.00 | |
| 3 | to | 4 ft..... | 6.00 | 50.00 | |
| — umbraculifera. Umbrella Arborvitae. 2'-3' Particularly good—low mushroom shaped form, rich green foliage. | | | | | |
| 10 | to | 12 in..... | 1.25 | 10.00 | 75.00 |
| 12 | to | 15 in..... | 1.75 | 12.50 | 100.00 |
| 15 | to | 18 in..... | 2.25 | 17.50 | 125.00 |
| 1½ | to | 2 ft..... | 2.75 | 22.50 | |
| 2 | to | 2½ ft..... | 3.50 | | |
| — vervaeneana. Vervaena Arborvitae. 8'-12' Variegated greenish yellow foliage, bronzy in winter. Broadly pyramidal—hardy. | | | | | |
| 1½ | to | 2 ft..... | 2.75 | 22.50 | 175.00 |
| 2 | to | 2½ ft..... | 3.50 | 30.00 | 250.00 |
| 2½ | to | 3 ft..... | 4.00 | 37.50 | 350.00 |
| 3 | to | 4 ft..... | 5.00 | 45.00 | 400.00 |
| 4 | to | 5 ft..... | 8.00 | 70.00 | |

| | | Each | Per 10 | Per 100 |
|--|---------------|-------|--------|---------|
| THUJA occidentalis wareana (sibirica). Siberian Arborvitae. 12'-15' | | | | |
| Light green fleshy foliage. Broadly pyramidal—rugged. | | | | |
| 15 | to 18 in..... | 1.25 | 10.00 | 75.00 |
| 1½ | to 2 ft..... | 2.25 | 17.50 | 125.00 |
| 2 | to 2½ ft..... | 2.75 | 22.50 | 175.00 |
| 2½ | to 3 ft..... | 3.75 | 35.00 | |
| 3 | to 3½ ft..... | 6.00 | 50.00 | |
| orientalis (BIOTA). Oriental Arborvitae. 20'-25' Rather stiff | | | | |
| columnar habit—bright green foliage, bronze in winter. | | | | |
| 1½ | to 2 ft..... | 2.25 | 17.50 | |
| 2 | to 2½ ft..... | 2.75 | 22.50 | |
| 2½ | to 3 ft..... | 3.50 | 30.00 | |
| 3 | to 4 ft..... | 4.50 | 40.00 | |
| — aurea conspicua (BIOTA). Goldspire Arborvitae. 7'-8' Golden | | | | |
| yellow in spring, bronze yellow in winter. Distinctive. | | | | |
| 1½ | to 2 ft..... | 3.50 | 30.00 | 200.00 |
| 2 | to 2½ ft..... | 4.50 | 40.00 | 350.00 |
| 2½ | to 3 ft..... | 5.50 | 50.00 | |
| 3 | to 3½ ft..... | 7.00 | | |
| — compacta (BIOTA). Siebold Arborvitae. 3'-4' Forms a compact | | | | |
| oval-shaped specimen. Good persistent fresh green color. | | | | |
| 12 | to 15 in..... | 2.25 | 17.50 | |
| 15 | to 18 in..... | 3.00 | 27.50 | |
| 1½ | to 2 ft..... | 3.75 | 35.00 | |
| 2 | ft..... | 4.50 | | |
| — elegantissima (BIOTA). Yellow Column Arborvitae. 7'-8' | | | | |
| Assumes rich deep golden bronze color in winter. | | | | |
| 1½ | to 2 ft..... | 3.50 | 30.00 | 250.00 |
| 2 | to 2½ ft..... | 4.50 | 40.00 | 350.00 |
| 2½ | to 3 ft..... | 5.50 | 50.00 | 450.00 |
| 3 | to 3½ ft..... | 7.00 | 65.00 | |
| — nana aurea (BIOTA). Berckman Golden Arborvitae. 2½'-3' A gem | | | | |
| for dwarf planting—compact roundish shape, warm golden yellow foliage. Especially good for formal work and edging. | | | | |
| 9 | to 12 in..... | 2.25 | 17.50 | 125.00 |
| 12 | to 15 in..... | 2.75 | 22.50 | 175.00 |
| 15 | to 18 in..... | 3.50 | 30.00 | 250.00 |
| 18 | to 21 in..... | 4.50 | 40.00 | |
| — pyramidalis aurea (BIOTA). 10'-12' Forms pyramid, golden foliage. | | | | |
| 1½ | to 2 ft..... | 3.00 | 25.00 | |
| 2 | to 3 ft..... | 4.00 | 35.00 | |
| standishi. Standish Arborvitae. 15'-20' Has fleshy scale-like leaves | | | | |
| and coarse growth. Assumes bronze tones in winter. Hardy. | | | | |
| 1½ | to 2 ft..... | 3.00 | 25.00 | 200.00 |
| 2 | to 2½ ft..... | 4.00 | 35.00 | 300.00 |
| 2½ | to 3 ft..... | 5.50 | 45.00 | 400.00 |
| 3 | to 4 ft..... | 7.00 | 60.00 | |
| 4 | to 5 ft..... | 8.50 | | |
| 5 | to 6 ft..... | 10.00 | | |

| | | Each | Per 10 | Per 100 |
|--------------------------|----------------------------------|--|--------|---------|
| TSUGA canadensis. | <i>Canada Hemlock.</i> 75'-90' | Most graceful and adaptable. Useful as clipped hedge or informal planting. | | |
| | 2 to 2½ ft..... | 4.50 | 40.00 | 350.00 |
| | 2½ to 3 ft..... | 6.00 | 55.00 | 450.00 |
| | 3 to 4 ft..... | 8.50 | 75.00 | |
| | 4 to 5 ft..... | 12.00 | 110.00 | |
| caroliniana. | <i>Carolina Hemlock.</i> 50'-60' | Particularly fine evergreen. | | |
| | 2 to 2½ ft..... | 5.00 | 45.00 | |
| | 2½ to 3 ft..... | 7.00 | 65.00 | |
| | 3 to 4 ft..... | 8.50 | 80.00 | |
| | 4 to 5 ft..... | 12.50 | 120.00 | |
| | 5 to 6 ft..... | 20.00 | 175.00 | |
| | 6 to 7 ft..... | 25.00 | | |

VIBURNUM rhytidophyllum. *Leatherleaf Viburnum.* 6'-8' Large oblong leaves, deep green above, gray beneath—bright red berries—a bold handsome shrub but needs a sheltered place.

| | | | | |
|---|----|-----------|------|-------|
| 2 | to | 3 ft..... | 3.50 | 30.00 |
| 3 | to | 4 ft..... | 6.00 | 50.00 |

VINCA minor. *Periwinkle Myrtle.* 4" Evergreen ground cover. Delicate lilac-blue flowers in spring. Succeeds best in shade.

| | Per 10 | Per 100 | Per 1000 |
|----------------|--------|---------|----------|
| Pot grown..... | 2.50 | 15.00 | 125.00 |

YUCCA filamentosa. *Adam's Needle.*

| | Each | Per 10 | Per 100 |
|-----------|------|--------|---------|
| 3 yr..... | .60 | 5.00 | 40.00 |

OUR EVERGREENS are so grown and spaced as to produce the best. They are dug and handled by men of long experience with us, and the best burlap is used to insure a solid natural ball.

Herbaceous Perennials

ALPINE AND ROCK PLANTS LISTED SEPARATELY ON PAGE 58.

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| ACHILLEA <i>millefolium rosea</i> . <i>Pink Yarrow</i> . 2' | | | |
| Pink, June-Sept..... | .25 | 2.00 | 18.00 |
| <i>ptarmica</i> <i>Boule de Nieve</i> . <i>Ball of Snow Yarrow</i> . 18" White, June-Sept..... | .25 | 2.00 | 15.00 |
| <i>tomentosa</i> . <i>Woolly Yarrow</i> . 1' Yel., June.... | .30 | 2.50 | 20.00 |
| ACONITUM <i>fischeri</i> . <i>Azure Monkshood</i> . 2' | | | |
| Dark blue, Sept.-Oct..... | .30 | 2.50 | 20.00 |
| Spark's variety. 4' Blue, July-Aug..... | .40 | 3.50 | 25.00 |
| AGROSTEMMA <i>coronaria</i> . See LYCHNIS. | | | |
| AJUGA <i>genevensis</i> . <i>Geneva Bugle</i> . 6" Dark blue, May-June..... | .30 | 2.50 | 20.00 |
| <i>reptans</i> . <i>Carpet Bugle</i> . 6" Blue, May-June | .25 | 2.00 | 18.00 |
| ALTHAEA <i>Hollyhock</i> . <i>Single and double</i> . Red, pink, white, yellow, in separate colors. July-Aug | .25 | 2.00 | 18.00 |
| ALYSSUM <i>saxatile compactum</i> . <i>Dwarf Golden Tuft</i> . 1' Yellow, April | .25 | 2.00 | 15.00 |
| <i>spinosum</i> . <i>Spiny Alyssum</i> . 6" Silvery leaves, white flowers, April..... | .40 | 3.50 | 30.00 |
| ANCHUSA <i>italica</i> . <i>Italian Bugloss</i> . 4' Gentian blue, June-Sept..... | .30 | 2.50 | 20.00 |
| <i>myosotidiflora</i> . <i>Siberian Bugloss</i> . 15" Light blue, May, large round leaves..... | .40 | 3.50 | 25.00 |
| ANEMONE <i>hupehensis</i> . 1' Mauve-pink, Aug .. | .30 | 2.50 | 20.00 |
| <i>japonica</i> <i>Alice</i> . 2½' Large rose-pink .. | .40 | 3.50 | 25.00 |
| — <i>Queen Charlotte</i> . 2½' Semi-Double, pink, Sept.-Oct..... | .30 | 2.50 | 20.00 |
| — <i>Whirlwind</i> . 2½' Semi-Dbl., white, Sept.-Oct. | .30 | 2.50 | 20.00 |
| <i>pulsatilla</i> . <i>Pasque Flower</i> . 1' Pur., Apr.-May | .30 | 2.50 | 20.00 |
| ANTHEMIS <i>tinctoria</i> <i>Kelwayi</i> . <i>Kelway Camomile</i> . 2' Yellow, June-Oct..... | .25 | 2.00 | 15.00 |
| AQUILEGIA . <i>Long-spurred hybrids</i> . 2½' Various colors, May-June | .25 | 2.00 | 18.00 |
| <i>alpina</i> . <i>Alpine Columbine</i> . 9" Blue, Apr-May | .40 | 3.50 | 25.00 |
| <i>caerulea</i> . <i>Colorado Columbine</i> . 2' Blue and white. May-June | .25 | 2.00 | 18.00 |
| <i>canadensis</i> . <i>American Columbine</i> . 2' Red and yellow, May-June..... | .25 | 2.00 | 18.00 |
| <i>chrysantha</i> . <i>Golden Columbine</i> . 2½' Yellow shades, May-June.... | .25 | 2.00 | 18.00 |
| <i>hybrida fl. pl.</i> 2' Double flowers, various.. | .30 | 2.50 | 20.00 |
| <i>Rose Queen</i> . 2½' Best pink. May-June.... | .30 | 2.50 | 20.00 |
| <i>Silver Queen</i> . Finest white form, May-June.. | .30 | 2.50 | 20.00 |
| <i>vulgaris alba</i> . 2' Vigorous white form..... | .30 | 2.50 | 20.00 |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| ARABIS alpina. <i>Alpine Rock Cress.</i> 6" White, April-May | .30 | 2.50 | 20.00 |
| — fl. pl. <i>Double Rock Cress.</i> 6" White, April-May | .50 | 4.00 | 30.00 |
| — nana. <i>Dwarf Rock Cress.</i> 4" White | .40 | 3.50 | 25.00 |
| — rosea. <i>Pink Rock Cress.</i> 4" Pale pink, April-May | .50 | 4.00 | 30.00 |
| ARENARIA montana. <i>Mountain Sandwort.</i> 3" White, May | .30 | 2.50 | 20.00 |
| verna caespitosa. <i>Moss Sandwort.</i> 1" Moss- like foliage. White, May-Aug | .30 | 2.50 | 20.00 |
| ARMERIA. See <i>STATICE</i> | .25 | 2.00 | 18.00 |
| ARTEMESIA Silver King. <i>Mugwort.</i> 3' White Aug.-Sept | .30 | 2.50 | 20.00 |
| ASCLEPIAS tuberosa. <i>Butterfly Weed.</i> 2' Orange, July-Aug. | .25 | 2.00 | 18.00 |
| ASTER alpinus. <i>Rock Aster.</i> 8" Lav. May-June | .30 | 2.50 | 20.00 |
| Anita Ballard. 3'-4' Delicate blue..... | .30 | 2.50 | 20.00 |
| Barr's Pink. 4' Large pink..... | .40 | 3.50 | 25.00 |
| Beauty of Colwall. 4' Lavender, Aug.-Oct. | .30 | 2.50 | 20.00 |
| Blue Gem. 3'-4' Double rich blue..... | .40 | 3.50 | 25.00 |
| Climax. 4'-5' Lavender-blue—a beauty..... | .30 | 2.50 | 20.00 |
| Delicata. 3' Light pink, Sept.-Oct..... | .40 | 3.50 | 25.00 |
| Elta. 3'-4' Pale lilac, choice double | .30 | 2.50 | 20.00 |
| Grey Lady. Semi-double, gray-blue..... | .30 | 2.50 | 20.00 |
| Mauve Cushion. 1' A new unusual plant, free flowering, delicate mauve..... | .30 | 2.50 | 20.00 |
| Perry's White. 3'-4' Fine white..... | .30 | 2.50 | 20.00 |
| Queen Mary. 3' Blue-lavender..... | .30 | 2.50 | 20.00 |
| Ryecroft Purple. 3'-4' Deep violet purple, Aug.-Sept | .40 | 3.50 | 25.00 |
| Sam Banham. 3'-4' White | .30 | 2.50 | 20.00 |
| sub coeruleus. 12" Mauve, June-July..... | .30 | 2.50 | |
| AUBRETIA eyri. <i>False Rock Cress.</i> 1½' Lilac, April-May | .40 | 3.50 | 25.00 |
| BAPTISIA australis. <i>Blue Indigo.</i> 3' May-June | .25 | 2.00 | 18.00 |
| BELLIS perennis. <i>English Daisy.</i> Pink and white. | .25 | 2.00 | 18.00 |
| BOLTONIA asteroides. <i>White Boltonia.</i> 5'-6' | .25 | 2.00 | 18.00 |
| latisquama nana. <i>Dwarf Pinkray Boltonia.</i> 2' Light pink, Aug.-Sept | .25 | 2.00 | 18.00 |
| CALAMINTHA alpina. <i>Alpine Savory.</i> 6" Purple | .25 | 2.00 | 18.00 |
| CAMPANULA carpatica. <i>Carpathian Bellflower,</i> 6" Light blue, July | .30 | 2.50 | 20.00 |
| — alba. <i>White Carpathian Bellflower,</i> 6" White, July-Aug | .30 | 2.50 | 20.00 |
| garganica. <i>Alpine Bellflower.</i> 3" Light blue, June..... | .50 | 4.00 | 30.00 |
| medium. <i>Single Canterbury Bells,</i> 2' Pink, blue, white; separate colors or mixed, June | .25 | 2.00 | 15.00 |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| CAMPANULA medium calycanthem. <i>Cup and Saucer</i> , 2' Blue, pink, white; separate colors or mixed, June..... | .25 | 2.00 | 15.00 |
| <i>persicifolia.</i> <i>Peach-leaved Bellflower</i> , 2' Blue, June-July..... | .30 | 2.50 | 20.00 |
| — <i>Telham Beauty.</i> 2½' A greatly improved form, blue..... | .40 | 3.50 | 25.00 |
| — <i>alba.</i> <i>White Peach-leaved Bellflower.</i> 2' White, June-July..... | .30 | 2.50 | 20.00 |
| <i>portenschlagiana.</i> <i>Dalmatian Bellflower.</i> 4" Dark blue, May-June..... | .50 | 4.00 | 30.00 |
| <i>rotundifolia.</i> <i>Harebell.</i> 9" Blue, June-Aug. | .40 | 3.50 | 25.00 |
| CENTAUREA dealbata. <i>Persian Centaurea</i> , 18" Pink, July-Aug..... | .25 | 2.00 | 15.00 |
| <i>montana.</i> <i>Cornflower</i> , 1½' Blue, July-Aug. | .25 | 2.00 | 15.00 |
| — <i>alba.</i> 1½' White, June-Aug..... | .25 | 2.00 | 15.00 |
| CENTRANTHUS ruber. <i>Jupiter's Beard</i> 3' June-July..... | .25 | 2.00 | 18.00 |
| — <i>albus.</i> <i>White Jupiter's Beard.</i> 3' June-July | .25 | 2.00 | 18.00 |
| CERASTIUM tomentosum. <i>Snow-in-Summer.</i> 6" White, May-June..... | .30 | 2.50 | 20.00 |
| CHELONE lyoni. <i>Pink Turtlehead.</i> 2½' Coral-pink, Aug.-Sept..... | .25 | 2.00 | 18.00 |
| CHRYSANTHEMUM arcticum. <i>Arctic Daisy.</i> 1½' White, Sept.-Nov..... | .30 | 2.50 | |
| — <i>Etoile d'Or.</i> 2½' The best Shasta Daisy, White, July-Sept..... | .40 | 3.50 | 25.00 |
| <i>uliginosum.</i> <i>Giant Daisy.</i> 3' White, June-Sept. | .25 | 2.00 | 15.00 |
| LARGE FLOWERING TYPE | | | |
| <i>Barbara Cumming.</i> Deep yellow. Early. | | | |
| <i>Comoleta.</i> Yellow shaded orange. Late. | | | |
| <i>Cranfordia.</i> Clear golden yellow. | | | |
| <i>Lucifer.</i> Rich deep red. Late. | | | |
| <i>Oconto.</i> Pure white very large. | | | |
| ASTER FLOWERING | | | |
| <i>Adelaide.</i> Rich red well formed. | | | |
| <i>Captain Cook.</i> Dark rose-pink. Late. | | | |
| <i>Pink Doty.</i> Light pink good form. | | | |
| <i>Red Doty.</i> Rosy red. | | | |
| <i>White Doty.</i> Pure white globular flower. | .25 | 2.00 | 18.00 |
| BUTTON TYPE | | | |
| <i>Ethel.</i> Red. Compact habit. | | | |
| <i>Irene.</i> Dainty white. | | | |
| <i>Rodell.</i> Rich yellow rather dwarf. | | | |
| SINGLE FLOWERING | | | |
| <i>Alice Howell.</i> Warm yellow good grower. | | | |
| <i>Bronze Buckingham.</i> Coppery bronze. | | | |
| <i>Gypsy Girl.</i> Splendid bronzy red. | | | |
| <i>Mrs. Calvin Coolidge.</i> Cardinal red. | | | |
| <i>Mrs. W. E. Buckingham.</i> Salmon-pink | | | |
| CIMICIFUGA racemosa. <i>Cohosh Bugbane.</i> 3' White, July-August..... | .30 | 2.50 | 20.00 |

FROM 2½" POTS

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| CLEMATIS davidiana. 2½' Lavender, fragrant, Aug.-Sept. | .40 | 3.50 | 25.00 |
| integrifolia. 2' Solitary blue flowers, June-Aug. | .40 | 3.50 | 25.00 |
| recta. Ground Clematis. 2' White, July-Aug. | .40 | 3.50 | 25.00 |
| COREOPSIS lanceolata grandiflora. Big Core- opsis. 2' Yellow, June-Oct. | .25 | 2.00 | 18.00 |
| — fl. pl. Double Coreopsis. | .40 | 3.50 | 25.00 |
| DELPHINIUM belladonna. Larkspur, 2½' Light blue, June-Oct. | .25 | 2.00 | 18.00 |
| bellamosum. Larkspur. 2' Dk. blue, June-Oct. | .25 | 2.00 | 18.00 |
| chinensis album. White Slender Larkspur. 2' White, June-Oct. | .25 | 2.00 | 18.00 |
| Hollyhock Wrexham. Hollyhock strain, fine selection | .75 | 6.00 | 50.00 |
| Gold Medal Hybrids. 2½' Finest strain pro- curable, June-Oct. | .40 | 3.50 | 25.00 |
| DIANTHUS allwoodi Jean. 1' Fragrant white, May-Oct. | .40 | 3.50 | 25.00 |
| — Robert. 1' Fragrant rose-pink, May-Oct. | .40 | 3.50 | 25.00 |
| alpinus. Alpine Pink. 3"-4" Pink. May-June | .40 | 3.50 | 30.00 |
| barbatus. Sweet William. 18" Double flower, May-June. White, Pink, Red—in sep- arate colors, or mixed. | .25 | 2.00 | 18.00 |
| caesius. Cheddar Pink. 8" Pink, May..... | .40 | 3.50 | 25.00 |
| deltoides Brilliant. Maiden Pink. 10" Bright rose pink, June | .30 | 2.50 | 18.00 |
| Etoile de Lyon. Crimson, clove scented..... | .40 | 3.50 | 30.00 |
| glacialis neglectus. Ice Pink. 4" Pink May-June | .40 | 3.50 | 30.00 |
| Gladys Cranfield. Large white, wine red center | .40 | 3.50 | 30.00 |
| Her Majesty. Double white, May-June | .40 | 3.50 | 25.00 |
| plumarius semperflorens. Perpetual Pink. 1' Pink and white. May-Sept. | .25 | 2.00 | 18.00 |
| — Essex Witch. 1' Pink. May-July | .40 | 3.50 | 25.00 |
| DICENTRA spectabilis. Bleeding Heart. 2' Pink and white, May-June..... | .60 | 5.00 | 40.00 |
| formosa. Western Bleeding Heart. 1' Rose, May-July..... | .40 | 3.50 | 25.00 |
| DICTAMNUS albus. Gasplant. 2½' White, July-Aug. | .60 | 5.00 | 40.00 |
| albus ruber. 3' Rosy-purple kind, July-Aug | .60 | 5.00 | 40.00 |
| DIGITALIS Giant Shirley. 4'-5' Fine strain. Various colors..... | .30 | 2.50 | 20.00 |
| grandiflora. Yellow Foxglove. 2½' Yellow. June-July | .25 | 2.00 | |
| — alba. 2½' White, June-July | .25 | 2.00 | 18.00 |
| isabellina. Yellow shade..... | .25 | 2.00 | 18.00 |
| DRACOCEPHALUM ruyschiana. Siberian Drag- onhead. 1' Blue, June-July | .40 | 3.50 | 25.00 |
| ECHINACEA purpurea. Purple Coneflower. 3' Reddish-purple, July-Oct. | .30 | 2.50 | 20.00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| ERIGERON coulteri. <i>Fleabane.</i> 15" Mauve, July..... | .25 | 2.00 | 18.00 |
| speciosus. <i>Oregon Fleabane.</i> 1½' Blue-violet, July..... | .30 | 2.50 | 20.00 |
| ERINUS alpinus. <i>Liver-balsam.</i> 4" Pink, April-May..... | .40 | 3.50 | 30.00 |
| ERYNGIUM planum. <i>Eryngo.</i> 2' Steel blue, July-Sept..... | .30 | 2.50 | 18.00 |
| EUPATORIUM coelestinum. <i>Blue Mist-Flower.</i> 2' Blue, Aug.-Oct..... | .25 | 2.00 | 18.00 |
| — fraseri. <i>Snow Thoroughwort.</i> 3' White, July-Sept..... | .25 | 2.00 | 18.00 |
| EUPHORBIA corollata. <i>Flowering Spurge.</i> 1½' White, June-Aug..... | .25 | 2.00 | 18.00 |
| FUNKIA coerulea. <i>Blue Plantain Lily.</i> 18" Purplish blue, July-Aug..... | .25 | 2.00 | 18.00 |
| subcordata grandiflora. <i>White Plantain Lily.</i> 18" White, July-Aug..... | .50 | 4.00 | 30.00 |
| variegata. <i>Variegated Leaf Funkia.</i> 18" Blue, July-Aug..... | .25 | 2.00 | 18.00 |
| GAILLARDIA Bremen. 2½' Best form introduced, stiff stems, large orange and red flowers. June-Sept..... | .30 | 2.50 | 20.00 |
| grandiflora. <i>Blanket Flower.</i> 18" Yellow, red, May-Nov..... | .25 | 2.00 | 18.00 |
| GERANIUM sanguineum. <i>Cranesbill.</i> 1½' Red May-Aug..... | .30 | 2.50 | 20.00 |
| GEUM chilense fl. pl. 18" Double crimson. June-Sept..... | .30 | 2.50 | 20.00 |
| — Mrs. Bradshaw. 1½' Vivid red, June-Sept..... | .30 | 2.50 | 20.00 |
| GLOBULARIA trichosanthes. <i>Syrian Globe Daisy.</i> 6" Violet blue. May-June..... | .40 | 3.50 | 25.00 |
| GRASSES—Festuca glauca. <i>Dwarf Blue Stem Grass.</i> 1' Steel blue leaves..... | .30 | 2.50 | 20.00 |
| GYPHOPHILA cerastioides. <i>Mouse-ear Gypsophila.</i> 4" White, May..... | .40 | 3.50 | 25.00 |
| paniculata. <i>Baby's Breath.</i> 2' White, June-July..... | .25 | 2.00 | 18.00 |
| — Bristol Fairy. <i>Double Baby's Breath.</i> 3' Double white, June-Sept..... | .60 | 5.00 | 40.00 |
| repens. <i>Creeping Gypsophila.</i> 4" White, June-July..... | .30 | 2.50 | 20.00 |
| HELIANTHEMUM chamaecistus mutabile aureum. 8" Yellow, June-August..... | .40 | 3.50 | 25.00 |
| — Ball of Fire. <i>Sunrose.</i> 9" Double red. June-July..... | .40 | 3.50 | 25.00 |
| — Bride. 12" White flowers, silvery foliage..... | .40 | 3.50 | 25.00 |
| — Rose Queen. 8" Single pink..... | .40 | 3.50 | 25.00 |
| — Double Orange. 8" Very double..... | .40 | 3.50 | 25.00 |
| HELENIUM autumnale superbum. <i>Sneezeweed.</i> 4'-5' Golden yellow, Aug.-Sept..... | .30 | 2.50 | 20.00 |
| pumilum magnificum. <i>Dwarf Sneezeweed.</i> 2½' Bright yellow..... | .50 | 4.00 | 30.00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| HELENIUM Riverton Gem. Bronze Sneezeweed. 3' Bronze, Aug.-Sept..... | .40 | 3.50 | 25.00 |
| HELIANTHUS multiflorus fl. pl. Thin Leaf Sunflower. 4'-5' Yellow. Aug-Sept..... | .30 | 2.50 | 20.00 |
| HELIOPSIS scabra excelsa. New. 3' Rich yellow, semi-double. July-Oct..... | .30 | 2.50 | 20.00 |
| HEMEROCALLIS flava. Lemon Day Lily. 2' Yellow, May..... | .30 | 2.50 | 20.00 |
| Dr. Regel. 2' Orange yellow, fragrant, May..... | .30 | 2.50 | 20.00 |
| Sovereign. 2½' Deep orange, June..... | .30 | 2.50 | 20.00 |
| Thunbergi. Japanese Daylily. 2' Clear yellow, July..... | .25 | 2.00 | 18.00 |
| HEPATICAC acutifolia. Sharp lobe Hepatica. 6"-8" Blue, April-May..... | .40 | 3.50 | 25.00 |
| HESPERUS matronalis. Dame's Rocket. 2' Pink. May-June..... | .25 | 2.00 | 18.00 |
| — albus. White Rocket. 2' May-June..... | .25 | 2.00 | 18.00 |
| HIBISCUS. Mallow Marvel. 4'-6' Pink, red, white, separate. Aug-Sept..... | .30 | 2.50 | 20.00 |
| HEUCHERA brizoides. Pinkbells. 1½' Pale pink, May-Sept..... | .40 | 3.50 | |
| Perry's white. 1½' Pure white, June-Sept.... | .50 | 4.00 | 30.00 |
| Pluie de Feu. 1½' Bright red, June-July..... | .50 | 4.00 | 30.00 |
| Rosa mundi. Coral Bells. 1½' Pink, Jn-Sept..... | .50 | 4.00 | 30.00 |
| sanguinea alba. Snowdrop. 1½' Wh., June-Sep..... | .40 | 3.50 | 25.00 |
| HOLLYHOCK. See ALTHEA. In separate colors. | .25 | 2.00 | 18.00 |
| IBERIS gibraltarica. Gibraltar Candytuft. 8" Pale lilac, May..... | .30 | 2.50 | 20.00 |
| sempervirens. Candytuft. 10" Wh., Apr.-May..... | .30 | 2.50 | 18.00 |
| — Little Gem. 6" White, April..... | .30 | 2.50 | 20.00 |
| — Snowflake. 1½' Large pure white flowers..... | .40 | 3.50 | 25.00 |
| IRIS cristata. Crested Iris. 4" Rich blue, May flavissima (arenaria). Goldbeard Iris. 9" Pale yellow, May..... | .30 | 2.50 | 20.00 |
| germanica. Fleur-de-lis. (German Iris.) 2'-3' Dream—Rosy-pink..... | .50 | 4.00 | 30.00 |
| Lohengrin—Mauve-rose..... | .25 | 2.00 | 15.00 |
| Ma Mie—White pencilled blue..... | .30 | 2.50 | 20.00 |
| Mother of Pearl—Porcelain blue..... | .40 | 3.50 | 25.00 |
| Nibelungen—Bronze..... | .25 | 2.00 | 15.00 |
| Pallida dalmatica—Lavender..... | .30 | 2.50 | 20.00 |
| Rhein Nixe—White-purple..... | .25 | 2.00 | 15.00 |
| kaempferi. Japanese Iris. 2'-2½' Named Bride—Plum red, white centre. Eclipse—Velvety purple, tall. | .50 | 4.00 | 30.00 |
| pumila cyanea. Pygmy Iris. 9" Violet, May..... | .25 | 2.00 | 18.00 |
| — Fairy. 6" Pale blue, May..... | .50 | 4.00 | 30.00 |
| — Schneecuppe. 9" Large pure white, May..... | .40 | 3.50 | 25.00 |
| sibirica. Siberian Iris. 2' Purple, May-June..... | .25 | 2.00 | 18.00 |
| — Perry's Blue. 3' Vivid blue, May-June.... | .50 | 4.00 | 30.00 |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| LAVENDULA vera. <i>Lavender</i> . 18" Blue, July-Aug. | .30 | 2.50 | 20.00 |
| — Munsted. <i>Dwarf Lavender</i> . 8"-10" | | | |
| Choice compact form. May-June..... | .40 | 3.50 | 30.00 |
| LIATRIS pycnostachya. <i>Cattail Gayfeather</i> . 4' | | | |
| Purple, July-Aug | .40 | 3.50 | 25.00 |
| LINUM perenne. <i>Blue Perennial Flax</i> . 1' June-July | .25 | 2.00 | 18.00 |
| — album. <i>White Flax</i> . 1' White, June-July | .30 | 2.50 | |
| LOBELIA cardinalis. <i>Cardinal Flower</i> . 3' Red, | | | |
| July-Aug. | .30 | 2.50 | 20.00 |
| syphilitica. <i>Blue Lobelia</i> . 2½' July-Sept. | .30 | 2.50 | 20.00 |
| LUPINUS polyphyllus. <i>Lupine</i> . 3' Blue, June-July | .30 | 2.50 | 20.00 |
| — albiflorus. 3' White, June-July. | .30 | 2.50 | 20.00 |
| — yellow. 3' Best yellow shades | .40 | 3.50 | 30.00 |
| — moerheimi. <i>Pink Lupine</i> | .40 | 3.50 | 25.00 |
| Assorted Hybrids | .40 | 3.50 | 30.00 |
| LYCHNIS alpina. <i>Arctic Campion</i> . 6" Rose- | | | |
| pink, April | .30 | 2.50 | 20.00 |
| viscaria fl. pl. 1' Double pink, May-June.... | .40 | 3.50 | 25.00 |
| LYTHRUM salicaria roseum. <i>Rose Loose-strife</i> . | | | |
| 2½' Pink, July-Aug | .30 | 2.50 | 20.00 |
| MAZUS rugosus. 4" Dainty lilac flowers, May | .40 | 3.50 | 25.00 |
| MERTENSIA virginica. <i>Virginia Bluebell</i> . 1½' | | | |
| Blue to pink, May | .30 | 2.50 | 20.00 |
| MONARDIA didyma <i>Cambridge Scarlet</i> . Oswego | | | |
| Bee Balm. 2½' Red, June-Aug..... | .25 | 2.00 | 18.00 |
| MYOSOTIS scorpioides (palustris). <i>Forget-Me-</i> | | | |
| Not. 10" Blue, May-Sept..... | .25 | 2.00 | 18.00 |
| NEPETA mussini. <i>Gray Catmint</i> . 10" Mauve. | | | |
| April-June. Small gray foliage | .30 | 2.50 | 20.00 |
| NIEREMBERGIA rivularis. <i>Whitecup</i> . 4" | | | |
| White, June-Aug | .30 | 2.50 | 20.00 |
| OENOTHERA missouriensis. <i>Ozark Sundrops</i> . | | | |
| 9" Yellow, June-Aug | .30 | 2.50 | 20.00 |
| speciosa. <i>White Sundrops</i> . 1½' White, | | | |
| Aug.-Sept | .30 | 2.50 | 20.00 |
| youngi. <i>Evening Primrose</i> . 2' Yellow, | | | |
| June-Aug. | .25 | 2.00 | 18.00 |
| PACHYSANDRA terminalis. <i>Japanese Spurge</i> . 8" | | 2.50 | 15.00 |
| Pot grown. 125.00 thousand. | | | |
| PAEONIA. <i>Peony</i> . 2½'-3½' May-June. | | | |
| Baroness Schroeder. <i>Flesh white</i> | 1.25 | 10.00 | 80.00 |
| Edulis superba. <i>Pink</i> | .80 | 7.00 | 50.00 |
| Eugene Verdier. <i>Pale pink</i> | .80 | 7.00 | 50.00 |
| Festiva maxima. <i>White</i> | .80 | 7.00 | 50.00 |
| Mons. Jules Elie. <i>Pink</i> | 1.25 | 10.00 | 80.00 |
| PAPAVER orientalis <i>Beauty of Livermore</i> . | | | |
| Crimson | .50 | 4.00 | 30.00 |
| Mrs. Perry. 2½' Orange apricot..... | .50 | 4.00 | 30.00 |
| Olympia. <i>Double scarlet</i> | .50 | 4.00 | 30.00 |
| Perry's White | .50 | 4.00 | 30.00 |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| PENTSTEMON angustifolius (coeruleus). <i>Blue Beard Tongue.</i> 2' Blue, June-July.... | .40 | 3.50 | 25.00 |
| barbatus <i>Pink Beauty.</i> 2½' A desirable new form, bright pink, June-July..... | .60 | 5.00 | |
| — Torreyi. <i>Torrey Beard Tongue.</i> 3' Red, June-Aug..... | .25 | 2.00 | 18.00 |
| PHLOX divaricata. (canadensis) 1' Lavender blue, May..... | .30 | 2.50 | 20.00 |
| ovata (carolina) <i>Mountain Pink.</i> 10" Rosy-red | .30 | 2.50 | 20.00 |
| subulata. Moss pink. 4" Pink, April-May | .25 | 2.00 | 18.00 |
| — alba. <i>White Moss Pink.</i> 4" White, Apr. May | .25 | 2.00 | 18.00 |
| — Fairy. Pale blue. Same habit as Vivid.... | .50 | 4.00 | 30.00 |
| — G. F. Wilson. <i>Lavender Moss Pink.</i> 4" Lavender blue, April-May .. | .40 | 3.50 | 25.00 |
| — Vivid. 6" Clear bright rose, splendid evergreen foliage; spreads slowly, best dwarf phlox | .50 | 4.00 | 30.00 |
| DECUSSATA. <i>Garden Phlox.</i> 1½' July-Sept. | | | |
| Deutschland (Homeland). Brilliant red | .40 | 3.50 | 25.00 |
| Enchantress. Rich salmon pink..... | .30 | 2.50 | 20.00 |
| Fire Glow. Bright orange scarlet..... | .35 | 3.00 | 25.00 |
| Hindenburg (Commander). Vivid red..... | .40 | 3.50 | 25.00 |
| Jules Sandeau. Dwarf pink..... | .30 | 2.50 | 20.00 |
| Miss Lingard. Early tall white | .25 | 2.00 | 18.00 |
| Mrs. Jenkins (Independence). White..... | .25 | 2.00 | 18.00 |
| Rheinlander. Salmon pink, red eye | .25 | 2.00 | 18.00 |
| Thor. Deep salmon pink | .25 | 2.00 | 18.00 |
| PHYSALIS franchetti. <i>Chinese Lantern.</i> 2' Orange red seed pods, Oct | .25 | 2.00 | 15.00 |
| PHYSOSTEGIA virginiana. <i>False Dragonhead.</i> 2½' Pink, June-July | .25 | 2.00 | 18.00 |
| Vivid. 2' Large deep pink, Aug | .40 | 3.50 | 25.00 |
| PLATYCODON grandiflorum. <i>Balloon Flower.</i> Light blue, June-July..... | .25 | 2.00 | 18.00 |
| — album. 18" White, June-July..... | .25 | 2.00 | 18.00 |
| PLUMBAGO larpentae. <i>Blue Leadwort.</i> 9" Blue, Aug. Sept..... | .40 | 3.50 | 25.00 |
| POLEMONIUM caeruleum. <i>Greek Valerian.</i> 15" Sky blue, June-July..... | .30 | 2.50 | 20.00 |
| humile (Richardsoni). <i>Jacob's Ladder</i> 1' Blue, June-July..... | .30 | 2.50 | 20.00 |
| POTENTILLA tridentata. See Evergreens, page 39. | .50 | 4.00 | 30.00 |
| PRIMULA acaulis (vulgaris.) <i>English Primrose.</i> 6" Pale yellow, April-May..... | .40 | 3.50 | 30.00 |
| auricula. <i>Auricula.</i> 5" Various..... | .40 | 3.50 | 30.00 |
| cachemiriana. <i>Kashmir Primrose.</i> 10" Purplish blue..... | .50 | 4.00 | 30.00 |
| elator. <i>Oxlip.</i> 8" Flowers in umbels, various colors, May | .30 | 2.50 | 20.00 |
| veris duplex. <i>Hose-in-Hose Cowslip.</i> 6" This is the true semi-double yellow strain that is so scarce..... | .60 | 5.00 | 40.00 |

| | Each | Per 10 | Per 100 |
|---|------|--------|---------|
| PYRETHRUM hybridum. <i>Painted Lady.</i> 2' | | | |
| Double mixed, July-Aug..... | .25 | 2.00 | 18.00 |
| RUDBECKIA speciosa (newmanni). <i>Showy</i> | | | |
| Cone-flower. 2' Yellow, Aug. | .25 | 2.00 | 18.00 |
| SALVIA azurea grandiflora. <i>Azure Salvia.</i> 3' | | | |
| Light blue, Aug..... | .30 | 2.50 | 20.00 |
| <i>farinacea.</i> <i>Mealycup Sage.</i> 2½" Pale-blue | | | |
| July-Aug..... | .25 | 2.00 | 18.00 |
| <i>pitcheri.</i> <i>Pitcher Salvia.</i> 3' Gentian blue.. | .30 | 2.50 | 20.00 |
| <i>pratensis.</i> <i>Meadow Sage.</i> 2' Violet-blue. | | | |
| June-July..... | .25 | 2.00 | 18.00 |
| <i>sclarea.</i> <i>Clary.</i> 2' Pale blue..... | .25 | 2.00 | 18.00 |
| SAPONARIA ocymoides splendens. <i>Rock Soap-</i> | | | |
| <i>wort.</i> 1' Red, May-July..... | .30 | 2.50 | 20.00 |
| SCABIOSA caucasica. <i>Caucasian Scabiosa.</i> 2' | | | |
| Lilac, June-Aug..... | .40 | 3.50 | 25.00 |
| SEDUM acre. <i>Goldmoss.</i> 3" Yellow, May-June | .30 | 2.50 | 18.00 |
| <i>album.</i> <i>White Stonecrop.</i> 3" White, May-June | .25 | 2.00 | 18.00 |
| <i>altissimum.</i> 5" Greenish yellow, July..... | .40 | 3.50 | 25.00 |
| <i>anglicum.</i> 3" True green leaved variety. | | | |
| White flowers..... | .40 | 3.50 | 25.00 |
| <i>dasyphyllum.</i> <i>Leafy Stonecrop.</i> 3" Miniature | | | |
| gray succulent leaves all clustered together | .40 | 3.50 | 25.00 |
| <i>kamtschaticum.</i> <i>Orange Stonecrop.</i> 8" Yellow | .40 | 3.50 | 25.00 |
| <i>oreganum.</i> 4" Round fleshy leaves. Yellow | .40 | 3.50 | 25.00 |
| <i>reflexum.</i> 6" Yellow, June..... | .30 | 2.50 | 20.00 |
| <i>sarmentosum.</i> <i>Stringy Stonecrop.</i> 2" Yellow | .25 | 2.00 | 15.00 |
| <i>sexangulare.</i> <i>Hexagon Stonecrop.</i> 4" Dark | | | |
| green foliage, yellow flowers, June-July | .25 | 2.00 | 15.00 |
| <i>sieboldi.</i> <i>Siebold Stonecrop.</i> 6"-8" Pk., Aug.-Sep. | .30 | 2.50 | 20.00 |
| <i>spectabile</i> <i>Brilliant.</i> <i>Showy Stonecrop.</i> 1½' | | | |
| Large leaves, rosy-red flowers, July-Sept | .30 | 2.50 | 20.00 |
| <i>spurium.</i> <i>Running Stonecrop.</i> Pink, July-Aug | .30 | 2.50 | 20.00 |
| <i>stoloniferum.</i> 6" Purplish-pink, July, Aug.... | .30 | 2.50 | 20.00 |
| SEMPERVIVUM hybrids. 2"-4" | .25 | 2.00 | 15.00 |
| SIDALCEA Rosy Gem. <i>Prairie Mallow</i> 2' | | | |
| Rose-pink. June-July..... | .30 | 2.50 | 20.00 |
| SILENE alpestris. <i>Alpine Catchfly.</i> 5" Pink, | | | |
| May..... | .30 | 2.50 | 20.00 |
| <i>maritima fl. pl.</i> <i>Double Sea Campion.</i> 6" | | | |
| Double white, June, neat habit..... | .50 | 4.00 | 30.00 |
| <i>schafta.</i> <i>Schafta Catchfly.</i> 6" Pink, June-Sept. | .30 | 2.50 | 20.00 |
| SPIREA aruncus. <i>Goatsbeard.</i> 4' White, June | .50 | 4.00 | 30.00 |
| STACHYS lantana. <i>Woolly Betony.</i> 18" Purple | .25 | 2.00 | 18.00 |
| STATICE armeria laucheana. <i>Thrift.</i> 6" Red | .25 | 2.00 | 18.00 |
| — <i>cephalotes rubra.</i> 10" Red. June-July.. | .60 | 5.00 | 40.00 |
| <i>latifolia.</i> <i>Sea Lavender.</i> 2' Lilac-blue, July-Aug. | .25 | 2.00 | 18.00 |
| <i>maritima alba.</i> <i>White Thrift.</i> 6" May-June | .30 | 2.50 | 20.00 |
| — <i>splendens.</i> 6" Rich red form. May-June | .30 | 2.50 | 20.00 |
| STOKESIA laevis cyanea. 2' Lilac-blue, July-Aug. | .25 | 2.00 | 18.00 |
| — <i>alba.</i> 2' White, July-Aug..... | .25 | 2.00 | 18.00 |

| | Each | Per 10 | Per 100 |
|--|------|--------|---------|
| TEUCRIUM chamaedrys. <i>Germander.</i> 1' Shrubby dark green foliage purple flowers July-Aug | .50 | 4.00 | 30.00 |
| THALICTRUM aquilegifolium. <i>Columbine Meadowrue.</i> 2' Rosy-purple, June-July | .40 | 3.50 | 25.00 |
| dipterocarpum. <i>Yunnan Meadowrue.</i> 3'-4' Mauve, Aug.-Sept. | .40 | 3.50 | 25.00 |
| THYMUS citriodorus. <i>Common Thyme.</i> 1' Purplish, June-July | .40 | 3.50 | 25.00 |
| serpyllum coccineum. <i>Mother of Thyme.</i> 2" | .40 | 3.50 | 25.00 |
| — album. <i>White Thyme.</i> 3" Green foliage, white flowers, June-July | .40 | 3.50 | 25.00 |
| TRITOMA hybridus Cardinal. 2½' Brilliant red, Aug.-Sept. | .40 | 3.50 | 25.00 |
| pfitzeri. <i>Bonfire Torchlily.</i> 2½' Red and yellow, Aug.-Sept. | .30 | 2.50 | 20.00 |
| TUNICA saxifraga. <i>Tunic Flower.</i> 6" Light pink, July-Sept. | .30 | 2.50 | 20.00 |
| VALERIANA officinalis rubra. <i>Valerian.</i> 3'-4' Red, June-July | .25 | 2.00 | 18.00 |
| VERBENA canadensis. <i>Canada Verbena.</i> 6" Bluish purple, May. | .40 | 3.50 | 25.00 |
| VERONICA filiformis. 2" Rich ground cover, pale blue flowers, April-May | .30 | 2.50 | 20.00 |
| gentianoides. <i>Gentian Speedwell.</i> 8" Blue. We have the true dwarf type. | .40 | 3.50 | 25.00 |
| incana. <i>Woolly Speedwell.</i> 1' Silvery gray leaves, violet blue flowers, July-Aug. | .30 | 2.50 | 20.00 |
| longifolia subsessilis. <i>Clump Speedwell.</i> 2' Violet-blue, Aug. | .30 | 2.50 | 20.00 |
| — Blue Jay. 2½' Lighter blue, stronger growing form of above | .40 | 3.50 | 25.00 |
| pectinata rosea. <i>Rosy Comb Speedwell.</i> 2" Woolly foliage, rose pink, June | .60 | 5.00 | 40.00 |
| repens. <i>Creeping Speedwell.</i> 2" Blue, May. | .30 | 2.50 | 20.00 |
| rupestris nana. <i>Dwarf Rock Speedwell.</i> 1" Deep blue, April-May | .40 | 3.50 | 25.00 |
| spicata. <i>Spike Speedwell.</i> 1½' Blue, June-July | .30 | 2.50 | 20.00 |
| spuria (amethystina). <i>Bastard Speedwell.</i> 2' Blue, May-June | .30 | 2.50 | 20.00 |
| — Royal Blue. 1½' Rich blue, June-July. | .40 | 3.50 | 25.00 |
| teucrium rupestris Heavenly Blue. 9" Rich blue, June-July | .30 | 2.50 | 20.00 |
| VIOLA Admiration. 6" Rich violet, May-Oct. | .25 | 2.00 | 18.00 |
| Apricot Queen. 6" Distinct brownish yellow, May-Oct. | .35 | 3.00 | 25.00 |
| G. Wermig. Violet blue. | .40 | 3.50 | 25.00 |
| Jersey Gem. 6" Rich violet, May-Aug. | .40 | 3.50 | 25.00 |
| pedata. <i>Bird's Foot Violet.</i> 6" Lilac, April-May | .35 | 3.00 | 25.00 |
| White Perfection. 6" Best white, May-Oct. | .25 | 2.00 | 18.00 |
| Yellow Perfection. 6" Yellow, May-Oct. | .25 | 2.00 | 18.00 |
| VINCA minor. <i>Periwinkle.</i> 4" Lilac blue, April- May. Pot grown. 125.00 thousand. | | 2.50 | 15.00 |
| YUCCA filamentosa. <i>Adam's Needle.</i> 4'-5' Creamy white, June-July | .40 | 3.50 | 25.00 |

PLANTS SUITABLE FOR ROCK GARDEN—*Herbaceous Perennials*

- Acaena microphylla*
Achillea tomentosa, 1'
Adonis amurensis fl. pl. 1'
Aethionema grandiflorum 6"
Ajuga genevensis, 6"
Ajuga reptans 6"
Alyssum saxatile compactum, 1'
Alyssum spinosum, 6"
Androsace chumbyi, 4"
Anemone pulsatilla, 12"
Aquilegia alpina, 9"
Arabis alpina, 6"
Arabis alpina flore pleno, 7"
Arabis alpina rosea, 4"
Arenaria caespitosa 1"
Arenaria montana, 3"
Aster alpinus, 8"
Aster sub coeruleus, 12"
Aubretia deltoidea 6"
Bellis perennis, 5"
Bellis perennis flore pleno, 6"
Bellis perennis monstrosa rosea, 6"
Campanula carpatica, 6"
Campanula carpatica alba, 6"
Campanula garganica, 3"
Campanula portenschlagiana, 4"
Campanula rotundifolia, 9"
Cerastium tomentosum, 6"
Dianthus alpinus, 3"
Dianthus caesius, 8"
Dianthus deltoides, 8"
Dianthus neglectus 4"
Dicentra formosa, 1'
Dracocephalum ruyschiana, 1'
Erinus alpinus, 4"
Funkia subcordata minor, 8"
Geum chiloense (coccinea), 1'
Geum chiloense Mrs. Brad., 1½'
Globularia trichosanthes, 6"
Grasses, Festuca glauca 1'
Gypsophila cerastioides, 4"
Gypsophila repens, 4"
Helianthemum in variety, 8"
Hepatica triloba 6"
Hepatica acutifolia 6"
Heuchera brizoides, 1½'
Iberis gibraltaria, 8"
Iberis Little Gem, 6"
Iberis sempervirens, 10"
Iris cristata, 4"
Iris excelsa, 6"
Iris Schneecuppe, 6"
Iris pumila in variety, 8"
Lavendula vera munsted, 1'
Linum perenne, 1'
Linum perenne album, 1'
Lychnis alpina, 6"
Mazus rugosus 4"
Myosotis scorpioides, 10"
Myosotis Barr's alpine blue, 6"
Nepeta mussini, 10"
Nierembergia rivularis, 4"
Oenothera missouriensis, 9"
Papaver alpinum, 10"
Papaver nudicaule, 1'
Phlox amoena, 4"
Phlox apple blossom
Phlox divaricata, 1'
Phlox nelsoni, 4"
Phlox subulata, 4"
Phlox subulata alba, 4"
Phlox subulata vivid, 6"
Phlox subulata G. F. Wilson, 4"
Plumbago larpentae, 9"
Polemonium humile, 1'
Polemonium reptans, 8"
Primula auricula, 5"
Primula cachemiriana, 10"
Primula elatior, 8"
Primula japonica, 9"
Primula veris, 6"
Primula veris hose-in-hose, 6"
Primula acaulis (vulgaris), 6"
Saponaria ocymoides splendens, 1'
Sedum acre, 3"
Sedum album, 3"
Sedum altissimum
Sedum dasphyllum 3"
Sedum divergens, 6"
Sedum hispanicum, 4"
Sedum kamschaticum, 8"
Sedum reflexum, 6"
Sedum rupestre, 6"-8"
Sedum sarmentosum, 2"
Sedum sexangulare
Sedum sieboldi, 6"-8"
Sedum stoloniferum, 6"
Sempervivum in variety
Silene alpestris, 5"
Silene maritima fl. pl. 6"
Silene schafta, 6"
Statice armeria lauchean, 6"
Teucrium chamaedrys, 1"
Thymus serpyllum album, 2"
Thymus serpyllum coccineum, 3"
Thymus serpyllum lanuginosus 2"
Thymus serpyllum splendens, 3"
Tunica saxifraga, 6"
Tunica saxifraga fl. pl. 8"
Verbena canadensis, 6"
Veronica filiformis 2"
Veronica gentianoides, 8"
Veronica pectinate, 2"
Veronica repens, 2"
Veronica rupestris nana, 1"
Veronica teucrium rupestris, 4"
Vinca minor, 4"
Viola Admiration, 6"
Viola Blue Perfection, 6"
Viola cornuta, 8"
Viola gracilis 8"
Viola Jersey gem, 6"
Viola odorata Gov. Herrick, 4"
Viola pedata, 6"
Viola Rose Queen
Viola White Perfection, 6"
Viola Yellow Gem, 6"

PLANTS SUITABLE FOR THE ROCK GARDEN

Evergreens

| | |
|--|---|
| <i>Arctostaphylos uva-ursi</i> | <i>Lonicera pileata</i> , 2' |
| <i>Azalea amoena</i> , 2½'-3' | <i>Mitchella repens</i> , 4'' |
| <i>Azalea Hinodegiri</i> , 3'-4' | <i>Pachistima canbyi</i> 3''-4'' |
| <i>Calluna vulgaris</i> , 1'-2' | <i>Picea glauca conica</i> , 3' |
| <i>Cotoneaster horizontalis</i> , 1½'-2' | <i>Picea excelsa procumbens</i> , 1½'-2' |
| <i>Cotoneaster microphylla</i> , 2'-2½' | <i>Picea excelsa conica</i> , 6'-7' |
| <i>Cotoneaster perpusilla</i> , 1½' | <i>Pinus densiflora umbraculif.</i> , 3'-4' |
| <i>Cotoneaster thymifolia</i> , 1½'-2' | <i>Pinus montana mughus</i> , 2½'-3' |
| <i>Daphne cneorum</i> , 1' | <i>Potentilla tridentata</i> , 8'' |
| <i>Epigaea repens</i> , 6'' | <i>Retinospora obtusa grac. com.</i> 4'-5' |
| <i>Euonymus radicans minimus</i> , 2'-3' | <i>Retinospora obtusa grac. nana</i> , 2' |
| <i>Euonymus japonicus microphyllus</i> | <i>Taxus baccata compacta</i> , 3'-4' |
| <i>Gaultheria procumbens</i> | <i>Taxus baccata erecta</i> , 3'-5' |
| <i>Juniperus chinensis sargentii</i> , 1½' | <i>Taxus baccata repandens</i> , 1½'-2' |
| <i>Juniperus communis cracovica</i> , 4'-5' | <i>Taxus canadensis</i> , 2'-2½' |
| <i>Juniperus communis suecica</i> na., 3' | <i>Taxus cuspidata nana</i> , 2'-3, |
| <i>Juniperus communis depressa</i> plum. | <i>Thuja occidentalis compacta</i> , 2'-4' |
| <i>Juniperus conferta</i> , 1'-1½' | <i>Thuja occidentalis globosa</i> , 2½'-3' |
| <i>Juniperus horizontalis</i> , 1'-1½' | <i>Thuja occidentalis pumila</i> , 2'-2½' |
| <i>Juniperus horizontalis doug.</i> , 1'-1½' | <i>Thuja occidentalis recurva nana</i> , 2' |
| <i>Juniperus japonica</i> , 3'-4' | <i>Thuja occidentalis umbraculif.</i> 2'-3' |
| <i>Juniperus japonica aurea</i> , 2'-3' | <i>Thuja orientalis compacta</i> , 3'-4' |
| <i>Juniperus squamata meyeri</i> , 3'-4' | <i>Thuja orientalis nana aurea</i> , 2½'-3' |
| <i>Juniperus squamata variegata</i> | |
| <i>Leiophyllum buxifolium</i> , 18'' | |
| <i>Leiophyllum prostratum</i> | |

Deciduous Shrubs

| | |
|---|---|
| <i>Caryopteris incana</i> , 2'-3' | <i>Lonicera syringantha</i> , 3'-5' |
| <i>Ceanothus americana</i> , 3'-4' | <i>Lonicera syringantha wolffi</i> , 2½'-3' |
| <i>Cytisus scoparius</i> , 4'-5' | <i>Lonicera spinosa alberti</i> , 2' |
| <i>Deutzia gracilis</i> , 3' | <i>Lonicera thibetica</i> , 3'-4' |
| <i>Genista tinctoria</i> , 3' | <i>Potentilla fruticosa</i> , 3'-4' |
| <i>Hypericum buckleyi</i> , 1' | <i>Rosa rugosa repens alba</i> |
| <i>Hypericum moserianum</i> , 2' | <i>Rosa spinosissima</i> , 3'-4' |
| <i>Hypericum patulum grandifl.</i> 2½' | <i>Spiraea japonica</i> , 3' |
| <i>Hypericum patulum Henryi</i> , 2'-3' | <i>Viburnum opulus nanum</i> , 1½'-2' |
| <i>Jasminum nudiflorum</i> , 3' | |

GROUND COVERS

For Shady Places

| | |
|-----------------------------------|-------------------------------|
| <i>Asarum shuttleworthii</i> | <i>Pachistima canbyi</i> |
| <i>Epigaea repens</i> | <i>Pachysandra terminalis</i> |
| <i>Euonymus radicans minimus</i> | <i>Shortia galacifolia</i> |
| <i>Galax aphylla</i> | <i>Taxus canadensis</i> |
| <i>Gaultheria procumbens</i> | <i>Vaccinium vitis-idaea</i> |
| <i>Hedera helix</i> and varieties | <i>Vinca minor</i> |
| <i>Mitchella repens</i> | |

For Sunny Places

| | |
|---------------------------------------|-----------------------------------|
| <i>Arctostaphylos uva-ursi</i> | <i>Juniperus depressa plumosa</i> |
| <i>Calluna vulgaris</i> and varieties | <i>Leiophyllum buxifolium</i> |
| <i>Juniperus communis depressa</i> | <i>Leiophyllum prostratum</i> |
| <i>Juniperus conferta</i> | <i>Pachysandra terminalis</i> |
| <i>Juniperus horizontalis</i> | <i>Zanthorhiza apiifolia</i> |
| <i>Juniperus sargentii</i> | |

PLANTS FOR SHADED SITUATIONS

Deciduous Trees and Small Shrubs

| | |
|--|---|
| <i>Acanthopanax pentaphylla</i> , 7'-8' | <i>Hamamelis virginiana</i> , |
| <i>Amelanchier canadensis</i> , 12'-15' | <i>Hydrangea arborescens</i> , 4'-5' |
| <i>Aronia melanocarpa</i> , 8'-10' | <i>Hydrangea quercifolia</i> , 3'-4' |
| <i>Aronia arbutifolia</i> , 6'-8' | <i>Hypericum aureum</i> , 3'-4' |
| <i>Azalea arborescens</i> , 10'-12' | <i>Ligustrum ibota regelianum</i> , 5'-6' |
| <i>Azalea nudiflora</i> , 6'-8' | <i>Ligustrum vulgare</i> , 10'-12' |
| <i>Azalea vaseyi</i> , 5'-6' | <i>Lonicera fragrantissima</i> , 6'-8' |
| <i>Azalea viscosa</i> , 4'-5' | <i>Lonicera morrowi</i> , 7'-8' |
| <i>Benzoin aestivalis</i> , 10'-12' | <i>Lonicera tatarica</i> , 9'-10' |
| <i>Calycanthus floridus</i> , 4'-5' | <i>Myrica cerifera</i> , 4'-5' |
| <i>Ceanothus americanus</i> , | <i>Oxydendrum arborescens</i> , 25'-30' |
| <i>Cephalanthus occidentalis</i> , 5'-6' | <i>Philadelphus</i> , 9'-10' |
| <i>Cercis canadensis</i> , 12'-15' | <i>Physocarpus opulifolia</i> , 9'-10' |
| <i>Chionanthus virginica</i> , 15'-18' | <i>Rhodotypos kerrioides</i> , 4'-5' |
| <i>Clethra alnifolia</i> , 4'-5' | <i>Rubus odoratus</i> , 5'-6' |
| <i>Cornus alternifolia</i> , 15'-18' | <i>Symphoricarpos racemosa</i> , 5'-6' |
| <i>Cornus amomum</i> , 8'-9' | <i>Symphoricarpos vulgare</i> , 4'-5' |
| <i>Cornus florida</i> , 15'-25' | <i>Viburnum dentatum</i> , 10'-12' |
| <i>Cornus florida rubra</i> , 15'-20' | <i>Viburnum lentago</i> , 18'-20' |
| <i>Halesia tetraptera</i> , 12'-15' | <i>Viburnum molle</i> , 10'-12' |

Evergreens

| | |
|---|--|
| <i>Andromeda floribunda</i> , 4' | <i>Mahonia aquifolium</i> , 4'-5' |
| <i>Andromeda japonica</i> , 4'-5' | <i>Pachysandra terminalis</i> , 6'-8" |
| <i>Azalea amoena</i> , 2½'-3' | <i>Rhododendron carolinianum</i> , 5'-6' |
| <i>Azalea hinodegiri</i> , 3'-4' | <i>Rhododendron cataw. hybrids</i> , 3'-8' |
| <i>Buxus sempervirens</i> , 12'-15' | <i>Rhododendron catawbiense</i> , 6'-9' |
| <i>Ilex crenata microphylla</i> , 6'-8' | <i>Rhododendron maximum</i> , 8'-12' |
| <i>Ilex glabra</i> , 5'-6' | <i>Taxus cuspidata</i> , 4'-5' |
| <i>Juniperus canadensis</i> , 2½'-3' | <i>Taxus cuspidata brevifolia</i> , 2'-3' |
| <i>Kalmia latifolia</i> , 5'-7' | <i>Taxus canadensis</i> , 2'-2½' |
| <i>Leucothoe catesbaei</i> , 3'-4' | <i>Tsuga canadensis</i> , 75'-90' |

Herbaceous Perennials

| | |
|-----------------------------|-------------------------------|
| <i>Aconitum</i> | <i>Lobelia syphilitica</i> |
| <i>Aquilegia</i> | <i>Lythrum</i> |
| <i>Anemone japonica</i> | <i>Lychnis chalcidonica</i> |
| <i>Cimicifuga</i> | <i>Myosotis palustris</i> |
| <i>Convallaria majalis</i> | <i>Platycodon grandiflora</i> |
| <i>Digitalis</i> | <i>Polemonium</i> |
| <i>Dicentra spectabilis</i> | <i>Primula</i> |
| <i>Dicentra eximia</i> | <i>Vinca minor</i> |
| <i>Funkia</i> | <i>Viola cornuta</i> |
| <i>Hepatica triloba</i> | <i>Veronica spicata</i> |
| <i>Lobelia cardinalis</i> | |

PLANTS FOR BINDING AND COVERING SOIL ON STEEP BANKS

Shrubs

| | |
|---|---|
| <i>Acanthopanax pentaphylla</i> , 7'-8' | <i>Rosa setigera</i> , 5'-6' |
| <i>Berberis thunbergi</i> , 4'-5' | <i>Sambucus canadensis</i> , 8'-9' |
| <i>Comptonia asplenifolia</i> , 2'-3' | <i>Spiraea tomentosa</i> , 3'-4' |
| <i>Myrica cerifera</i> , 4'-5' | <i>Symphoricarpos racemosus</i> , 5'-6' |
| <i>Lonicera tatarica</i> , 9'-10' | <i>Symphoricarpos vulgare</i> , 4'-5' |
| <i>Rhus glabra</i> , 10'-12' | <i>Rosa rugosa</i> , 4'-5' |
| <i>Rhus typhina</i> , 15'-18' | <i>Rhus canadensis</i> , 4'-5' |

Vines

| | |
|-------------------------------------|----------------------------|
| <i>Celastrus scandens</i> , 20'-25' | <i>Rosa setigera</i> |
| <i>Lonicera japonica</i> , 15'-20' | <i>Rosa wichuriana</i> |
| <i>Lycium chinensis</i> , 12'-15' | <i>Rosa lucida</i> , 5'-6' |

PLANTS FOR DRY SOILS

Trees

Deciduous

Acer negundo, 60'
Ailanthus glandulosus, 50'-60'
Betula populifolia, 30'-40'
Phellodendron sachalinense,

Evergreen

Pinus resinosa, 50'-60'
Pinus rigida, 40'-50'
Pinus divaricata, 40'-50'
Pinus strobus, 80'-100'

Shrubs

Deciduous

Acanthopanax pentaphylla, 7'-8'
Comptonia asplenifolium, 2'-3'
Cornus paniculata, 10'-12'
Colutea arborescens, 8'-10'
Hypericum prolificum, 2½'-3'
Hypericum kalmianum, 4'-5'
Lespedeza bicolor, 5'-6'
Myrica cerifera, 4'-5'
Prunus maritima, 9'-10'
Robina hispida, 5'-6'

Rosa setigera, 5'-6'
Rhus typhina, 15'-18'
Rhus canadensis, 4'-5'
Rhamnus cathartica, 9'-10'
Ribes aureum, 7'-8'
Symphoricarpos racemosus, 5'-6'
Symphoricarpos vulgare, 4'-5'
Vaccinium corymbosum, 5'-6'
Viburnum latana, 15'-18'

Evergreen

Arctostaphylos uva-ursi
Juniperus communis, 2'-2½'
Juniperus communis depressa, 1½'
Juniperus sabina, 6'-7'

Juniperus horizontalis, 1'-1½'
Mahonia aquifolia, 4'-5'
Pachysandra terminalis, 8"
Pinus montana mughus, 2½'-3'

Herbaceous Perennials

Sunny Places

Asclepias tuberosa
Armeria
Anthemis tinctoria
Achillea tomentosa
Achillea ptarmica, The Pearl
Baptisia australis
Baptisia tinctoria
Cerastium tomentosum
Dianthus barbatus
Gypsophilla paniculata

Helianthemum
Helianthus
Linum perenne
Lupinus polyphyllus
Lychnis haageana
Oenothera youngi
Phlox subulata
Pentstemon barbatus
Sempervivum
Sedum

Shady Places

Aquilegia canadensis
Aquilegia chrysantha
Aster alpinus
Heuchera sanguinea

Iberis sempervirens
Platycodon grandiflorum
Sedum spectabile

PLANTS FOR AUTUMN COLORING

Trees

Acer rubrum, 50'-75'
Acer saccharum, 50'-75'
Crataegus cordata, 12'-15'
Cornus florida, 15'-25'

Liquidambar styraciflua, 50'-60'
Oxydendrum arboreum, 25'-30'
Quercus palustris, 75'-90'
Quercus rubra, 75'-90'

Shrubs

Aronia arbutifolius, 6'-8'
Aronia melanocarpa, 8'-10'
Berberis thunbergi, 4'-5'
Cornus paniculata, 10'-12'
Cornus alternifolia, 15'-18'
Euonymus americana, 7'-8'

Euonymus alatus, 9'-10'
Rhus copallina, 12'-13'
Rhus aromatica, 4'-5'
Rhus glabra, 10'-12'
Vaccinium corymbosum, 5'-6'
Viburnum (all species)

PLANTS FOR WET OR MARSHY PLACES

Deciduous Trees

| | |
|--|------------------------------------|
| <i>Acer rubrum</i> , 50'-75' | <i>Quercus palustris</i> , 75'-90' |
| <i>Betula nigra</i> , 50'-60' | <i>Salix babylonica</i> , 50'-60' |
| <i>Liquidamber styraciflua</i> , 50'-60' | <i>Salix discolor</i> , 15'-20' |
| <i>Larix leptolepis</i> , 50'-60' | <i>Ulmus americana</i> , 80'-100' |
| <i>Quercus bicolor</i> 75'-90' | <i>Taxodium distichum</i> , 100' |

Shrubs

| | |
|--|-------------------------------------|
| <i>Azalea viscosa</i> , 4'-5' | <i>Benzoin aestivalis</i> , 10'-12' |
| <i>Cephalanthus occidentalis</i> , 4'-5' | <i>Aronia arbutifolia</i> , 6'-8' |
| <i>Calycanthus floridus</i> , 4'-5' | <i>Aronia melanocarpa</i> , 8'-10' |
| <i>Chamaedaphne calyculata</i> , 3'-4' | <i>Rosa palustris</i> , 6'-7' |
| <i>Cornus stolonifera</i> , 7'-8' | <i>Sambucus canadensis</i> , 8'-9' |
| <i>Cornus amomum</i> , 8'-9' | <i>Spiraea tomentosum</i> , 3'-4' |
| <i>Clethra alnifolia</i> , 4'-5' | <i>Viburnum dentatum</i> , 10'-11' |
| <i>Ilex verticillata</i> , 6'-8' | <i>Viburnum lentago</i> , 18'-20' |
| <i>Ilex glabra</i> , 5'-6' | <i>Viburnum cassinoides</i> , 5'-6' |
| <i>Itea virginica</i> , 3'-4' | |

Herbaceous Perennials

| | |
|-----------------------------------|---------------------------------|
| <i>Aster novae-angliae</i> | <i>Hibiscus moscheutos</i> |
| <i>Asclepias tuberosa</i> | <i>Iris sibirica</i> |
| <i>Boltonia latisquama</i> | <i>Iris kaempferi</i> |
| <i>Caltha palustris</i> | <i>Lobelia cardinalis</i> |
| <i>Cimicifuga foetida simplex</i> | <i>Lythrum salicaria roseum</i> |
| <i>Cimicifuga racemosa</i> | <i>Myosotis palustris</i> |
| <i>Helenium autumnale</i> | <i>Physostegia virginica</i> |

Broadleaved Evergreen Shrubs

| | |
|--|---|
| <i>Azalea amoena</i> | <i>Ilex crenata microphylla</i> & varieties |
| <i>Azalea hinodegiri</i> | <i>Ilex glabra</i> |
| <i>Azalea</i> , Japanese varieties | <i>Ilex opaca</i> |
| <i>Berberis illicifolia</i> | <i>Kalmia latifolia</i> |
| <i>Berberis julianae</i> | <i>Leiophyllum buxifolium</i> |
| <i>Buxus</i> | <i>Leucothoe catesbaei</i> |
| <i>Calluna vulgaris</i> | <i>Lonicera pileata</i> |
| <i>Chamaedaphne calyculata</i> | <i>Mahonia aquifolia</i> |
| <i>Cotoneaster franchetti</i> | <i>Mahonia beali</i> |
| <i>Cotoneaster horizontalis</i> | <i>Mitchella repens</i> |
| <i>Cotoneaster lemoinei</i> | <i>Pachistima canbyi</i> |
| <i>Cotoneaster microphylla</i> | <i>Pieris japonica</i> |
| <i>Cotoneaster rotundifolia</i> | <i>Pieris floribunda</i> |
| <i>Cotoneaster Simonsi</i> | <i>Potentilla tridentata</i> |
| <i>Daphne cneorum</i> | <i>Pyracantha coccinea lalandi</i> |
| <i>Epigaea repens</i> | <i>Rhododendrons</i> in variety |
| <i>Euonymus japonica</i> | <i>Stranvaesia davidiana</i> |
| <i>Euonymus patens</i> | <i>Viburnum rhytidophyllum</i> |
| <i>Euonymus radicans</i> and varieties | <i>Yucca filamentosa</i> |

BERRY-BEARING TREES AND SHRUBS

Red Berries

| | |
|--|------------------------------------|
| <i>Berberis vulgaris</i> , 7'-8' | <i>Lonicera tatarica</i> , 9'-10' |
| <i>Berberis thunbergi</i> , 4'-5' | <i>Lonicera maacki</i> , 8'-9' |
| <i>Cornus florida</i> , 15'-25' | <i>Photinia villosa</i> |
| <i>Crataegus cordata</i> , 12'-15' | <i>Rhamnus caroliniana</i> |
| <i>Crataegus crus-galli</i> , 15' | <i>Rosa rubiginosa</i> , 5'-6' |
| <i>Crataegus coccinea</i> , 15'-20' | <i>Rosa rugosa</i> , 4'-5' |
| <i>Cotoneaster horizontalis</i> , 1'-1½' | <i>Rosa blanda</i> , 4'-5' |
| <i>Cotoneaster divaricata</i> | <i>Sorbus aucuparia</i> , 25'-30' |
| <i>Euonymus alatus</i> , 9'-10' | <i>Sambucus racemosus</i> , 8'-10' |
| <i>Euonymus europaeus</i> , 12'-14' | <i>Stranvaesia davidiana</i> |
| <i>Euonymus bungeana</i> , 12'-14' | <i>Viburnum opulus</i> , 9'-10' |
| <i>Ilex verticillata</i> , 6'-8' | <i>Viburnum dilatatum</i> , 8'-9' |
| <i>Lonicera morrowi</i> , 7'-8' | <i>Viburnum americanum</i> , 8'-9' |
| | <i>Benzoin aestivale</i> , 10'-12' |

White Berries

| | |
|---|-----------------------------|
| <i>Cornus stolonifera</i> , 7'-8' | <i>Cornus alba</i> , 8'-10' |
| <i>Symphoricarpos racemosus</i> , 5'-6' | |

Yellow Berries

| | |
|-----------------------------------|---|
| <i>Elaeagnus longipes</i> , 6'-8' | <i>Elaeagnus angustifolia</i> , 15'-18' |
| <i>Euonymus bunganus</i> | <i>Elaeagnus umbellatus</i> |

Black Berries

| | |
|---|--------------------------------------|
| <i>Aralia spinosa</i> , 18'-20' | <i>Rhodotypos kerrioides</i> , 4'-5' |
| <i>Ilex glabra</i> , 5'-6' | <i>Sambucus canadensis</i> , 8'-9' |
| <i>Ilex crenata microphylla</i> , 6'-8' | <i>Viburnum acerifolium</i> |
| <i>Ligustrum vulgare</i> , 10'-12' | <i>Viburnum prunifolium</i> |
| <i>Ligustrum regelianum</i> | <i>Viburnum sieboldi</i> , 9'-10' |
| <i>Phellodendron sachalinense</i> | <i>Viburnum plicatum</i> , 7'-8' |
| <i>Aronia melanocarpa</i> , 8'-10' | <i>Viburnum lantana</i> , 15'-18' |
| <i>Amelanchier canadensis</i> , 12'-15' | <i>Rhamnus cathartica</i> , 9'-10' |

Deep Blue-black Berries

| | |
|------------------------------------|-------------------------------------|
| <i>Mahonia aquifolia</i> , 4'-5' | <i>Viburnum cassinoides</i> , 5'-6' |
| <i>Vaccinium corymbosum</i> | <i>Viburnum lentago</i> |
| <i>Viburnum dentatum</i> , 10'-12' | <i>Viburnum molle</i> |

Blue Berries

| | |
|--------------------------------|------------------------------------|
| <i>Ampelopsis heterophylla</i> | <i>Callicarpa purpurea</i> (mauve) |
| <i>Cornus amomum</i> , 8'-9' | <i>Callicarpa japonica</i> |
| | <i>Symplocos paniculata</i> |

| | PAGE |
|-------------------------------------|----------------|
| Chamaedaphne | 31 |
| Chaste Tree | 29 |
| Chelone | 50 |
| Cherry, Flowering and Weeping | 21 |
| Chionanthus | 9 |
| Chinese Apple | 18 |
| Chinese Beauty Berry | 8 |
| Chinese Fleece Vine | 20 |
| Chinese Lantern | 55 |
| Chrysanthemum | 50 |
| Chokeberry | 5 |
| Cimicifuga | 50 |
| Cinquefoil | 20, 39 |
| Cladrastis | 9 |
| Clary | 56 |
| Clematis | 9, 51 |
| Clethra | 9 |
| Cockspur Thorn | 11 |
| Columbine | 48 |
| Colutea | 9 |
| Coneflower | 51 |
| Coneflower, Showy | 56 |
| Coral Berry | 25 |
| Coral Bells | 53 |
| Coreopsis | 51 |
| Cornellian Cherry | 10 |
| Corn Flower | 50 |
| Cornus | 9, 10 |
| Cotoneaster | 10, 11, 31, 32 |
| Cowslip | 55 |
| Crab Apple, Flowering | 18, 19 |
| Cranberry | 27, 28 |
| Cranesbill | 52 |
| Crataegus | 11 |
| Cryptomeria | 32 |
| Cup and Saucer | 50 |
| Cydonia | 12 |
| Cypress | 31, 40-42 |

D

| | |
|---------------------|--------|
| Daisy | 49, 50 |
| Daphne | 32 |
| Daylily | 53 |
| Delphinium | 51 |
| Desmodium | 15 |
| Deutzia | 12 |
| Dianthus | 51 |
| Dicentra | 51 |
| Dictamnus | 51 |
| Diervilla | 12 |
| Digitalis | 51 |
| Dogwood | 9, 10 |
| Douglas Fir | 39 |
| Dracocephalum | 51 |
| Dragonhead | 51, 55 |

E

| | |
|-----------------|----|
| Echinacea | 51 |
| Eleagnus | 12 |
| Elm | 27 |

| | PAGE |
|-------------------------|------------|
| Engelmann Creeper | 5 |
| Erigeron | 52 |
| Erinus | 52 |
| Eryngium | 52 |
| Eryngo | 52 |
| Euonymus | 12, 13, 32 |
| Eupatorium | 52 |
| Euphorbia | 52 |
| Evening Primrose | 54 |
| Exochorda | 13 |

F

| | |
|------------------------|--------|
| False Dragonhead | 55 |
| False Spirea | 24 |
| Fir | 30, 39 |
| Firethorn | 59 |
| Flax | 54 |
| Fleabane | 52 |
| Fleur-de-lis | 53 |
| Flowering Almond | 20 |
| Flowering Quince | 12 |
| Flowering Spurge | 52 |
| Forget-me-not | 54 |
| Forsythia | 13 |
| Foxglove | 51 |
| Fraxinus | 13 |
| Funkia | 52 |

G

| | |
|------------------------|----|
| Gaillardia | 52 |
| Galax | 52 |
| Gas Plant | 51 |
| Gayfeather | 54 |
| Geneva Bugle | 48 |
| Geranium | 52 |
| Geranium Creeper | 5 |
| Germander | 57 |
| Geum | 52 |
| Ginkgo | 13 |
| Gleditsia | 14 |
| Globe Daisy | 52 |
| Globularia | 52 |
| Goatsbeard | 56 |
| Golden Bell | 13 |
| Golden Chain | 15 |
| Golden Tuft | 48 |
| Goldmoss | 56 |
| Grasses | 52 |
| Greek Valerian | 57 |
| Gymnocladus | 14 |
| Gypsophylla | 52 |

H

| | |
|--------------------|--------|
| Halesia | 14 |
| Hamamelis | 14 |
| Hardy Pink | 51 |
| Harebell | 50 |
| Hawthorn | 11 |
| Heather | 31 |
| Helenium | 52, 53 |
| Helianthemum | 52 |

| | PAGE | | PAGE |
|---------------------------------|------------|--------------------------|------------|
| Helianthus | 53 | Liatris | 54 |
| Heliopsis | 53 | Ligustrum | 15-16 |
| Hemerocallis | 53 | Lilac | 25, 26 |
| Hemlock | 47 | Lindera | 6 |
| Hepatica | 53 | Linum | 54 |
| Hesperus | 53 | Liquidambar | 16 |
| Heuchera | 53 | Liriodendron | 16 |
| Hibiscus | 14, 53 | Liver-balsam | 52 |
| Highbush Blueberry | 27 | Lobelia | 54 |
| Holly | 33 | Locust | 14 |
| Holly Grape | 37 | Lonicera | 16, 17, 37 |
| Hollyhock | 48, 53 | Loosestrife | 54 |
| Honeysuckle Bush | 12 | Lupine | 54 |
| Honeysuckle Vine | 16, 17, 37 | Lupinus | 54 |
| Hornbeam | 8 | Lychnis | 54 |
| Hydrangea | 14 | Lycium | 17 |
| Hypericum | 15 | Lythrum | 54 |
| I | | M | |
| Iberis | 53 | Magnolia | 17, 18 |
| Ilex | 15, 33 | Mahonia | 37 |
| Inkberry | 33 | Maidenhair Tree | 13 |
| Iris | 53 | Mallow Marvel | 53 |
| Itea | 15 | Malus | 18-19 |
| J | | Maple | 3-4 |
| Jacob's Ladder | 55 | Matrimony Vine | 17 |
| Japanese Creeper | 5 | Mazus | 54 |
| Japanese Flowering Quince | 12 | Meadowrue | 57 |
| Japanese Holly | 33 | Mertensia | 54 |
| Japanese Maple | 3 | Mistflower | 52 |
| Japanese Spurge | 37, 54 | Mock Orange | 19 |
| Jasmine | 15 | Monardia | 54 |
| Jasminum | 15 | Monkshood | 48 |
| Jersey Tea | 8 | Morus | 19 |
| Jetbead | 22 | Moss Pink | 55 |
| Judas Tree | 9 | Mountain Ash | 24 |
| Juneberry | 5 | Mountain Laurel | 37 |
| Juniper | 33-36 | Mountain Pink | 55 |
| Juniperus | 33-36 | Mugwort | 49 |
| Jupiter's Beard | 50 | Mulberry | 19 |
| K | | Myosotis | 54 |
| Kalmia | 37 | Myrica | 19 |
| Katsura Tree | 9 | Myrtle | 47 |
| Kentucky Coffee Tree | 14 | N | |
| Kerria | 15 | Nannyberry | 28 |
| Koelreuteria | 15 | Nepeta | 54 |
| Kolkwitzia | 15 | Nierembergia | 54 |
| L | | Norway Maple | 4 |
| Laburnum | 15 | O | |
| Larkspur | 51 | Oak | 21 |
| Laurel | 37 | Oenothera | 54 |
| Lavendula | 54 | Oregon Fleabane | 52 |
| Lavender | 54 | Oriental Cherry | 21 |
| Leadwort | 55 | Osier | 10 |
| Leatherleaf | 31, 47 | Oxlip | 55 |
| Leiophyllum | 37 | Oxydendrum | 19 |
| Lespedeza | 15 | Oregon Holly Grape | 37 |
| Leucothoe | 37 | P | |
| | | Pachysandra | 37, 54 |
| | | Paeonia | 54 |

| | PAGE |
|------------------------------------|--------|
| Painted Lady..... | 56 |
| Pansy, tufted..... | 57 |
| Papaver..... | 54 |
| Pasque Flower..... | 48 |
| Peach, Flowering..... | 5 |
| Pearl Bush..... | 13 |
| Peony..... | 54 |
| Periwinkle..... | 47, 57 |
| Pentstemon..... | 55 |
| Philadelphus..... | 19 |
| Phlox..... | 55 |
| Photinia..... | 20 |
| Physalis..... | 55 |
| Physostegia..... | 55 |
| Picea..... | 37-38 |
| Pieris..... | 38 |
| Pine..... | 38-39 |
| Pink..... | 51 |
| Pink Bells..... | 53 |
| Pinus..... | 38-39 |
| Pinxterbloom..... | 6 |
| Plane Tree..... | 20 |
| Plantain Lily..... | 52 |
| Platanus..... | 20 |
| Platycodon..... | 55 |
| Plumbago..... | 55 |
| Plum, Dbl. & Single Flowering..... | 20, 21 |
| Polemonium..... | 55 |
| Polygonum..... | 20 |
| Poplar..... | 20 |
| Poppy..... | 54 |
| Populus..... | 20 |
| Potentilla..... | 20, 39 |
| Prairie Mallow..... | 56 |
| Primrose..... | 54, 55 |
| Primula..... | 55 |
| Prinos..... | 15, 33 |
| Privet..... | 15, 16 |
| Prunus..... | 20, 21 |
| Pseudotsuga..... | 39 |
| Purple-leaf Plum..... | 20 |
| Pyracantha..... | 39 |
| Pyrethrum..... | 56 |

Q

| | |
|-------------------------|----|
| Quercus..... | 21 |
| Quinces, Flowering..... | 12 |

R

| | |
|--------------------|-------|
| Redbud..... | 9 |
| Redcedar..... | 35-36 |
| Red Maple..... | 4 |
| Retinospora..... | 40-42 |
| Rhamnus..... | 22 |
| Rhododendron..... | 42 |
| Rhodotypos..... | 22 |
| Rhus..... | 22 |
| Rock Cress..... | 49 |
| Rocket..... | 53 |
| Rock Soapwort..... | 56 |

| | PAGE |
|------------------------------|--------|
| Rockspray..... | 32 |
| Rosa..... | 22, 23 |
| Rose of Sharon..... | 14 |
| Rose Bay..... | 42 |
| Roses, Native & Species..... | 22, 23 |
| Roses, Climbing..... | 23 |
| Rudbeckia..... | 56 |
| Russian Olive..... | 12 |

S

| | |
|--------------------------|------------|
| Sage..... | 56 |
| Salisburia..... | 13 |
| Salix..... | 23, 24 |
| Salvia..... | 56 |
| Sand Myrtle..... | 37 |
| Sandwort..... | 49 |
| Saponaria..... | 56 |
| Sassafras..... | 24 |
| Scabiosa..... | 56 |
| Sea Lavender..... | 56 |
| Sedum..... | 56 |
| Sempervivum..... | 56 |
| Shasta Daisy..... | 50 |
| Siberian Dragonhead..... | 51 |
| Sidalcea..... | 56 |
| Silene..... | 56 |
| Silver Bell..... | 14 |
| Smoke Tree..... | 22 |
| Sneezeweed..... | 52, 53 |
| Snowball..... | 28 |
| Snowberry..... | 25 |
| Snowdrop..... | 53 |
| Snow-in-Summer..... | 50 |
| Soapwort..... | 56 |
| Sorbaria..... | 24 |
| Sorbus..... | 24 |
| Sorrell Tree..... | 19 |
| Sourwood..... | 19 |
| Speedwell..... | 57 |
| Spice Bush..... | 6 |
| Spirea..... | 24, 25, 56 |
| Spruce..... | 37-38 |
| Spurge..... | 37, 54 |
| St. Johnswort..... | 14 |
| Stachys..... | 56 |
| Statice..... | 56 |
| Stephanandra..... | 25 |
| Stokesia..... | 56 |
| Stonecrop..... | 56 |
| Storax..... | 25 |
| Styrax..... | 25 |
| Sugar Maple..... | 4 |
| Sumach..... | 22 |
| Summer Sweet..... | 9 |
| Sundrops..... | 54 |
| Sunflower..... | 53 |
| Sunrose..... | 52 |
| Sweet Bay..... | 17 |
| Sweet Briar..... | 23 |

| | PAGE | | PAGE |
|---------------------|--------|-----------------------|-----------|
| Sweet Gum..... | 16 | Varnish Tree..... | 15 |
| Sweetleaf..... | 25 | Verbena..... | 57 |
| Sweet Shrub..... | 8 | Veronica..... | 57 |
| Sweetspire..... | 15 | Viburnum..... | 27-28, 47 |
| Sweet William..... | 51 | Vinca..... | 47, 57 |
| Symphoricarpos..... | 25 | Viola..... | 57 |
| Symplocos..... | 25 | Violet..... | 57 |
| Syringa..... | 25, 26 | Vitex..... | 29 |
| T | | Vitis..... | 5 |
| Tamarix..... | 26 | W | |
| Taxus..... | 43 | Wayfaring Tree..... | 28 |
| Teucrium..... | 57 | Wax Myrtle..... | 19 |
| Thalictrum..... | 57 | Weeping Mulberry..... | 19 |
| Thoroughwort..... | 52 | Weigela..... | 29 |
| Thrift..... | 56 | Whitecup..... | 54 |
| Thuja..... | 43-46 | White Fringe..... | 9 |
| Thyme..... | 57 | White Ash..... | 13 |
| Torch Lily..... | 57 | White Birch..... | 7 |
| Thymus..... | 57 | Willows..... | 23-24 |
| Tritoma..... | 57 | Winterberry..... | 15 |
| Tsuga..... | 47 | Wintercreeper..... | 32 |
| Trumpet Vine..... | 7 | Winter Jasmine..... | 15 |
| Tulip Tree..... | 16 | Witch Hazel..... | 14 |
| Tunica..... | 57 | Witherod..... | 27 |
| Tunic Flower..... | 57 | Wisteria..... | 29 |
| Turtlehead..... | 50 | Woodbine..... | 16 |
| U | | Y | |
| Ulmus..... | 27 | Yarrow..... | 48 |
| Umbrella Tree..... | 8 | Yellow-wood..... | 9 |
| V | | Yew..... | 43 |
| Vaccinium..... | 27 | Yucca..... | 47, 57 |
| Valeriana..... | 57 | | |
| Valerian..... | 55, 57 | | |

If so desired, we will gladly make up a selection of material specially adapted to particular conditions.

